

DAFTAR PUSTAKA

1. World Health Organization (WHO). Determination of Risk of Noise-Induced Hearing Loss due to Recreational Sound: Review. 2017.
2. Suma'mur. Higiene Perusahaan dan Kesehatan Kerja (Hiperkes) Edisi 2. Jakarta: CV Sagung Seto; 2014.
3. Permenaker. Peraturan Menteri Ketenagakerjaan Republik Indonesia Nomor 5 Tahun 2018 Tentang Keselamatan dan Kesehatan Kerja Lingkungan Kerja. 2018.
4. World Health Organization (WHO). Europe GBD Data and statistics - Occupational health [Internet]. 2017. Available from: <https://www.euro.who.int/en/health-topics/environment-and-health/occupational-health/data-and-statistics>
5. Zamri M, Anita A, Azuhairi A, Haizar M, Mariah H. Predictors of Aircraft Related Noise Induced Hearing Loss (NIHL) Among Technicians in Royal Malaysian Air Force (RMAF). *Int J Public Heal Clin Sci*. 2017;4(3):120–30.
6. International Labour Organization. Physical Hazards - Noise [Internet]. 2014. Available from: https://www.ilo.org/wcmsp5/groups/public/---americas/---ro-lima/---sro-port_of_spain/documents/presentation/wcms_250190.pdf
7. Centers for Disease Control and Prevention (CDC). Preventing Noise-Induced Hearing Loss [Internet]. 2020. Available from: <https://www.cdc.gov/ncbddd/hearingloss/noise.html>
8. National Institute for Occupational Safety and Health (NIOSH). Noise and Hearing Loss Prevention - Risk Factors [Internet]. 2018 [cited 2020 Dec 5]. Available from: <https://www.cdc.gov/niosh/topics/noise/preventhearingloss/riskfactors.html>
9. World Health Organization (WHO). Hearing loss due to recreational exposure to loud sounds. 2015.
10. Kumara SL, Setyaningsih Y, Ekawati. Hubungan Karakteristik Individu dan Riwayat Penyakit dengan Nilai Ambang Dengar Polisi Lalu Lintas Subunit Patwal Kota Semarang. *J Kesehat Masy*. 2017;5(5):226–38.
11. European Agency for Safety and Health at Work (EU-OSHA). Combined exposure to noise and ototoxic substances [Internet]. 2009. Available from: <http://europa.eu>
12. Jamal A, Tanoli Q, Putus T, Savolainen H, Liesivuori J. Noise Induced Hearing Loss and Its Determinants in Workers of an Automobile Manufacturing Unit in Karachi, Pakistan. *Madridge J Otorhinolaryngol*. 2016;1(1):1–11.
13. Noraita MAS. Noise Induced Hearing Loss in Manufacturing Industries, How Much Does It Cost to the Workers, Families and Society? (E-Book). Partidge Publishing Singapore; 2020.
14. Komite Nasional Penanggulangan dan Ketulian. Gangguan Pendengaran

Akibat Bising. Jakarta; 2014.

15. Kementerian Kesehatan. Keputusan Menteri Kesehatan Republik Indonesia No. 879 Tahun 2006 Tentang Rencana Strategi Nasional Penanggulangan Gangguan Pendengaran dan Ketulian Untuk Mencapai Sound Hearing 2030. 2006.
16. Christi W, Suwondo A, Widjasena B. Faktor Risiko Peningkatan Ambang Dengar Pekerja Pengelasan (Studi Observasional Pada Pt. X Kota Semarang Berdasarkan Umur Dan Riwayat Penyakit). *J Kesehat Masy.* 2017;5(1):414–21.
17. Amalia RD, Jayanti S, Kurniawan B. Analisis Pengendalian Kebisingan di Area Body Minibus Perusahaan Karoseri Tahun 2015. *J Kesehat Masy.* 2015;3(3):616–26.
18. NIOSH. Occupationally-Induced Hearing Loss Employers and employees in Manufacturing need your help. 2010.
19. Elfiza R, Marliyawati D. Hubungan Antara Lamanya Paparan Bising Dengan Gangguan Fisiologis Dan Pendengaran Pada Pekerja Industri Tekstil. *Diponegoro Med J (Jurnal Kedokt Diponegoro).* 2017;6(2):1196–207.
20. Jesson J, Matheson L, Lacey FM. Doing your systematic review - Traditional and systematic techniques [e-Book]. SAGE Publications Inc.; 2011.
21. Wibowo S D. Anatomi Tubuh Manusia. Jakarta: PT Grasindo; 2005. 179–183 p.
22. Bashiruddin J, Alviandi W, Bramantyo B. Sistem Pendengaran dan Gangguan Pendengaran. In: Buku Teks Komprehensif Ilmu THT-KL (Telinga Hidung Tenggorok Kepala-Leher). Jakarta: EGC; 2019. p. 104–10.
23. Rizal R. Keselamatan dan Kesehatan Kerja Lingkungan Industri dan Manufaktur. Jakarta: Penerbit Lembaga Penelitian dan Pengabdian Pada Masyarakat Universitas Pembangunan Nasional Veteran Jakarta (LPPM UPNVJ); 2018.
24. Sedarmayanti. Tata Kerja dan Produktivitas Kerja. Bandung: CV. Mandar Maju; 2011.
25. Anizar. Teknik Keselamatan dan Kesehatan Kerja di Industri. Yogyakarta: Graha Ilmu; 2012.
26. Lucente FE. Ilmu THT Esensial. Edisi ke-5. Dialihbahasakan oleh Hartanto, Huriawati. Jakarta: EGC; 2011.
27. Irzal. Dasar-Dasar Kesehatan dan Keselamatan Kerja: Edisi 1 [e-Book]. Kencana; 2016.
28. Bashiruddin J, Alviandi W. Gangguan Pendengaran Akibat Bising (Noise Induced Hearing Loss). Dalam: Soepardi, E. A., Iskandar, N., Bashiruddin, J., Restuti, R. D., Ed. Telinga Hidung Tenggorok Kepala & Leher Edisi Ketujuh. Jakarta: Balai Penerbit Fkui; 2015. 42–43 p.
29. Ding T, Yan A, Liu K. What is noise-induced hearing loss? *Br J Hosp Med.* 2019;80(9):525–9.
30. Rangkooy HA, Rashnuodi P, Monjezi M, Salehy A, Bavandpour A.

- Evaluation of Noise-Induced Hearing Loss on the Workers of one of the Ahvaz Steel Companies. *Jundishapur J Heal Sci*. 2018;10(1):1–6.
31. Soetjipto D, Zizlavsky S. Polusi Bising dan Gangguan Pendengaran Akibat Bising (GPAB). In: *Buku Teks Komprehensif Ilmu THT-KL (Telinga Hidung Tenggorok-Kepala Leher)*. Jakarta: EGC; 2019. p. 115–8.
 32. Nurfitriyana, Ivone J, Adhy P. Influencing Factors of Hearing Disorder in Helicopter and Casa Pilots. *J Med Heal*. 2020;2(5):22–30.
 33. Mirza R, Kirchner DB, Dobie RA, Crawford J. Occupational Noise-Induced Hearing Loss. *J Occup Environ Med*. 2018;60(9):498–501.
 34. Raya MR, Asnifatimah A, Ginanjar R. Faktor-Faktor yang Mempengaruhi Keluhan Gangguan Pendengaran Pada Supir Bus PO Pusaka Di Terminal Baranangsiang Kota Bogor Tahun 2018. *Promot J Mhs Kesehat Masy*. 2019;2(2).
 35. Eryani YM, Wibowo CA, Saftarina F, Kedokteran F, Lampung U, Ilmu B, et al. Faktor Risiko Terjadinya Gangguan Pendengaran Akibat Bising. *Medula*. 2017;7(4):112–7.
 36. World Health Organization (WHO). Deafness and hearing loss [Internet]. 2020 [cited 2020 Dec 5]. Available from: <https://www.who.int/news-room/fact-sheets/detail/deafness-and-hearing-loss>
 37. Dewanty RA, Sudarmaji. Analisis Dampak Intensitas Kebisingan Terhadap Gangguan Pendengaran Petugas Laundry. *J Kesehat Lingkung* [Internet]. 2015 [cited 2020 Sep 15];8(2):229–237. Available from: <https://e-journal.unair.ac.id/JKL/article/view/8016>;
 38. Munib A, Padoli, Najib M. Faktor Resiko yang Mempengaruhi Gangguan Pendengaran Pada Penerbang Angkatan Laut Di Puspenerbal Juanda Sidoarjo. *J KEPERAWATAN*. 2018;11(1):41–9.
 39. Setyani YT, Sumanto D, Prasetyo DB. Kontribusi Dosis Kebisingan dan Penggunaan APT Terhadap Kualitas Pendengaran Pekerja Konfeksi. *J Kesehat Masy Indones*. 2018;13(2):23–6.
 40. Sari MA, Adnan A, Munir D, Eyanor PC. The correlation of smoking and noise induced hearing loss on workers at a palm oil factory X in. *Bali Med J (Bali Med J)*. 2017;6(3):637–40.
 41. Wang D, Wang Z, Zhou M, Li W, He M, Zhang X, et al. The combined effect of cigarette smoking and occupational noise exposure on hearing loss: evidence from the Dongfeng-Tongji Cohort Study. 2017.
 42. Occupational Safety and Health Administration (OSHA), National Institute for Occupational Safety and Health (NIOSH). Preventing Hearing Loss Caused by Chemical (Ototoxicity) and Noise Exposure. *Safety and Health Information Bulletin*. 2018. p. 1–5.
 43. Prasetyowati O, Wangge G, Purwitoadi N. Pengaruh Paparan Bising Terhadap Kejadian Noise Induced Hearing Loss dan Hiperkolesterolemia Pada Pekerja Produsen Alat Berat. *Inform Kedokt J Ilm*. 2019;2(1):37–46.
 44. Committee on Noise-Induced Hearing Loss and Tinnitus Associated with Military Service from World War II to the Present. *Noise and Military Service Implications for Hearing Loss and Tinnitus*. National Academies Press; 2005.

45. Hulley SB, Cummings SR, Browner WS, Grady DG, Newman TB. *Designing Clinical Research* [e-Book]. 3rd ed. Lippincott Williams and Wilkins; 2011.
46. Holly C, Salmond SW, Saimbert M. *Comprehensive Systematic Review for Advanced Nursing Practice* [e-Book]. Springer Publishing Company; 2011.
47. Gough D, Oliver S, Thomas J. *An Introduction to Systematic Review* [e-Book]. SAGE; 2017.
48. Ham-Baloyi W ten, Jordan P. Systematic review as a research method in postgraduate nursing education. *Heal SA Gesondheid*. 2016;21:120–8.
49. Eriksen MB, Frandsen TF. The impact of patient, intervention, comparison, outcome (PICO) as a search strategy tool on literature search quality: a systematic review. *J Med Libr Assoc* [Internet]. 2018;106(4):420–31. Available from: <http://www.mlanet.org/page/independent-reading-program>
50. Page MJ, Moher D. Evaluations of the uptake and impact of the Preferred Reporting Items for Systematic reviews and Meta-Analyses (PRISMA) Statement and extensions: a scoping review. *Page Moher Syst Rev*. 2017;6(263):1–14.
51. Boland A, Cherry G, Dickson R. *Doing a Systematic Review: A Student's Guide* (Online). SAGE; 2017.
52. Mayasari D, Khairunnisa R. Pencegahan Noise Induced Hearing Loss pada Pekerja Akibat Kebisingan Prevention of Noise Induced Hearing Loss on Workers Due to Noise Exposure. *J Agromed Unila*. 2017;4(2):354–60.
53. Latifah L, Ritonga I. Systematic Literature Review (SLR): Kompetensi Sumber Daya Insani Bagi Perkembangan Perbankan Syariah Di Indonesia. *Al Maal J Islam Econ Bank*. 2020;2(1):63.
54. Nursalam. *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan Pedoman Skripsi, Tesis, dan Instrumen Penelitian Keperawatan Edisi 2*. Jakarta: Salemba Medika; 2008.
55. Marlina S, Suwondo A, Jayanti S. Analisis Faktor Risiko Gangguan Pendengaran Sensorineural Pada Pekerja PT. X Semarang. *J Kesehat Masy* [Internet]. 2016 [cited 2020 Sep 15];4(1):359–66. Available from: <http://ejournal-s1.undip.ac.id/index.php/jkm>
56. Amar DM, Lusiana D, Nuryanto MK. Hubungan kebisingan dengan kejadian Hearing Loss dan Stress Kerja di Area Produksi PT.X. *Husada Mahakam J Kesehat*. 2019;5(1):1–12.
57. Minggarsari HD, Sahuri. Hubungan Intensitas Kebisingan dengan Keluhan Auditori pada Pekerja Bagian Produksi Pabrik Fabrikasi Baja. *Binawan Student J*. 2019;1(3):137–41.
58. Azzahri LM, Indriani R. Faktor-Faktor Yang Berhubungan Dengan Keluhan Pendengaran Pada Pekerja Dibagian Produksi Di PT. Hervenia Kampar Lestari. *PREPOTIF J Kesehat Masy* [Internet]. 2019;3(2):9–22. Available from: <https://journal.universitaspahlawan.ac.id/index.php/prepotif/article/view/474>
59. Syah PB, Soedjajadi K. Effect of Using Hearing Protection and Earphone on Noise Induced Hearing Loss and Tinnitus in Workshop's Workers. *J*

- Kesehat Lingkung. 2017;9(1):21–30.
60. Arianto ME, Saptadi JD. Faktor Penyebab Hearing Loss Pada Pekerja Di Bagian Produksi Pt. Adi Satria Abadi, Yogyakarta. *J Publ Kesehat Masy Indones*. 2019;6(1):15–20.
 61. Kesuma E, Edy Syahputra Nasution M. Risk Factors Analysis of Hearing Disorders Due to Noise on Machinery Workers at Universal Steel Factory. *Bul Farmatera* [Internet]. 2019 [cited 2020 Sep 15];4(2):68–73. Available from: http://jurnal.umsu.ac.id/index.php/buletin_farmatera
 62. Rahayu P, Pawenang ET. Faktor Yang Berhubungan Dengan Gangguan Pendengaran Pada Pekerja Yang Terpapar Bising Di Unit Spinning I Pt. Sinar Pantja Djaja Semarang. *Unnes J Public Heal*. 2016;5(2):140–8.
 63. Hidayat, Purnawaty K, Dahliyani AS. Faktor Risiko Gangguan Pendengaran Pada Pekerja Di Bagian Produksi Pt. Semen Tonasa Kab Pangkep. *Sulolipu Media Komun Sivitas Akad dan Masy*. 2019;19(2):187–97.
 64. Marisdayana R, Suhartono S, Nurjazuli N. Hubungan Intensitas Paparan Bising Dan Masa Kerja Dengan Gangguan Pendengaran Pada Karyawan PT. X. *J Kesehat Lingkung Indones*. 2016;15(1):22.
 65. Ramadhani PN, Firdausiana YD. Paparan Kebisingan dan Gangguan Pendengaran pada Operator Lapangan Area Compressor House. *J Kesehat Lingkung*. 2020;12(2):126–35.
 66. Kusumadewi IP, Suwondo A, Jayant S, I. Faktor Risiko yang Berhubungan dengan Kejadian Peningkatan Nilai Ambang Dengar pada Pekerja di Bagian Produksi Body Mini Bus PT. X Magelang. *J Kesehat Masy*. 2018;6(5):549–55.
 67. Suryani, Mulyadi A, Afandi D. Analisis Gangguan Pendengaran Tipe Sensorineural Pada Pekerja Akibat Kebisingan Di Industri Mebel Kayu Di Kota Pekanbaru. *J Ilmu Lingkung*. 2015;9(1):1–11.
 68. Ibrahim H, Basri S, Hamzah Z, Kesehatan B, Fkik Uin K, Makassar A, et al. Faktor-Faktor yang Berhubungan Dengan Keluhan Gangguan Pendengaran Pada Tenaga Kerja Bagian Produksi PT. Japfa Comfeed Indonesia, Tbk. Unit Makassar Tahun 2014. *Al-Sihah Public Heal Sci J*. 2016;8(2):121–9.
 69. Jeffree MS, Ismail N, Lukman KA. Hearing impairment and contributing factors among fertilizer factory workers. *J Occup Health*. 2016;58(5):434–43.
 70. Sriopas A, Chapman RS, Sutammasa S, Siriwong W. Occupational noise-induced hearing loss in auto part factory workers in welding units in Thailand. *J Occup Health*. 2017;59(1):55–62.
 71. Chen Y, Zhang M, Qiu W, Sun X, Wang X, Dong Y, et al. Prevalence and determinants of noise-induced hearing loss among workers in the automotive industry in China: A pilot study. *J Occup Health*. 2019;61(5):387–97.
 72. Zaw AK, Myat AM, Thandar M, Htun YM, Aung TH, Tun KM, et al. Assessment of Noise Exposure and Hearing Loss Among Workers in Textile Mill (Thamine), Myanmar: A Cross-Sectional Study. *Saf Health*

- Work [Internet]. 2020;11(2):199–206. Available from: <https://doi.org/10.1016/j.shaw.2020.04.002>
73. Khaldari F, Khanjani N, Bahrapour A, Ravandi MRG, Mianroodi AAA. The relation between hearing loss and smoking among workers exposed to noise, using linear mixed models. *Iran J Otorhinolaryngol*. 2020;32(1):11–20.
 74. Abraham Z, Massawe E, Ntunaguzi D, Kahinga A, Mawala S. Prevalence of noise-induced hearing loss among textile industry workers in dar es salaam, tanzania. *Ann Glob Heal*. 2019;85(1):1–6.
 75. National Institute for Occupational Safety and Health (NIOSH). Occupational noise exposure [Internet]. DHHS (NIOSH) Publication No. 98-126. 1998. Available from: <http://www.cdc.gov/niosh/docs/98-126/>
 76. Occupational Safety and Health Administration (OSHA). Occupational noise exposure limits [Internet]. 1991. Available from: https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9735
 77. Kementrian Kesehatan. Peraturan Menteri Kesehatan Republik Indonesia Nomor 70 Tahun 2016 Tentang Standar dan Persyaratan Kesehatan Lingkungan Kerja Industri.
 78. Indriyanti et al. Hubungan Paparan Kebisingan terhadap Peningkatan Tekanan Darah pada Pekerja. *Jurnal Kedokteran dan Kesehatan*. 2019;15 (1): 36- 45.
 79. Eldin et al. Occupational noise induced hearing loss and hypertension: a crosssectional study among dry food factory workers. *The Egyptian Journal of Community Medicine*. 2016; 34 (3):79-91.