

DAFTAR PUSTAKA

- Abernethy R, R.G Palmer, R.M Shibles , I.C Anderson. 1997. Histological observations on abscising and retained soybean flowers. Canadian Journal of Plant Science 57: 713±716.
- Arifin, J. J., M. Asmina, U. Dani. 2017. Pertumbuhan dan Hasil Sembilan Kultivar Unggul Kedelai (*Glycine max* L. Merrill.) Pada Genangan Air Berbagai Fase Vegetatif dan Fase Generatif. Fakultas Pertanian Universitas Majalengka. Jawa Barat.
- Carlson DR,D.J Dyer , C.D Cotterman, R.C Durley . 1987. Thephysiological basis for cytokinin induced increases in pod set inIX93-100 soybeans. Plant Physiology 84: 233±239.
- Ciampitti, I.A. and F. Salvagiotti. 2018. New Insights into Soybean Biological Nitrogen Fixation. Agron. J. 110 (4):1185–1196
- Dybing CD, H. Ghiasi , H. Paech. 1986. Biochemical characterization ofsoybean ovary growth from anthesis to abscission of abortingovaries. Plant Physiology 81: 1069±1074.
- Egli, D. B., and S.j. Craft-Brandner. 1996 Soybean. /n E-zamski and A.a. Schaffer (Eds.) Photoassimilate distribution in plants and crops ; Source Sink Relationships. Marcel Dekkor, Inc.
- Fitriatin, B.N., M.R. Setiawati, dan R. Hindersah. 2001. Pengaruh inokulasi ganda *Rhizobium* sp. Dan mikoriza terhadap serapan N dan P serta hasil tanaman kedelai (*Glycine max*) pada ultisols. Prosiding Seminar Mikoriza, Bandung 23 April 2001.
- Hardjowigeno, S. 1992. Dasar-Dasar Ilmu Tanah. Akademika Pressindo. Jakarta
- Hayata, Y., Y. Nilmi dan N. Iwasaki. 1995. Synthetic Cytokinin 1-(2-chloro 4-Pyridil)-3-Phenylurea (CPPU). Promotes Fruit Set and Induces Parthenocarpyn Watermelon. J. Amer. Soc. Horti. Sci.120(6):997-1000
- Imsande, J. and D.G. Edwards. 1988. Decreased rates of nitrat uptake during pod fill by cowpea, green gram, and soybean. Agron. J. 80: 789 – 928.
- Jiang H, D.B Egli. 1993. Shade induced changes in ¯ower and podnumber and ¯ower and fruit abscission in soybean. AgronomyJournal 85: 221±225.
- Kusumo, 1984. Zat Pengatur Tumbuh. Penerbit Yasaguna Jakarta.
- Liu, X.J. Jian, W. Guanghua, and S.J. Herbert. 2008. Soybean yield physiology and development of high-yielding practices in Northeast China. Field Crops Res. 105:157–171.

- Lumbangaol, L. D. 2017. Karakteristik Beberapa Varietas Kedelai (*Glycine max* L. Merrill.) dengan Pemberian BAP, GA3 dan Tergenang. Skripsi Fakultas Pertanian Universitas Sumatera Utara, Medan.
- Manjunath, A., D.J. Bagyaraj, and H.S. Gopala Gowda. 1984. Dual inoculation with vesicular-arbuscular mycorrhiza and Rhizobium beneficial to leucaena. *Plant and Soil* 78: 445 – 448.
- Mosjidis CO'H, C.M Peterson, B. Truelove ,R.R Dute. 1993. Stimulation of pod and ovule growth of soybean, *Glycine max* (L.) Merr., by 6-benzylaminopurine. *Annals of Botany* 71: 193-199.
- Nagel, L. & Brewster, R. & Riedell, Walter & Reese, Ralph. 2001. Cytokinin Regulation of Flower and Pod Set in Soybeans (*Glycine max*(L.) Merr.). *Annals of Botany* - ANN BOT. 88. 27-31.
- Nusifera, S., J.Simanjuntak, M. S. Fitriani. 2017. Respons Beberapa Kultivar Kacang Hijau (*Vigna radiata* L. Wilczek) terhadap Pemupukan Nitrogen Kedua Pada Awal Fase Reproduksi. *Agrosaintek*, 1 (2) ; 20 – 25
- Nusifera, S.2000 Penampilan Genetik Beberapa karakter Daun dan Hasil 12 Kultivar Unggul Kacang Hijau pada Tiga Taraf Dosis Pemupukan Dasar N di Jatinangor. Jurusan Budidaya Pertanian. Fakultas Pertanian Universitas Padjajaran. Jatinangor (Skripsi).
- O'gara, F. and K.T. Shanmugam. 1978. Mutant strains of clover rhizobium (*Rhizobium trifolii*) that form nodules on soybean (*Glycine max*). *Cell Biology* Vol. 75, No.5 : 2343 – 2347.
- Parmata, A. 2004. Pupuk organik cair, Agromedia Pustaka. Jakarta
- Ratih, W.P., S. Soepardjono, S., dan A. Majid, 2018. Pengaruh Aplikasi Pupuk organik Cair dan Pupuk Kotoran sapi terhadap Pertumbuhan, Hasil dan Kualitas kedelai(*Glycine max* (L). Merrill). *Prosiding Seminar Nasional FP UNS*, V ol. 2(1), 126-135
- Reese RN, Dybing CD, White CA, Page SM, Larson JE. 1995.Expression of vegetative storage protein (VSP-b) in soybeanraceme tissues in response to flower set. *Journal of ExperimentalBotany* 46: 957±964.
- Salim, H., S. Nusifera, N.M.E, Fathia. 2017. Hasil dan Komponen Hasil Kedelai (*Glycine max* L. Merr) yang Diberi Pemupukan Nitrogen Lanjutan pada Fase Reproduksi (R1). *Agrosainstek*, 1 (1) 2017: 10-15
- Sesay, A. and R. Shibles. 1980 Mineral depletion and leaf senescence in soya bean as influenced by foliar nutrient application during seed filling. *Nn. Rot.* 45: 47 – 55.

- Sitompul, S.M, dan B. Guritno, 1995. Analisis Pertumbuhan Tanaman. Gadjah mada University press, Yogyakarta
- Sprent, J.I. 1984. Nitrogen fixation. *In* M.B. Wilkins (Ed.). Advanced Plant Physiology. Longman Singapore Publishers Pte . Ltd., Singapore.
- Taiz, L., and E. Zeiger. 2010. Plant Physiology. Sinauer Associates, Inc. Sunderland, United States of America.
- Tien, H. H., T.M. Hien, M.T. Son, and D. Herridge. 2002. Rhizobial inoculation and N₂ fixation of soybean and mungbean in the eastern region of south Vietnam. *In*: D. Herridge. Inoculants and Nitrogen Fixation of Legumes in Vietnam, ACIAR Proceedings 109e.
- Werner, T, Motyka, V, Strnad, M & Schmulling, T 2001, 'Regulation of plant by cytokinin', Plant Biol., vol. 98, no. 18, hlm. 10487-92.
- Willkins, Mlcolm B. 1989. Fisiologi Tanaman. PT Bina Aksara Jakarta.
- Xie, Z.P, C.Staehelin, H. Vierheilig, A. Wiemken, S.Jabbouri, W.J.Broughton, R.Vogeli-Lange, and Thomas Boller. 1995. Rhizobial bintilation factors stimulate mycorrhizal colonization of bintilating and nonbintilating soybeans. Plant Physiol, 108: 1519 – 1525.