

## DAFTAR PUSTAKA

- Adebawale, K.O. & O.S. Lawal. 2003. Microstructure, Functional Properties and Retrogradation Behaviour of Mucuna Bean (*Mucuna pruriens*) Starch on Heat Moisture Treatments. *Jurnal Food Hydrocolloid* 17: 265-316.
- Akinfala, E.O., A.O. Aderibigbe and O. Matanami. 2002. Evaluation of the Nutritive value of whole cassava plant meal as replacement for maize in the starter diets for broiler chickens.
- Alma, M.H., M. Ertas, S. Nitz, H. Kollmannsberger, 2007, Chemical Composition and Content of Essential Oil from The Bud of Cultivated Turkish Clove (*Syzygium aromaticum L*), *J. Bio Resources*, 2(2), pp.265-269.
- Andarwulan, N, Kusnandar, F, Herawati, D. 2011. Analisis Pangan. Dian Rakyat. Jakarta.
- ASTM. (1997) : Foaming Agents for Usse in Producing Cellular Concrete Using Preformed Foam, ASTM C 796 – 87.
- Ayoola, G.A., F.M. Lawore, T. Adelowotan, I.E.Albinu, E.Adenipekun, H.A.B. Coker, and T.O. Odugbemi, 2008, Chemical Analysis and Antimicrobial Activity of The Essential Oil of *Syzygium aromaticum* (Clove), *African Journal of Microbiology Research*, 2, pp. 162-166.
- Bertuzzi M.A., Vidaurre E.F.C., Armada M. And Gottifredi J.C., 2007. Water Vapor Permeability of *Edible* Starch Based *Films*. *J. of Food Engineering*. 80: 972-978.
- Biro Pusat Statistik. 2009. Statistik Indonesia; Harvested Area, Yield Rate and Production of Cassava by Province.
- Bourtoom, T. 2007. Effect of Some Process Parameters on The Properties of Edible Film Prepared from Starch. Department of Material Product Technology. Songkhala.
- Burt, S. 2004. Essential Oils: Their Antibacterial Properties and Potential Applications in Foods: a review. *Intl. J. Food Microbiol.* 94: 223–253.
- Careda, M.P., C. M. Henrique, M. A. de Oliveira, M. V. Ferraz, N. M. Vincentini. 2000. Characterization of *Edible films* of Cassava Starch by Electron Microscopy. *Braz. Journal of Food Technology* 3:91-95.
- CGIAR. 2000. Root and tubers in the global food system. A vision statement to the year 2020.
- Chan, H. T., JR. 1983. *Handbook Of Tropical Foods*. Marcel Dekker Inc., New York

and Bassel.

- Chen, H.L., Cheng, H.C., Liu, Y.J. & Wu, W.T. 2006, Konjac Acts as a Natural Laxative by Increasing Stool Bulk and Improving Colonic Ecology in Healthy Adults, *Journal Nutrition*, 22:1112-1119.
- Chillo, S., S. Flores, M. Mastromatteo, A. Conte, Lí'a Gerschenson, and M.A. del Nobile. 2008. Influence of glycerol and chitosan on tapioca starch-based edible film properties. *J. Food Engin.* 88: 159–168.
- Cuppett, S.L. 1994. Edible Coating as Carriers of Food Additives, Fungicides and Natural Antagonist. In Krochta, J. M, Baldwin, E., Nisperos-Carriedo, M. O. *Edible coating and films to improve food quality*. Technomic Publishing Co. Inc. Basel. Switzerland.
- Damat. 2008. Efek jenis dan konsentrasi plasticizer terhadap karakteristik edible film dari pati garut butirat. *Agritek* 16(3): 333-339.
- Dangaran, L.K., Renner-Nantz and J,M Krochta. 2004. Crystallization Inhibitor Effect On Rate of Gloss Fade of Whey Protein Coating, Department of Food Science and Technology, University of California.
- Donhowe, I.G. dan O. Fennema. 1994. *Edible Films and Coatings Characteristics, Formation, Definitions, and Testing Methods*. Academic Press Inc. London.
- Druchta, J.M. dan D.J. Chaterine. 2004. An Update on Edible Films.
- Elgayyar,M., F.A. Draughon, D.A. Golden dan J.R. Mount. 2001. Antimicrobial Activity of Essential Oils From Plants against Selected Pathogenic and Saprophytic Microorganisms. *J. of Food Protection*. 64(7): 1019-1024.
- Elida S, Hamidi W. 2009. Analisis pendapatan argoindustri rengginang ubi kayu di Kabupaten Kampar. Pekanbaru : Fakultas pertanian UIR.
- Estiningtyas, H.R. (2010). *Aplikasi Edible film Maizena dengan Penambahan Ekstrak Jahe Sebagai Antioksidan Alami Coating Sosis Sapi*. Skripsi. Fakultas Pertanian. Universitas Sebelas Maret. Surakarta.
- Fama, L., Rojas, A.M., Goyanes, S. dan Gerschenson, L. (2005). Mechanical properties of tapioca-starch edible films containing sorbates. *LWT* 38: 631-639.
- Farham H. M. S , Nugroho. A Y, M. R. Juliantama. 2017. Pembuatan Edible Film Dari Pati Singkong Sebagai Pengemas Makanan. *Jurnal Teknoin* Vol. 23 No. 1: 43-48.
- Ganiswara, G. S. 1995. Farmakologi dan Terapi. Gaya Baru, Jakarta
- Garcia, N.L., L. Ribbon, A. Dufresne, M. Aranguren, and S. Goyanes. 2011. Effect of glycerol on the morphology of nanocomposites made from thermoplastic starch and starch nanocrystals. *Carbohydrate Polymers* 84(1): 203–210.

- Gennadios, A. and C.L. Weller. 1990. Edible films and coating from wheat and corn proteins. *Food Technol.* 44: 10: 63–69.
- Gontard N, Guilbert S, Cuq JL. 1993. Water and Glycerol as Plasticizer Affect Mechanical and Water Vapor Barrier Properties of an Edible Wheat Film. *J. of Food Sci.* 58: 206-211.
- Gunawan, V. 2009. Formulasi dan Aplikasi Edible Coating Berbasis Pati Sagu dengan Penambahan Vitamin C pada Paprika. Skripsi. Fakultas Pertanian, IPB. Bogor.
- Hafsah, M.J. 2003. Bisnis Ubi Kayu Indonesia. Pustaka Sinar Harapan. Jakarta. 263 hal.
- Harianto, M. Jusuf Djafar dan Himawan Adinegoro. 2017. *Pengaruh Penambahan Minyak Sawit Terhadap Karakteristik Edible Film Dan Daya Simpan Bumbu Mie Instan*. Teknologi Pengolahan Hasil Perikanan dan Peternakan, LAPTIAB, BPPT.
- Herawati, 2018. Pengaruh Penambahan Filtrat Gambir (Uncaria Gambir Roxb)Dan Filtrat Daun Pepaya Sebagai Zat Antimikroba Terhadap Karakteristik Edible Film. Skripsi. THP-FP. Universitas Sriwijaya. Indralaya.
- Hernandez, E. (1994). Edible coating from lipids and resins. In J.M. Krochta, E.A. Baldwin, dan Niperos-Carriedo, M.O. (Eds). *Edible coating and films to improve food quality*. Lancaster/Basel: Technomic Publishing Co., hal 279-300.
- Hoover, R. 2001. Composition, molecular structure, and physicochemical properties of tuber and root starches: a review. *Journal of Carbohydrate Polymers* 45(3): 253-267.
- Hui, Y. H. 2006, *Handbook of Food Science, Technology, and, Engineering* Volume I. CRC Press, USA
- Jawetz, Melnick, & Adelberg's. 2013. *Medical Microbiology Twenty-Seventh Edition*. McGraw- Hill Companies. US
- Jaya, D., dan Sulistyawati, E. (2010). Pembuatan *edible film* dari tepung jagung. *Jurnal Eksperi*. 10(2): 5-10.
- JIS. 1975. Japanese Industrial Standard 2 1707. Japanese Standards Association. Japan.
- JIS (Japan Industrial Standard). 1997. General Rules of Plastic Films for Food Packaging. Z 1707. Japanese Standard Association.
- Ketaren. 1985. *Pengantar Teknologi Minyak Atsiri*. Balai Pustaka. Jakarta

- Khoeriyah et al, 2010, Karakterisasi Senyawa Aktif Anti Bakteri Minyak Atsiri Bunga Cengkeh (*Syzygium aromaticum*). Program Studi Kimia dan Biologi. Fakultas Sains dan Teknologi UIN Syarif Hidayatullah Jakarta.
- Krisna, Dimas D.A. 2011. Pengaruh Regelatinasi dan Modifikasi Hidrotermal Terhadap Sifat Fisik pada Pembuatan Edible Film dari Pati Kacang Merah. Tesis. Semarang: Universitas Diponegoro.
- Kristijanto AI, Soetjipto H, Purtanto FT. 2010. Ekstak kasar limbah cengkeh (*Syzygium aromaticum L.*) fraksi heksan sebagai larvisida alami terhadap jentik nyamuk demam berdarah (*Aedes aegypti* Linn.) instar II dan IV. h.207-217
- Kusumawati, D.H., dan Widya, D.R.P. 2013. Karakteristik Fisik dan Kimia Edible Film Pati Jagung yang Diinkorporasidengan Perasan Temu Hitam. Jurnal Pangan dan Agroindustri, 1(10): 90-100.
- Krochta, J.W., and De Mulder-Johton, C. 1997. Edible And Biodegradable Polymer Film: Challenges And Opportunities. *J. Food Tech.* 51 (2): 61-74.
- Krochta JM, Baldwin EA and Nisperos-Carriedo MO. 1994. Edible Coatings and Films to Improve Food Quality. Technomic Publishing Company, Inc. Pennsylvania. (2): 215-218.
- Lee, J.Y., H.J. Wan, C.Y. Lee, W.Y. Choi. 2006. Extending storagelife minimally processed apples with edible coatings and antibrowning agents. *Lebensm Wiss U Technol.*36: 323-329.
- Maizura, M., Fazilah, A., Norziah, M.H. dan Karim, A.A. 2007. Antibacterial activity and mechanical properties of partially hydrolyzed sago starch-alginate edible film containing lemongrass oil. *Journal of Food Science* 72 (6): C324-C330.
- Maizura, M., A. Fazilah, M.H. Norziah, and A.A. Karim. 2008. Antibacterial activity of modified sago starch-alginate based edible film incorporated with lemongrass (*Cymbopogon citratus*) oil. *Intl. Food Res. J.* 15(2): 233–236.
- Manuhara, G. J. 2003. Ekstraksi karagenan dari rumput laut *Eucheuma* sp. untuk pembuatan edible film. Skripsi. Fakultas Teknologi Pertanian Universitas Gajah Mada. Yogyakarta.
- Maryana, E. 2018. Pengaruh Konsentrasi Pati Uwi Ungu dan Putih (*Dioscorea Alata*) Terhadap Karakteristik Fisik Edible Film. Fakultas Teknologi Pertanian Universitas Jambi. Jambi.
- Meyer, H., 1985. Food Chemistry. Reinhold Publishing Corporation, New York.
- Ningsih, S., H. 2015. Pengaruh Plasticizer Gliserol Terhadap Karakteristik Edible film Campuran Whey dan Agar. Skripsi. Fakultas Peternakan. Universitas Hasanuddin Makasar. Makasar.

- Nuansa M F, Agustini T F dan Susanto E. 2017. Karakteristik Dan Aktivitas Antioksidan *Edible film* Dari Refined Karaginan Dengan Penambahan Minyak Atsiri. Jurnal. Pengembangan & Bioteknologi Hasil Perikanan. Fakultas Perikanan dan Ilmu Kelautan, Universitas Diponegoro. Semarang. Vol. 6(1) : 2442-4145
- Nurdjannah, N. dan T. Hidayat, 1994. Pengaruh cara dan waktu penyulingan terhadap mutu minyak bunga cengkeh. Balai Penelitian Tanaman Rempah dan Obat. Vol. 9 (2).
- Nurdjannah, N., 2004, *Diversifikasi Penggunaan Cengkeh. Jurnal Perspektif*, Balai Besar Penelitian dan Pengembangan Pasca Panen Pertanian. Bogor. Vol. 3(2), 61-70.
- Pitak N, Rakshit SK. 2011. Physical and antimicrobial properties of banana flour/chitosan biodegradable and self sealing films used for preserving Freshcut vegetables. LWT - Food Science and Technology. 44(10): 2310-2315.
- Pineroz-Hernandez D, Medina-Jaramillo, C, Lopez-Cordoba A. (2017). Edible cassava starch films for potential use as active food packaging. *Food hydrocolloids* 63:488-495.
- Poelongan, M, Andriani, Susan, Komala, I dan Hasnita. 2007. Uji Daya Antibakteri Ekstrak Etanol Kulit Batang Bungur (*Lagerstroemia speciosa* Pers) terhadap *Staphylococcus aureus* dan *Escherichia coli* secara in Vitro. Seminar Nasional Teknologi Peternakan dan Veteriner.
- Pramadita, R.C. dan Sutrisno, A. 2012. Karakterisasi *Edible film* Dari Tepung Porang (*Amorphophallus oncophyllus*) dengan penambahan Minyak Atsiri Kayu Manis (*Cinnamon Burmani*) Sebagai Antibakteri. *Skripsi*. Fakultas Teknologi Pertanian. Universitas Brawijaya. Malang.
- Ramadhon, R. 2018. Karakteristik Edible Film Dari Pati Singkong Dengan Penambahan Gelatin. *Skripsi*. Fakultas Teknologi Pertanian Universitas Jambi. Jambi Rodriguez, M., J., Ose's, K. Ziani and J.I Mate. 2006. Combined effect of plasticizer and surfactants on the physical properties of starch based *edible films*. *Food Research International*. 39:840-846.
- Rodrigues, M., J. Ose's., K. Ziani and J.I Mate. 2006. Combined effect of Plasticizer and Surfactants On The Physical Properties of Starch Based Edible Film. *J. Food Research International*. Pp 39 : 840-846.
- Santoso, B., D. Saputra, dan Pambayun, R. 2004. Kajian Teknologi Edible Coating dari Pati dan Aplikasinya Untuk Pengemas Primer Lempok Durian. *Jurnal Teknologi dan Industri Pangan* XV (3).
- Sanjaya, Fony. (2008). Karakterisasi Edible film Berantioksidan dari Ubi Jalar Merah Var. Genjah Rante Serta Aplikasinya Pada Permen Susu. *Skripsi*. Fakultas Teknologi Pertanian. Univeristas Brawijaya. Malang.

- Saputra, E., Kismiyati, H. Pramono, A. A. Abdillah. dan M.A Alamsjah. 2015. An edible film characteristic of chitosan made from shrimp waste as a plasticizer. Journal of natural sciences research 5 (4) : 118-124.
- Siregar N. 2019 Pengaruh Konsentrasi Kitosan Terhadap Karakteristik *Edible Film* Dari Pati Uwi (*Dioscorea alata*). Jurusan Teknologi Hasil Pertanian, Fakultas Pertanian, Universitas Jambi. Jambi.
- Skurlys, O., C. Acevedo, F. Pedreschi, J. Enrions, F. Osorio, dan J.M. Aquilera. 2011. Food hydrocolloid edible films and coating. <http://intrawww.ing.puc.d/>. Diakses pada 02 Juli 2021
- Suryanto, E. 2012. *Fitokimia Antioksidan*. CV. Putra Media Nusantara. Surabaya.
- Tomara, Anggel. 2019. *Pengaruh Konsentrasi Minyak Cengkeh Terhadap Karakteristik Edible Film Dari Pati Uwi (Dioscorea Alata)*. Fakultas Teknologi Pertanian Universitas Jambi. Jambi.
- Warsiki, E., Sunarti, T.C. dan Martua, R.D. 2009. Pengembangan kemasan antimicrobial (AM) untuk memperpanjang umur simpan produk pangan. Prosiding Seminar Hasil-Hasil Penelitian Institut Pertanian Bogor hal 579-588. Bogor.
- Wattimena, D., Ega, L., Polnaya, F.J. 2016. Karakteristik Edible Film Pati Sagu dan Pati Sagu Fosfat dengan Penambahan Gliserol. Jurnal Agritech, Vol. 36, No. 3 Jurusan Teknologi Hasil Pertanian, Fakultas Pertanian, Universitas Pattimura. Ambon
- Wong. D.W.S., W.M. Camirand and A.E. Paulath., 1994, Development of Edible Penyalut For Minimally Processed Fruit and Vegetables, Di Dalam: Krochta Et Al. (Ed).Edible Penyaluts and Films To Improve Food Quality, Technomic Publ Co. Inc. Lancaster-Basel, Pennsylvania, USA.
- Zulchi T.P.H., dan Nurul A.R. 2006. Pengaruh Berbagai Organ Tanaman Dan Lama Penyulingan Terhadap Kuantitas Dan Kualitas Minyak AtsiriCengkeh (*Caryophyllus aromaticus*). <http://digilib.itb.ac.id/gdl.php?mod>.