

DAFTAR PUSTAKA

1. Dorland WN. Kamus Kedokteran Dorland. 31st ed. Mahode AA, editor. Jakarta: EGC; 2010. 1300 p.
2. Alpers A, Hartanto H, Rudolph AM dkk. Buku Ajar Pediatri volume 1. 20th ed. Jakarta: EGC; 2014. 23 p.
3. Kosim MS. Pemeriksaan Kekeruhan Air Ketuban. *Sari Pediatr*. 2016;11(5):379.
4. Singh A, Mittal M. Neonatal microbiome—a brief review. *J Matern Neonatal Med* [Internet]. 2020;33(22):3841–8. Available from: <https://doi.org/10.1080/14767058.2019.1583738>
5. Scholfield DW, Ram AD. The importance of recording first passage of meconium in neonates. *BMJ*. 2017;356(fig 1):2–5.
6. Devi SHM. Gambaran Pasien Penyakit Hirschsprung Pada Bayi Usia 0-12 Bulan Di Rsup Haji Adam Malik Medan Tahun 2012-2016. 2017;
7. Ameh N, Ameh EA. Timing of passage of first meconium and stooling pattern in normal Nigerian newborns. 2019;129–33.
8. Ezomike UO, Ugwu EO, Ezomike NE, Eke CB, Ekenze SO. Evaluation of impact of perinatal factors on time to first meconium passage in Nigerian neonates. *Malawi Med J*. 2019;31(2):150–4.
9. Bekkali NLH, Hamers SL, Schipperus MR, Reitsma JB, Valerio PG, Van Toledo L, et al. Duration of meconium passage in preterm and term infants. *Arch Dis Child Fetal Neonatal Ed*. 2015;93(5).
10. Hadinegoro SRS, Chairulfatah A, Latief A, H.Pudjiadi A, Malisie RF, Alam A. Diagnosis dan tatalaksana sepsis pada anak. *Pedoman Nas pelayanan Kedokt Ikat Dr Anak Indones*. 2016;1–47.
11. Hendrarto TW. Pentingnya ASI Untuk Bayi Prematur [Internet]. *Ikatan Dokter Anak Indonesia*. 2020 [cited 2021 May 17]. Available from: <https://www.idai.or.id/artikel/seputar-kesehatan-anak/pentingnya-asi-untuk-bayi-prematur>
12. Gomella TL, Eyal FG, Mohammed FB. Neonatology: Management, Procedures, On-Call Problems, Diseases and Drugs. 8th ed. New York: Lange Medical Books/McGraw-Hill; 2020. 42 p.
13. Kosim MS, Yunanto A, Dewi R, Sarosa GI, Usman A. Buku Ajar Neonatologi. 1st ed. Jakarta: IDAI; 2008. 11–13 p.

14. Devriany A, Wardani Z, Yuniyar Y. Perbedaan Status Pemberian ASI Eksklusif terhadap Perubahan Panjang Badan Bayi Neonatus. *Media Kesehat Masy Indones*. 2018;14(1):44.
15. Soetjiningsih, Ranuh I. G. *Tumbuh Kembang Anak*. 2nd ed. Jakarta: EGC; 2013. 93 p.
16. Soetjiningsih, Ranuh I. G. *Tumbuh Kembang Anak*. 2nd ed. Jakarta: EGC; 2013. 99–103 p.
17. Preterm birth [Internet]. WHO. 2016 [cited 2021 Jun 10]. Available from: <https://www.who.int/news-room/fact-sheets/detail/preterm-birth>
18. Kaban RK. Salah Satu Penanganan Bayi Prematur yang Perlu Diketahui [Internet]. *Ikatan Dokter Anak Indonesia*. 2014 [cited 2021 May 17]. Available from: <https://www.idai.or.id/artikel/seputar-kesehatan-anak/salah-satu-penanganan-bayi-prematur-yang-perlu-diketahui>
19. Kemenkes RI. *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian RI; 2018. 131–132 p.
20. Gaol LML, Marpaung WH, Sitorus P. *Ilmu Bedah Anak*. Jakarta: EGC; 2016. 107 p.
21. Ahanya SN, Lakshmanan J, Morgan BLG, Ross MG. Meconium passage in utero: Mechanisms, consequences, and management. *Obstet Gynecol Surv*. 2016;60(1):45–56.
22. Hall JE, Guyton AC. *Buku Ajar Fisiologi Kedokteran*. Jakarta: Philadelphia:Elsevier; 2016. 978 p.
23. Lakshmanan J, Ross MG. Mechanism(s) of in utero meconium passage. *J Perinatol*. 2018;28:S8–13.
24. Herman S, Santoso B, Joewono HT, Sulistyono A, Usman AN. Relationship between early preterm birth (22–33 weeks) and late preterm birth (34–36 weeks) with the characteristics of sociodemography in primiparous and multiparous. *Enferm Clin*. 2020;30:541–6.
25. Ratnasiri AWG, Parry SS, Arief VN, DeLacy IH, Halliday LA, DiLibero RJ, et al. Recent trends, risk factors, and disparities in low birth weight in California, 2005–2014: a retrospective study. *Matern Heal Neonatol Perinatol*. 2018;4(1):1–13.
26. Valero De Bernabé J, Soriano T, Albaladejo R, Juarranz M, Calle ME, Martínez D, et al. Risk factors for low birth weight: A review. *Eur J Obstet Gynecol Reprod Biol*. 2004;116(1):3–15.

27. Arnoldi R, Leva E, MacChini F, Di Cesare A, Colnaghi M, Fumagalli M, et al. Delayed meconium passage in very low birth weight infants. *Eur J Pediatr Surg*. 2011;21(6):395–8.
28. Barros MCDM, Guinsburg R, Mitsuhiro SS, Chalem E, Laranjeira RR. Neurobehavior of full-term small for gestational age newborn infants of adolescent mothers [in Portuguese] Neurobehavior of full-term small for gestational age newborn infants of adolescent mothers. 2008;(May).
29. Mccowan L, Horgan RP. Best Practice & Research Clinical Obstetrics and Gynaecology Risk factors for small for gestational age infants. *Best Pract Res Clin Obstet Gynaecol* [Internet]. 2009;23(6):779–93. Available from: <http://dx.doi.org/10.1016/j.bpobgyn.2009.06.003>
30. Ng S, Olog A, Spinks AB, Cameron CM, Searle J, McClure RJ. Risk factors and obstetric complications of large for gestational age births with adjustments for community effects : results from a new cohort study. 2010;
31. Leviton A. Perinatal asphyxia. *Pediatr Neurol*. 2017;3(2):123.
32. Gillam-Krakauer M, Jr. CWG. Birth Asphyxia [Internet]. StatPearls Publishing. 2020 [cited 2021 May 17]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK430782/>
33. Simon L V., Hashmi MF, Bragg BN. APGAR score [Internet]. StatPearls Publishing. 2021 [cited 2021 Jun 11]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK470569/>
34. Rainaldi MA, Perlman JM. Pathophysiology of Birth Asphyxia. *Clin Perinatol* [Internet]. 2016;43(3):409–22. Available from: <http://dx.doi.org/10.1016/j.clp.2016.04.002>
35. Ershad M, Mostafa A, Cruz M Dela, Vearrier D. Neonatal Sepsis Risk factor American Academy of Pediatrics. *Curr Emerg Hosp Med Rep*. 2019;7(3):83–90.
36. Kusika Saputra NP, Lasmini PS. Pengaruh Inisiasi Menyusu Dini terhadap Waktu Pengeluaran dan Perubahan Warna Mekonium Serta Kejadian Ikterik Fisiologis. *J Ilmu Kedokt*. 2017;9(2):87.
37. Yee WH, Soraisham AS, Shah VS, Aziz K, Yoon W, Lee SK, et al. Incidence and timing of presentation of necrotizing enterocolitis in preterm infants. *Pediatrics*. 2012;129(2).
38. Jhaveri M, Kumar S. Passage of the first stool in very low birth weight infants. *Pediatrics*. 1987;79(6):1005–7.
39. Wolfgang R, Bernhard R, Gerhard P, Heinz Z, Berndt U, Wilhelm M.

Delayed meconium passage in small vs. appropriate for gestational age preterm infants: Management and short-term outcome. *Iran J Pediatr.* 2013;23(1):8–12.

40. Berseth CL. Gestational evolution of small intestine motility in preterm and term infants. *J Pediatr.* 1989;115(4):646–51.
41. Manea A, Boia M, Iacob D, Dima M, Iacob RE. Benefits of early enteral nutrition in extremely low birth weight infants. *Singapore Med J.* 2016;57(11):616–8.
42. Steiner N, Wainstock T, Sheiner E, Segal I, Landau D, Walfisch A. Small for gestational age as an independent risk factor for long-term pediatric gastrointestinal morbidity of the offspring*. *J Matern Neonatal Med.* 2019;32(9):1407–11.
43. Finken MJJ, Van Der Steen M, Smeets CCJ, Walenkamp MJE, De Bruin C, Hokken-Koelega ACS, et al. Children Born Small for Gestational Age: Differential Diagnosis, Molecular Genetic Evaluation, and Implications. *Endocr Rev.* 2018;39(6):851–94.
44. Gulcan H, Gungor S, Tiker F, Kilicdag H. Effect of perinatal factors on time of first stool passage in preterm newborns: An open, prospective study. *Curr Ther Res - Clin Exp.* 2006;67(3):214–25.
45. Wang PA, Huang FY. Time of the first defaecation and urination in very low birth weight infants. *Eur J Pediatr.* 1994;153(4):279–83.
46. Königsrainer I, Türck MH, Eisner F, Hoffmann J, Küper M, Zieker D, et al. Cellular Physiology and Biochemistry The Gut is not only the Target but a Source of Inflammatory Mediators Inhibiting Gastrointestinal Motility During Sepsis. 2011;753–60.
47. Liu HQ, Tong XM. A clinical analysis of late-onset sepsis in very low birth weight and extremely low birth weight infants. *Chinese J Contemp Pediatr.* 2019;21(10):1038–43.
48. Alcock G, Liley HG, Cooke L, Gray PH. Prevention of neonatal late-onset sepsis: A randomised controlled trial. *BMC Pediatr.* 2017;17(1):1–7.