

DAFTAR PUSTAKA

1. Kirthi AAK, Yasmin AAADA, Artha IMJR, Bhargah A. Hipertensi sebagai prediktor kejadian kardiovaskular mayor pada pasien infark miokard akut pada tahun 2018 di RSUP Sanglah Denpasar, Bali-Indonesia. *Intisari Sains Medis*. 2019;10(3):530–6.
2. Mechanic OJ, Gavin M, Grossman SA. Acute Myocardial Infarction. *StatPearls* [Internet]. 2021 Aug 11 [cited 2022 Apr 3]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459269/>
3. aru w.sudoyo, idris alwi , bambang setyohadi siti setiati. *Ilmu Penyakit Dalam*. IV. Setiati S, Alwi I, Sudoyo A w., K MS, Syam AF, editors. Jakarta: Interna Publishing; 2017. 3991 p.
4. PERKI. Pedoman Tata Laksana Sindrom Koroner Akut. Indonesian Heart Association. 2018. p. 1.
5. Cardiovascular diseases (CVDs) [Internet]. [cited 2022 Mar 29]. Available from: [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds))
6. Benjamin EJ, Blaha MJ, Chiuve SE, Cushman M, Das SR, Deo R, et al. Heart Disease and Stroke Statistics'2017 Update: A Report from the American Heart Association. Vol. 135, *Circulation*. 2017. 146–603 p.
7. Laporan Nasional Riskesdas. *Laporan_Nasional_RKD2018_FINAL.pdf* [Internet]. Badan Penelitian dan Pengembangan Kesehatan. 2018. p. 198. Available from: http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
8. Topol EJ, Califf RM. *Textbook of cardiovascular medicine*. 2007;1628.
9. Tan SY, Sungar GW, Myers J, Sandri M, Froelicher V. A simplified clinical electrocardiogram score for the prediction of cardiovascular mortality. *Clin Cardiol*. 2009;32(2):82–6.

10. Raja M, Sitorus P, Ketaren I, Syarifah ;, Yanti N. Simplified Clinical Electrocardiogram Score Sebagai Faktor Prediktor Mortalitas Pada Pasien Infark Miokard Akut Di Intensive Cardiac Care Unit (Iccu) Rsud Dr. Soedarso 2016.
11. Thygesen K, Alpert JS, Jaffe AS, Chaitman BR, Bax JJ, Morrow DA, et al. Fourth Universal Definition of Myocardial Infarction (2018). Vol. 138, *Circulation*. 2018. 618–651 p.
12. CHICHE P. Epidemiology of myocardial infarct. *Minerva Med*. 2018;54:2083–7.
13. Rilantono L I. *Rahasia penyakit Kardiovaskular (PKV)*. 1st ed. Jakarta: Badan Penerbit FKUI; 2015.
14. Collet JP, Thiele H, Barbato E, Bauersachs J, Dendale P, Edvardsen T, et al. 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. *Eur Heart J*. 2021;42(14):1289–367.
15. Novrianti I, . H, F M. Terapi Fibrinolitik Pada Pasien St-Segment Elevation Myocardial Infarction (STEMI) : Review Artikel. *J Farm Udayana*. 2021;10(1):55.
16. Ahmad M, Mehta P, Reddivari AKR, Mungee S. Percutaneous Coronary Intervention. 2021 Dec 31 [cited 2022 Mar 29]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK556123/>
17. Doenst T, Haverich A, Serruys P, Bonow RO, Kappetein P, Falk V, et al. PCI and CABG for Treating Stable Coronary Artery Disease: JACC Review Topic of the Week. *J Am Coll Cardiol*. 2019;73(8):964–76.
18. Kalim H. *Crash Course Kardiologi dan Kelainan Vaskular*. 1st ed. Singapore; 2017.
19. Kusumoto F. *Ecg Interpretation*. 2nd ed. Springer Nature Switzerland; 2020.
20. Kawel-Boehm N, Kronmal R, Eng J, Folsom A, Burke G, Jeffrey Carr J, et al. Left ventricular mass at MRI and long-term risk of cardiovascular events: The Multi-Ethnic Study of Atherosclerosis (MESA). *Radiology*. 2019;293(1):107–14.
21. Nepper-Christensen L, Lønborg J, Ahtarovski KA, Høfsten DE, Kyhl K, Ghotbi AA, et al.

Left ventricular hypertrophy is associated with increased infarct size and decreased myocardial salvage in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. *J Am Heart Assoc.* 2017;6(1).

22. Behar S, Reicher-reiss H, Abinedar E, Barzilai JJ, Friedman Y, Kaplinsky E. Long-Term Prognosis After Acute Myocardial Infarction in Patients with Left Ventricular Hypertrophy on the Electrocardiogram. 1991;67(7)
23. Bhattacharya PT, Ellison MB. Right Ventricular Hypertrophy. *StatPearls* [Internet]. 2021 Aug 7 [cited 2022 Mar 29]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK499876/>
24. Shah PK, Maddahi J. Scintigraphically Detected Predominant Right Ventricular Dysfunction in Acute Myocardial Infarction : Clinical and Hemodynamic Correlates and Implications for Therapy and Prognosis. *J Am Coll Cardiol* [Internet]. 1985;6(6):1264–72. Available from: [http://dx.doi.org/10.1016/S0735-1097\(85\)80212-6](http://dx.doi.org/10.1016/S0735-1097(85)80212-6)
25. Forman MB, Wilson BH, Sheller JR, Kopelman HA, Vaughn WK, Virmani R, et al. Right ventricular hypertrophy is an important determinant of right ventricular infarction complicating acute inferior left ventricular infarction. *J Am Coll Cardiol* [Internet]. 1987;10(6):1180–7. Available from: [http://dx.doi.org/10.1016/S0735-1097\(87\)80116-X](http://dx.doi.org/10.1016/S0735-1097(87)80116-X)
26. Foschi M, Di Mauro M, Tancredi F, Capparuccia C, Petroni R, Leonzio L, et al. The dark side of the moon: The right ventricle. *J Cardiovasc Dev Dis.* 2017;4(4).
27. Harkness WT, Hicks M. Right Bundle Branch Block. *StatPearls* [Internet]. 2021 Aug 13 [cited 2022 Mar 29]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK507872/>
28. Xiang L, Zhong A, You T, Chen J, Xu W, Shi M. Prognostic significance of right bundle branch block for patients with acute myocardial infarction: A systematic review and meta-analysis. *Med Sci Monit.* 2016;22:998–1004.
29. Shrivastav R, Kwan T, Tamis-Holland. In Hospital Outcome of Patients With Right Bundle Branch Block and Anterior Wall STEMI. 2020;
30. Brilakis E, Wright R, Kopecky E. Bundle Branch Block as a Predictor of Long-Term

Survival After Acute Myocardial Infarction. 2001;

31. Al Rajoub B, Nouredine S, El Chami S, Haidar MH, Itani B, Zaiter A, et al. The prognostic value of a new left bundle branch block in patients with acute myocardial infarction: A systematic review and meta-analysis. *Hear Lung J Acute Crit Care*. 2017;46(2):85–91.
32. Melgarejo-Moreno A, Galcerá-Tomás J, Consuegra-Sánchez L, Alonso-Fernández N, Díaz-Pastor Á, Escudero-García G, et al. Relation of New Permanent Right or Left Bundle Branch Block on Short- and Long-Term Mortality in Acute Myocardial Infarction Bundle Branch Block and Myocardial Infarction. *Am J Cardiol [Internet]*. 2015;116(7):1003–9. Available from: <http://dx.doi.org/10.1016/j.amjcard.2015.07.019>
33. Lee JH, Park JJ, Cho Y, Oh IY, Yoo BS, Kim JJ, et al. Prognostic implication of ventricular conduction disturbance pattern in hospitalized patients with acute heart failure syndrome. *Korean Circ J*. 2019;49(7):602–11.
34. Wieneke H, Sattler K, von Birgelen C, Böse D, Haude M, Rechenberg W, et al. Impact of intraventricular conduction delay on coronary haemodynamics: A study with intracoronary Doppler in patients with bundle branch blocks and normal coronary arteries. *Europace*. 2006;8(3):151–6.
35. Black JM, Matassarini-Jacobs E, Luckmann J. *Medical-surgical nursing:clinical management for continuity of care vol 2*. Saunders company; 1997.
36. Abdulla JJ, Brendorp B, Torp-Pedersen C, Køber L. Does the electrocardiographic presence of Q waves influence the survival of patients with acute myocardial infarction? *Eur Heart J*. 2001;22(12):1008–14.
37. Andrews J, French JK, Manda SOM, White HD. New Q waves on the presenting electrocardiogram independently predict increased cardiac mortality following a first ST-elevation myocardial infarction. *Eur Heart J*. 2000;21(8):647–53.
38. de Winter RW, Adams R, Amoroso G, Appelman Y, ten Brinke L, Huybrechts B, et al. Prevalence of junctional ST-depression with tall symmetrical T-waves in a pre-hospital

- field triage system for STEMI patients. *J Electrocardiol.* 2019;52:1–5.
39. Mark A, Hlatky M, Califf M, Kerry L, David B, Galen S. Prognostic Significance of Precordial ST-segment Depression during Inferior Acute Myocardial Infarction. 1985;
 40. Jameson J, Fauci A, Kasper D, Hauser S, Longo D, Loscalzo J. *Harrison's Principles of Internal Medicine.* 19th ed. New York: McGraw Hill Education; 2015.
 41. Reinstadler SJ, Stiermaier T, Eitel C, Fuernau G, Saad M, Pöss J, et al. Ischemic Heart Disease Impact of Atrial Fibrillation During ST-Segment – Elevation Myocardial Infarction on Infarct Characteristics and Prognosis. 2018;1–7.
 42. Saglietto A, Varbella V, Ballatore A, Xhakupi H, de Ferrari GM, Anselmino M. Prognostic implications of atrial fibrillation in patients with stable coronary artery disease: A systematic review and meta-analysis of adjusted observational studies. *Rev Cardiovasc Med.* 2021;22(2):439–44.
 43. Ha LD, Grober AF, Hock J, Wheeler M, Elbadawi A, Biniwale N, et al. Electrocardiographic left atrial abnormalities predict cardiovascular mortality. *J Electrocardiol.* 2018;51(4):652–7.
 44. Mehta A, Jain AC, Mehta MC, Billie M. Left atrial abnormality in acute myocardial infarction. *Am J Cardiol.* 1997;79(6):807–11.
 45. Büyükköztürk K, Korkut F, Meric M, Deligönül U, Özkan E, Özcan R. Prognostic significance of isolated left anterior hemiblock and left axis deviation in the course of acute myocardial infarction. *Heart.* 1977;39(11):1192–5.
 46. Storkås HS, Hansen TF, Tahri JB, Lauridsen TK, Olsen FJ, Borgquist R, et al. Left axis deviation in patients with left bundle branch block is a marker of myocardial disease associated with poor response to cardiac resynchronization therapy. *J Electrocardiol.* 2020;63(xxxx):147–52.
 47. Wang Q, Pan S, Liu F, Yang D, Wang JK. Extreme right axis deviation in acute myocardial infarction: A hazardous signal of poor prognosis. *Am J Case Rep.* 2018;19:553–6.

48. Bellamoli M, Marin F, Maritan L, Prati D, Tadiello E, Pesarini G, et al. New-onset extreme right axis deviation in acute myocardial infarction: clinical characteristics and outcomes. *J Electrocardiol* [Internet]. 2020;60:60–6. Available from: <https://doi.org/10.1016/j.jelectrocard.2020.03.003>
49. Xiong GL, Pinkhasov A, Mangal JP, Huang H, Rado J, Gagliardi J, et al. QTc monitoring in adults with medical and psychiatric comorbidities: Expert consensus from the Association of Medicine and Psychiatry. *J Psychosom Res*. 2020;135(December 2019):110138.
50. Vandael E, Vandenberg B, Vandenberghe J, Van den Bosch B, Willems R, Foulon V. A smart algorithm for the prevention and risk management of QTc prolongation based on the optimized RISQ-PATH model. *Br J Clin Pharmacol*. 2018;84(12):2824–35.
51. Cupa J, Strebel I, Badertscher P, Abächerli R, Twerenbold R, Schumacher L, et al. Diagnostic and prognostic value of QRS duration and QTc interval in patients with suspected myocardial infarction. *Cardiol J*. 2018;25(5):601–10.
52. Delima., Mihardja, L., Siswoyo, H. Prevalensi dan Faktor Determinan Penyakit Jantung di Indonesia. *Bul. Penelit. Kesehat*; 2009; 37(3): 142-159.
53. Ting, P., Chua, TSJ., Wong, A., Sim, LL., Tan, VWD., Koh, TH. Trends in Mortality from Acute Myocardial Infarction in the Coronary Care Unit. *Ann Acad Med Singapore*; 2007; 36: 974-979.
54. Saputra, Tommy. Hubungan Lokasi Infark Dengan Mortalitas Pada Pasien Infark Miokard Akut Yang Dirawat Di Ruang Intensive Cardiac Care Unit (ICCU) RSUD Dokter Soedarso Pontianak [Skripsi]. Pontianak: Fakultas Kedokteran Universitas Tanjungpura. 2014.
55. Alwi I. Infark miokard akut dengan elevasi ST. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editor. *Buku Ajar Ilmu Penyakit Dalam Jilid II*, edisi V. Jakarta:Interna Publishing. 2009; 1741-1756.
56. Budiana,A. (2015). Penyakit kardiovaskular (pkv). Jakarta: fakultas kedokteran UI. Jakarta:FKUI.
57. Tumade B, Jim EL, Joseph VFF. Prevalensi Sindrom Koroner Akut Di Rsup Prof. Dr. R. D. Kandou Manado Periode 1 Januari 2014 - 31 Desember 2014. *e-CliniC*. 2016;4(1).

58. Sholih AD, Dinarti LK, Nugroho DB. Rehospitalisasi Pasien Pasca Sindrom Koroner Akut Di RSUP dr. Sardjito Tahun 2014-2018: Sebuah Studi Deskriptif. Universitas Gadjah Mada. Yogyakarta 2021.
59. primary percutaneous coronary intervention: Mechanisms, incidence and identification of patients at risk. *World J Cardiol.* 2017 May 26;9(5):407-415. doi: 10.4330/wjc.v9.i5.407. PMID: 28603587; PMCID: PMC5442408.
60. Putaala J, Nieminen T. Stroke Risk Period After Acute Myocardial Infarction Revised. *J Am Heart Assoc.* 2018 Nov 20;7(22):e011200. doi: 10.1161/JAHA.118.011200. PMID: 30571506; PMCID: PMC6404430.
61. Mal K, Awan ID, Shaukat F. Evaluation of Risk Factors Associated with Reinfarction: A Multicenter Observational Study. *Cureus.* 2019 Nov 3;11(11):e6063. doi: 10.7759/cureus.6063. PMID: 31827993; PMCID: PMC6890158.
62. Schweitzer P, Keller S. The role of the initial 12-lead ECG in risk stratification of patients with acute coronary syndrome. *Bratisl Lek Listy.* 2001;102(9):406-11. PMID: 11763676