

DAFTAR PUSTAKA

- Agi, A., Junin, R., Gbadamosi, A., Abbas, A., Azli, N. B., & Oseh, J. (2019). Influence Of Nanoprecipitation On Crystalline Starch Nanoparticle Formed By Ultrasonic Assisted Weak-Acid Hydrolysis Of Cassava Starch And The Rheology Of Their Solutions. *Chemical Engineering And Processing - Process Intensification*, 142(March). <https://doi.org/10.1016/j.cep.2019.107556>
- Ali, A., Wani, T. A., Wani, I. A., & Masoodi, F. A. (2014). Comparative Study Of The Physico-Chemical Properties Of Rice And Corn Starches Grown In Indian Temperate Climate. *Journal Of The Saudi Society Of Agricultural Sciences*. <https://doi.org/10.1016/j.jssas.2014.04.002>
- Amani, N. G., Buléon, A., Kamenan, A., & Colonna, P. (2004). Variability In Starch Physicochemical And Functional Properties Of Yam (*Dioscorea* Sp) Cultivated In Ivory Coast. *Journal Of The Science Of Food And Agriculture*, 84(15), 2085–2096. <https://doi.org/10.1002/jsfa.1834>
- Amin, N. A. (2013). *Pengaruh Suhu Fosforilasi Terhadap Sifat Fisikokimia Pati Tapioka Termodifikasi*. Universitas Hasanuddin.
- Andarwulan, N., Kusnandar, F., & Herawati, D. (2011). *Analisis Pangan*. Dian Rakyat.
- Atichokudomchai, N., Shobsngob, S., & Varavinit, S. (2000). Morphological Properties Of Acid-Modified Tapioca Starch. *Starch/Staerke*, 52(7–8), 283–289. [https://doi.org/10.1002/1521-379x\(20009\)52:8/9<283::Aid-Star283>3.0.Co;2-Q](https://doi.org/10.1002/1521-379x(20009)52:8/9<283::Aid-Star283>3.0.Co;2-Q)
- Builders, P. F., & Arhewoh, M. I. (2016). Pharmaceutical Applications Of Native Starch In Conventional Drug Delivery. *Starch/Staerke*, 68(9–10), 864–873. <https://doi.org/10.1002/star.201500337>
- Chatakanonda, P., Wongprayoon, S., & Sriroth, K. (2005). *Gelatinization And Retrogradation Of Cassava Starch In The Presence Of Nacl And Sucrose*. 275–279.
- Chin, S. F., Pang, S. C., & Tay, S. H. (2011). Size Controlled Synthesis Of Starch Nanoparticles By A Simple Nanoprecipitation Method. *Carbohydrate Polymers*, 86(4), 1817–1819. <https://doi.org/10.1016/j.carbpol.2011.07.012>
- Chiotelli, E., Pilosio, G., & Le Meste, M. (2002). Effect Of Sodium Chloride On The Gelatinization Of Starch: A Multimeasurement Study. *Biopolymers*, 63(1), 41–58. <https://doi.org/10.1002/bip.1061>
- Collado, L. S., & Corke, H. (1999). Heat-Moisture Treatment Effects On Sweetpotato Starches Differing In Amylose Content. *Food Chemistry*, 65(3), 339–346. [https://doi.org/10.1016/S0308-8146\(98\)00228-3](https://doi.org/10.1016/S0308-8146(98)00228-3)
- Collins, K. D. (2004). Ions From The Hofmeister Series And Osmolytes: Effects On Proteins In Solution And In The Crystallization Process. *Methods*, 34(3),

300–311. <https://doi.org/10.1016/j.ymeth.2004.03.021>

- Copeland, L., Blazek, J., Salman, H., & Tang, M. C. (2009). Form And Functionality Of Starch. *Food Hydrocolloids*, 23(6), 1527–1534. <https://doi.org/10.1016/j.foodhyd.2008.09.016>
- Corre, D. Le, Bras, J., & Dufresne, A. (2010). Starch Nanoparticles: A Review. In *Biomacromolecules* (Pp. 1139–1153). American Chemical Society Publications.
- Cui, S. W. (2005). *Food Carbohydrates Chemistry, Physical Properties, And Applications*.
- Debet, M. R., & Gidley, M. J. (2006). Three Classes Of Starch Granule Swelling: Influence Of Surface Proteins And Lipids. *Carbohydrate Polymers*, 64(3), 452–465. <https://doi.org/10.1016/j.carbpol.2005.12.011>
- Dewi, N. S., Parnanto, N. H. R., & Ridwan, A. (2012). KARAKTERISTIK SIFAT FISILOGOKIMIA TEPUNG BENGGUANG (*Pachyrhizus Erosus*) DIMODIFIKASI SECARA ASETILASI DENGAN VARIASI KONSENTRASI ASAM ASETAT SELAMA PERENDAMAN. *Jurnal Teknologi Hasil Pertanian*, 5(2), 104–112. <https://doi.org/10.20961/jthp.V0i0.13014>
- Dickinson, E. (2017). Hydrocolloids Acting As Emulsifying Agents – How Do They Do It? *Food Hydrocolloids*, 78, 2–14. <https://doi.org/10.1016/j.foodhyd.2017.01.025>
- Diniyah, N., Subagio, A., Lutfian Sari, R. N., & Yuwana, N. (2018). Sifat Fisikokimia Dan Fungsional Pati Dari Mocaf (Modified Cassava Flour) Varietas Kaspro Dan Cimanggu. *Jurnal Penelitian Pascapanen Pertanian*, 15(2), 80–90. <https://doi.org/10.21082/jpasca.V15n2.2018.80-90>
- Ettelaie, R., Holmes, M., Chen, J., & Farshchi, A. (2016). Steric Stabilising Properties Of Hydrophobically Modified Starch: Amylose Vs. Amylopectin. *Food Hydrocolloids*, 58, 364–377. <https://doi.org/10.1016/j.foodhyd.2016.03.004>
- Fachrudin, R. (2017). *Produksi Pati Na-Karboksimetil Dengan Perbedaan Tipe Pengadukan Padatahap Alkalisasi*. Institut Pertanian Bogor.
- Falade, K. O., & Christopher, A. S. (2015). Physical, Functional, Pasting And Thermal Properties Of Flours And Starches Of Six Nigerian Rice Cultivars. *Food Hydrocolloids*, 44, 478–490. <https://doi.org/10.1016/j.foodhyd.2014.10.005>
- Farrag, Y., Ide, W., Montero, B., Rico, M., Rodríguez-Llamazares, S., Barral, L., & Bouza, R. (2018). Preparation Of Starch Nanoparticles Loaded With Quercetin Using Nanoprecipitation Technique. *International Journal Of Biological Macromolecules*, 114(2017), 426–433. <https://doi.org/10.1016/j.ijbiomac.2018.03.134>
- Gidley, M. J., Hanashiro, I., Hani, N. M., Hill, S. E., Huber, A., Jane, J. L., Liu, Q.,

- Morris, G. A., Rolland-Sabaté, A., Striegel, A. M., & Gilbert, R. G. (2010). Reliable Measurements Of The Size Distributions Of Starch Molecules In Solution: Current Dilemmas And Recommendations. *Carbohydrate Polymers*, 79(2), 255–261. <https://doi.org/10.1016/j.carbpol.2009.07.056>
- Gülsün, T., Gürsoy, R. N., & Öner, L. (2009). Nanocrystal Technology For Oral Delivery Of Poorly Water-Soluble Drugs. *Fabad Journal Of Pharmaceutical Sciences*, 34(1), 55–65.
- Hapsari, R. T. (2014). Prospek Uwi Sebagai Pangan Fungsional Dan Bahan Diversifikasi Pangan. *Buletin Palawija*, 0(27), 26–38.
- Hartati, P. (2006). *Pengaruh Penambahan Berbagai Jenis Bahan Pengikat*. 2(1), 1–5.
- Haskell, R. (2006). Nanotechnology For Drug Delivery. *Drug And The Pharmaceutical Science*, 103–131. <https://doi.org/10.2174/138161282142151207145657>
- Hidayat, B., Kalsum, N., & Surfiana. (2009). Karakteristik Tepung Ubi Kayu Modifikasi Yang Diproses Menggunakan Metode Prigelatinisasi Parsial. *Jurnal Teknologi Industri Dan Hasil Pertanian*, 14(2), 148–159. File:///C:/Users/Acer/Downloads/DATA TENANT PDG PASAR SGS 2021/Junal Nurbani.Pdf
- Ismanto. (2021). *MODIFIKASI PATI SINGKONG (Manihot Utilissima) METODE PRESIPITASI DENGAN PENAMBAHAN NaCl*. Universitas Jambi.
- ITIS. (2009). *Dioscorea Alata L*. <http://www.itis.gov>.
- Juhana, D. (2018). *Pengaruh Konsentrasi H₂SO₄ Pada Modifikasi Pati Dengan Metode Hidrolisis Asam Terhadap Sifat Fisikokimia Pati Uwi Putih (Dioscorea Alata L.)*. Universitas Jambi.
- Juna, S., Hayden, S., Damm, M., Kappe, C. O., & Huber, A. (2014). Microwave Mediated Preparation Of Nanoparticles From Wx Corn Starch Employing Nanoprecipitation. *Starch/Stärke*, 66(3–4), 316–325. <https://doi.org/10.1002/star.201300067>
- Kenneth, J. (2009). *Obstetric Williams Panduan Ringkas*. EGC.
- Koswara, S. (2006). *Teknologi Modifikasi Pati*. Ebook Pangan.
- Koswara, S. (2009). *Teknologi Modifikasi Pati*. *Ebookpangan*, 1–32. <http://tekpan.unimus.ac.id/wp-content/uploads/2013/07/TEKNOLOGI-MODIFIKASI-PATI.Pdf>
- Kusnandar, F. (2010). *Kimia Pangan Komponen Pangan*. PT. Dian Rakyat.
- Lawal, O. S. (2004). Composition, Physicochemical Properties And Retrogradation Characteristics Of Native, Oxidised, Acetylated And Acid-Thinned New Cocoyam (Xanthosoma Sagittifolium) Starch. *Food Chemistry*, 87, 205–218. <https://doi.org/10.1016/j.foodchem.2003.11.013>

- Ma, X., Jian, R., Chang, P. R., & Yu, J. (2008). Fabrication And Characterization Of Citric Acid-Modified Starch Nanoparticles/Plasticized-Starch Composites. *Biomacromolecules*, 9(11), 3314–3320. <https://doi.org/10.1021/Bm800987c>
- Marchal, L. M., Beeftink, H. H., & Tramper, J. (1999). Towards A Rational Design Of Commercial Maltodextrins. *Trends In Food Science And Technology*, 10(11), 345–355. [https://doi.org/10.1016/S0924-2244\(00\)00018-2](https://doi.org/10.1016/S0924-2244(00)00018-2)
- Mcclements, D. J. (2016). *Food Emulsions: Principles, Practices, And Techniques*. CRC Press.
- Miyazaki, M., Hung, P. Van, Maeda, T., & Morita, N. (2006). Recent Advances In Application Of Modified Starches For Breadmaking. *Trends In Food Science And Technology*, 17(11), 591–599. <https://doi.org/10.1016/J.Tifs.2006.05.002>
- Nadia, L., & Hartari, A. (2011). *Potensi Umbi Uwi Ungu Sebagai Bahan Pangan Dan Khasiatnya Sebagai Pangan Fungsional*. <https://news.ge/anakliis-Porti-Aris-Qveynis-Momava>.
- Nadia, L., Wirakartakusumah, M. A., Andarwulan, N., Purnomo, E. H., Koaze, H., & T, N. (2014). Characterization Of Physicochemical And Functional Properties Of Starch From Five Yam (*Dioscorea Alata*) Cultivars In Indonesia. *International Journal Of Chemical Engineering And Applications*, 5(6), 489–496. <https://doi.org/10.7763/Ijcea.2014.V5.434>
- Ntau, L., Sumual, M. F., & Assa, J. R. (2017). Pengaruh Fermentasi *Lactobacillus Casei* Terhadap Sifat Fisik Tepung Jagung Manis (*Zea Mays Saccharata* Sturt). *Jurnal Ilmu Dan Teknologi Pangan*, 5(2), 11–19.
- Qin, Y., Liu, C., Jiang, S., Xiong, L., & Sun, Q. (2016). Characterization Of Starch Nanoparticles Prepared By Nanoprecipitation: Influence Of Amylose Content And Starch Type. *Industrial Crops And Products*, 87, 182–190. <https://doi.org/10.1016/J.Indcrop.2016.04.038>
- Rauf, R., & Sarbini, D. (2015). Daya Serap Air Sebagai Acuan Untuk Menentukan Volume Air Dalam Pembuatan Adonan Roti Dari Campuran Tepung Terigu Dan Tepung Singkong. *Agritech*, 35(3), 324–330.
- Saari, H., Fuentes, C., Sjöö, M., Rayner, M., & Wahlgren, M. (2016). Production Of Starch Nanoparticles By Dissolution And Non-Solvent Precipitation For Use In Food-Grade Pickering Emulsions. *Carbohydrate Polymers*, 157, 558–566. <https://doi.org/10.1016/J.Carbpol.2016.10.003>
- Scheffler, S. L., Wang, X. U. E., Huang, L. E. I., Gonzalez, F. S. M., & Yao, Y. (2010). Phytoglycogen Octenyl Succinate, An Amphiphilic Carbohydrate Nanoparticle, And E-Polylysine To Improve Lipid Oxidative Stability Of Emulsions. *Journal Of Agricultural And Food Chemistry*, 58(1), 660–667. <https://doi.org/10.1021/Jf903170b>
- Soeharsono, M. (1989). *Biokimia*. Gadjah Mada University Press.
- Sriroth, K., Piyachomw, K., Sangseethong, K., & Oates, C. (2002). Modification

Of Cassava Starch. *Żywność*, 4(33), 219–230.

- Sunarti, T. C., Nunome, T., Yoshio, N., & Hisamatsu, M. (2001). Study On Outer Chains Released From Amylopectin Between Immobilized And Free Debranching Enzymes. *Journal Of Applied Glycoscience*, 48(1), 1–10. <https://doi.org/10.5458/Jag.48.1>
- Syamsir, E., Hariyadi, P., Fardiaz, D., Andarwulan, N., & Kusnandar, F. (2012). PENGARUH PROSES HEAT-MOISTURE TREATMENT (HMT) TERHADAP KARAKTERISTIK FISIKOKIMIA PATI [Effect Of Heat-Moisture Treatment (HMT) Process On Physicochemical Characteristics Of Starch]. *Jurnal Teknologi Dan Industri Pangan*, 23(1 SE-Short Communication), 100. <https://journal.ipb.ac.id/index.php/jtip/article/view/5302>
- Taggart, P. (2004). Starch As An Ingredient: Manufacture And Applications. In *Starch In Food*. Woodhead Publishing Limited. <https://doi.org/10.1533/9781855739093.3.363>
- Tan, Y., Xu, K., Li, L., Liu, C., Song, C., & Wang, P. (2009). Fabrication Of Size-Controlled Starch-Based Nanospheres By Nanoprecipitation. *ACS Applied Materials And Interfaces*, 1(4), 956–959. <https://doi.org/10.1021/Am900054f>
- Ulyarti, Lavlinesia, Fortuna, D., & Surhaini. (2016). The Study Of Physical Properties Of Dioscorea Alata's Starch From Jambi Province. *International Journal On Advanced Science, Engineering And Information Technology*, 6(4), 456–459. <https://doi.org/10.18517/Ijaseit.6.4.735>
- Ulyarti, Mursyid, Ismanto, Rahmayani, I., Suseno, R., & Nazarudin. (2022). Modification Of Cassava Starch (Manihot Utilissima) Using Precipitation Method With Addition Of Nacl . *Proceedings Of The 6th International Conference Of Food, Agriculture, And Natural Resource (IC-FANRES 2021)*, 16, 132–137. <https://doi.org/10.2991/Absr.K.220101.018>
- Ulyarti, U., Amnesta, R., Suseno, R., & Nazarudin, N. (2021). Modifikasi Pati Ubi Kelapa Kuning Metode Presipitasi Menggunakan Beberapa Tingkat Suhu Serta Aplikasinya Untuk Edible Film. *Agritech*, 41(4), 376. <https://doi.org/10.22146/Agritech.54150>
- Ulyarti, U., Lisani, L., Surhaini, S., Lumbanraja, P., Satrio, B., Supriyadi, S., & Nazarudin, N. (2021). The Application Of Gelatinisation Techniques In Modification Of Cassava And Yam Starches Using Precipitation Method. *Journal Of Food Science And Technology*, 59(3), 1230–1238. <https://doi.org/10.1007/S13197-021-05134-0>
- Wang, W., Zhou, H., Yang, H., Zhao, S., Liu, Y., & Liu, R. (2016). Effects Of Salts On The Gelatinization And Retrogradation Properties Of Maize Starch And Waxy Maize Starch. *Food Chemistry*, 214, 319–327. <https://doi.org/10.1016/J.Foodchem.2016.07.040>
- Wei, B., Xu, X., Jin, Z., & Tian, Y. (2014). Surface Chemical Compositions And

- Dispersity Of Starch Nanocrystals Formed By Sulfuric And Hydrochloric Acid Hydrolysis. *Plos ONE*, 9(2), 1–7. <https://doi.org/10.1371/journal.pone.0086024>
- Winarno, F. G. (2004). *Keamanan Pangan* (Jilid 3). M-Brio Press.
- Winarti, C., Sunarti, T. C., & Richana, N. (2011). Produksi Dan Aplikasi Pati Nanopartikel. In *Buletin Teknologi Pasca Panen* (Vol. 7, Issue 2, Pp. 104–114).
- Wulandari, K. (2013). *Penyiapan Dan Karakterisasi Pati Nanokristalin Dari Sagu Dan Tapioka*. Institut Pertanian Bogor.
- Yan, X., Diao, M., Li, C., Lu, C., Zhao, P., & Zhang, T. (2022). Formation And Properties Of Starch-Palmitic Acid Complex Nanoparticles And Their Influence On Pickering Emulsions. *International Journal Of Biological Macromolecules*, 204(December 2021), 685–691. <https://doi.org/10.1016/j.ijbiomac.2022.01.170>
- Yulianingsih, R., & Gohtani, S. (2018). Dispersion Characteristics Of Pregelatinized Waxy Rice Starch And Its Performance As An Emulsifier For Oil-In-Water Emulsions: Effect Of Gelatinization Temperature And Starch Concentration. *Food Hydrocolloids*, 95. <https://doi.org/10.1016/j.foodhyd.2018.12.013>
- Zhou, H., Wang, C., Shi, L., Chang, T., Yang, H., & Cui, M. (2014). Effects Of Salts On Physicochemical, Microstructural And Thermal Properties Of Potato Starch. *Food Chemistry*, 156, 137–143. <https://doi.org/10.1016/j.foodchem.2014.02.015>