

DAFTAR PUSTAKA

1. Sudoyo AW, Setyohadi B, Alwi I, Simadibrata M, Setiadi S, editors. Buku Ajar Ilmu Penyakit Dalam Jilid I Edisi IV. Jakarta: Departemen Ilmu Penyakit Dalam FKUI; 2007.
2. Visiedo, L., Rey, L., Rivas, F., López, F., Tortajada, B., Giménez, R., & Abilés, J. (2022). The impact of nutritional status on health-related quality of life in hemodialysis patients. *Scientific Reports*, 12(1), 1–8. <https://doi.org/10.1038/s41598-022-07055-0>
3. Kemenkes RI. (2018). Hasil Riset Kesehatan Dasar Tahun 2018. Kementerian Kesehatan RI, 53(9), 1689–1699.
4. Nelly, N., Widaningsih, Y., & Mangarengi, F. (2019). Nilai rasio netrofil limfosit dan rasio trombosit limfosit pada pasien chronic kidney disease sebelum dan setelah hemodialisa. *Intisari Sains Medis*, 10(2), 230–234. <https://doi.org/10.15562/ism.v10i2.371>
5. Cobo G, Lindholm B, Stenvinkel P. Chronic inflammation in end-stage renal disease and dialysis. *Nefrology Dialysis Transplant Journal*. 2018; 33(3): 35–40.
6. Erdem E. Neutrophil lymphocyte ratio in acute renal failure. *Indian J Nephrol*. 2015; 25(2): 126–27.
7. Lalramenga, P. C., Gupta, S. And P, N. (2019) 'Study of C-Reactive Protein Significance in Chronic Kidney Disease', *International Journal of Contemporary Medical Research [IJCMR]*, 6(6), pp. 10-13. Doi: 10.21276/ijcmr.2019.6.6.48
8. Bernardo A Lavín-Gómez, Palomar-Fontanet, R., Gago-Fraile, M., Quintanar Lartundo, J. A., Gómez-Palomo, E., González-Lamuño, D., García-Unzueta, M.T., Arias-Rodríguez, M. A., & Gómez-Gerique, J. A. (2011). Inflammation markers, chronic kidney disease, and renal replacement therapy. 27, 33-37. <Https://pubmed.ncbi.nlm.nih.gov/22073825/>

9. Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney Int Suppl.* 2013;3(1):1–150.
10. Chen, T. K., Knicely, D. H., & Grams, M. E. Chronic Kidney Disease Diagnosis and Management: A Review. *JAMA.* 2019; 322(13), 1294–1304. <https://doi.org/10.1001/jama.2019.14745>
11. Vaidya SR, Aeddula NR. Chronic Renal Failure. [Updated 2021 Oct 29]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK535404/>
12. United States Renal Data System. Chapter 1: CKD in the General Population. 2015 USRDS annual data report: epidemiology of kidney disease in the united states. Bethesda MD: National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases
13. Riskeidas 2018 [Internet]. Depkes.go.id. 2018 [cited 12 April 2022]. Available from: <http://www.depkes.go.id/resources/download/info-terkini/hasil-riskesdas-2018.pdf>
14. Webster AC, Nagler EV, Morton RL, Masson P. Chronic Kidney Disease. *Lancet.* 2017 Mar 25;389(10075):1238-1252. doi: 10.1016/S0140-6736(16)32064-5. Epub 2016 Nov 23. PMID: 27887750.
15. Wong E. Chronic Kidney Disease. *Lancet.* 2012; 379(8911):80-165.
16. Tandipanyuk, G. (2013). Hubungan antara Diabetes Mellitus dengan Gagal Ginjal Kronik pada Pasien yang dirawat di RS Wahidin Sudirohusodo Periode I Januari - 30 Juni 2012. April, 1–43.
17. Dwi, V., Nursanto, D., Risanti, E. D., Dewi, L. M., Listiana, K., & Dewi, M. (2019). Hubungan Hipertensi Dan Usia Terhadap Kejadian Kasus Gagal Ginjal Kronis Di Rsud Dr. Harjono S. Ponorogo. 105–113.
18. Lisnevskakia L, Murphy G, Isenberg D. Systemic lupus erythematosus. *Lancet.* 2014 Nov 22;384 (9957):1878-1888

19. Alberto DZS, Catalina HD. Lupus Nephritis : An Overview of recent Findings. *Autoimmune Diseases*: Hindawi. 2012
20. Hallan SI, Orth SR. Smoking is a risk factor in the progression to kidney failure. *Kidney Int.* 2011 Sep; 80(5):516-23.
21. Sachdeva B, Zulfiqar H, Aeddula NR. StatPearls [Internet]. StatPearls Publishing; Treasure Island (FL): Aug 13, 2021. Peritoneal Dialysis.
22. Tokala, B. F. Hubungan Antara Lamanya Hemodialisis dengan Tingkat Kecemasan Pada Pasien dengan Penyakit Ginjal Kronik Di RSUP PROF. Dr. R. D. Kandou Manado . e-Clinic. 2015;3(1), 403-404.
23. Salawati, L. Analisis Lama Hemodialisis dengan Satatus Gizi Penderita Penyakit Ginjal Kronik. *Jurnal Kedokteran Syiah Kuala*. 2016;16(2), 64.
24. Rachmawati TY. Hubungan Pengetahuan Gizi dengan Asupan Energi, Protein, Phosphorus, dan Kalium Pasien Penyakit Ginjal Kronik dengan Hemodialisa Rutin di RSUD Tugurejo Semarang. *Journal Nutrition Of College (JNC)*. 2014;3(1), 271-272.
25. Aghasafari, P., George, U. & Pidaparti R. A review of inflammatory mechanism in airway diseases. *Inflamm. Res.* 2019; 68, 59–74. <https://doi.org/10.1007/s00011-018-1191-2>
26. Chen L., Deng H., Hengmin C. et al. Inflammatory Responses and Inflammation-associated Diseases in Organs. *Oncotarget*. 2018; 9, 7204-7218
27. Cobo G, Lindholm B, Stenvinkel P. Chronic inflammation in end-stage renal disease and dialysis. *Nephrol Dial Transplant*. 2018;33:35–40.
28. Tinti F, Lai S, Noce A, Rotondi S, Marrone G, Mazzaferro S, et al. Chronic kidney disease as a systemic inflammatory syndrome: Update on mechanisms involved and potential treatment. *Life*. 2021;11(5):1–16.
29. Gluba-Brzózka, Franczyk, Olszewski, Rysz. The influence of inflammation on anemia in CKD patients. *Int J Mol Sci* [Internet]. 2020;21(3). Available from: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L2003658122%0A> <http://dx.doi.org/10.3390/ijms21030725>

30. Nowak KL, Chonchol M. Does inflammation affect outcomes in dialysis patients? *Semin Dial.* 2018;31(4):388–97.
31. Andrade-Oliveira V, Foresto-Neto O, Watanabe IKM, Zatz R, Câmara NOS. Inflammation in renal diseases: New and old players. *Front Pharmacol.* 2019;10(October):1–19.
32. Poppelaars F, Faria B, da Costa MG, Franssen CFM, van Son WJ, Berger SP, et al. The complement system in dialysis: A forgotten story? *Front Immunol.* 2018;9(JAN):1–12.
33. Wang Y, Gao L. Inflammation and Cardiovascular Disease Associated With Hemodialysis for End-Stage Renal Disease. *Front Pharmacol.* 2022;13(February):1–19.
34. Alfaddagh A, Martin SS, Leucker TM, Michos ED, Blaha MJ, Lowenstein CJ, et al. Inflammation and cardiovascular disease: From mechanisms to therapeutics. *Am J Prev Cardiol* [Internet]. 2020;4 (November): 100130. Available from: <https://doi.org/10.1016/j.ajpc.2020.100130>
35. Maria R. Wing, Dominic S. Raj MTV. Protein Energy Metabolism in Chronic Kidney Disease. *Acad Pres.* 2015;10:106–25.
36. Liu, C. C., Ko, H. J., Liu, W. S., Hung, C. L., Hu, K. C., Yu, L. Y., & Shih, S. C. Neutrophil-to-lymphocyte ratio as a predictive marker of metabolic syndrome. *Medicine.* 2019;98(43), e17537.
37. Kocyigit, I., Eroglu, E., Unal, A., et al. Role of Neutrophil/Lymphocyte Ratio in Prediction of Disease Progression in Patients with Stage-4 Chronic Kidney Disease. *Journal of Nephrology.* 2013;26:358-365.
38. Ackermann, Mark R. Pathologic Basis of Veterinary Disease || Inflammation and Healing1. 2017:73–131.
39. Miyake K, Karasuyama H. Emerging roles of basophils in allergic inflammation. *Allergol Int.* 2017;66(3):382-391.
40. Ryota Yoshitomi, Masaru Nakayama, Teppei Sakoh, Akiko Fukui, Eisuke Katafuchi, Makiko Seki, Susumu Tsuda, Toshiaki Nakano, Kazuhiko Tsuruya &

- Takanari Kitazono. High neutrophil/lymphocyte ratio is associated with poor renal outcomes in Japanese patients with chronic kidney disease. *Renal Failure*. 2019;41(1):238-243.
41. Tariq, A., Okamoto, K., Tariq, A. *et al*. Eosinophilia and risk of incident end stage kidney disease. *BMC Nephrol*. 2020;21:14.
 42. Miyake K, Karasuyama H. Emerging roles of basophils in allergic inflammation. *Allergol Int*. 2017;66(3):382-391.
 43. Aljadi Z. Innovative Approaches To Study Basophil Function In Inflammation. Stockholm : The Department of Medicine Karolinska Institutet. 2017
 44. Liu, Chuan-Chuan; Ko, Hung-Ju; Liu, Wan-Shan; Hung, Chung-Lieh; Hu, Kuang-Chun; Yu, Lo-Yip; Shih, Shou-Chuan. Neutrophil-to-lymphocyte ratio as a predictive marker of metabolic syndrome, *Medicine*: October 2019 - Volume 98 - Issue 43 - p e17537 doi: 10.1097/MD.00000000000017537
 45. Vabret N, Britton GJ, Gruber C, Hegde S, Kim J, Kuksin M, et al. Immunology of COVID-19: Current state of the science. *Immunity*. 2020; 52(6):910-941.
 46. Nehring SM, Goyal A, Patel BC. C Reactive Protein. [Updated 2021 Dec 28]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK441843/>
 47. Lee Y, McKechnie T, Doumouras AG, Handler C, Eskicioglu C, Gmora S, Anvari M, Hong D. Diagnostic Value of C-Reactive Protein Levels in Postoperative Infectious Complications After Bariatric Surgery: a Systematic Review and Meta-Analysis. *Obes Surg*. 2019; 29(7):2022-2029
 48. Vanderschueren S, Deeren D, Knockaert DC, Bobbaers H, Bossuyt X, Peetermans W. Extremely elevated C-reactive protein. *Eur J Intern Med*. 2006; 17(6):430-3.
 49. Zuyana, L., & Adriani, M. (2013). Perbedaan Asupan Makan Dan Status Gizi Antara Pasien Hemodialisis Adekuat Dan Inadekuat Penyakit Ginjal Kronik. *Jurnal Ilmiah Media Gizi Indonesia*, 9(1), 13–19.
<http://journal.unair.ac.id/filerPDF/mgi4d79c6bb35full.pdf>

50. Sudhana IW. Penilaian Status Gizi pada Pasien Dialisis. Bali Uro-Nephrology Scientific Communication. 2017. p. 109–26.
51. Salawati, L. (2016). Alisis Lama Hemodialisis Dengan Status Gizi Penderita Penyakit Ginjal Kronik. Jurnal Kedokteran Syiah Kuala, 16(2), 64–68.
52. Pellefigues, C. & N. Charles The deleterious role of basophils in systemic lupus erythematosus. *Curr Opin Immunol.* 2013;25:704-11.
53. Piratelli CM, Junior RT. Nutritional evaluation of stage 5 chronic kidney disease patients on dialysis. *Sao Paulo Med J.* 2012;130(6):392-7.
54. Jagadeswaran D, Indhumathi E, Hemamalini AJ, Sivakumar V, Soundararajan P, Jayakumar M. Inflammation and nutritional status assessment by malnutrition inflammation score and its outcome in pre-dialysis chronic kidney disease patients. *Clin Nutr.* 2019;38(1):341–7.
55. Leandro-Merhi VA, Bráz VN, Aquino JL. Is total lymphocyte count related to nutritional markers in hospitalized older adults? *Arq Gastroenterol.* 2017;54:79–82
56. Solak Y, Yilmaz MI, Sonmez A, Saglam M, Cakir E, Unal HU, Gok M, Caglar K, Oguz Y, Yenicesu M, Karaman M, Ay SA, Gaipov A, Turk S, Vural A, Carrero JJ. Neutrophil to lymphocyte ratio independently predicts cardiovascular events in patients with chronic kidney disease. *Clin Exp Nephrol.* 2013;17(4):532–40.
57. Ghorbani, A., Hayati, F., Karandish, M., & Sabzali, S. (2020). The prevalence of malnutrition in hemodialysis patients. *Journal of Renal Injury Prevention*, 9(2), e15–e15. <https://doi.org/10.34172/jrip.2020.15>.
58. Sudhana IW. Penilaian Status Gizi pada Pasien Dialisis. Bali Uro-Nephrology Scientific Communication. 2017. p. 109–26.
59. Nakagawa N, Maruyama K, Hasebe N. Utility of geriatric nutritional risk index in patients with chronic kidney disease: A mini-review. *Nutrients.* 2021;13(11).

60. Sohrabi Z, Eftekhari MH, Eskandari MH, Rezaeianzadeh A, Sagheb MM. Malnutrition-inflammation score and quality of life in hemodialysis patients: Is there any correlation? *Nephrourol Mon.* 2015;7(3).
61. Rambod M, Bross R, Zitterkoph J, Deborah B. Association of Malnutrition-Inflammation Score with Quality of Life and Mortality in Maintenance Hemodialysis Patients: a 5-Year Prospective Cohort Study. *Physiol Behav.* 2017;176(5):139–48.
62. Alvarenga, L. de A., Andrade, B. D., Moreira, M. A., Nascimento, R. de P., Macedo, I. D., & Aguiar, A. S. de. (2017). Nutritional profile of hemodialysis patients concerning treatment time. *Jornal Brasileiro de Nefrologia: 'orgao Oficial de Sociedades Brasileira e Latino-Americana de Nefrologia*, 39(3), 283–286. <https://doi.org/10.5935/0101-2800.20170052>.
63. Han Q, Lin S, He F, Zhang R, Xie X, Qing F, et al. A high neutrophil to lymphocyte ratio is associated with poor nutritional status in chronic kidney disease patients. *Br J Nutr.* 2022;(22):1–7.
64. Weinstein JR, Anderson S. The Aging Kidney: Physiological Changes. *Adv Chronic Kidney Dis.* 2010;17(4):302–7.
65. Ariyanto A, Hadisaputro S, Lestariningsih L, Adi MS. Beberapa Faktor Risiko Kejadian Penyakit Ginjal Kronik (PGK) Stadium V pada Kelompok Usia Kurang dari 50 Tahun (Studi di RSUD dr.H.Soewondo Kendal dan RSUD dr.Adhyatma, MPH Semarang). *J Epidemiol Kesehat Komunitas.* 2018;3(1):1.
66. Aisara S, Azmi S, Yanni M. Gambaran Klinis Penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP Dr. M. Djamil Padang. *J Kesehat Andalas.* 2018;7(1):42.
67. Pratiwi SN, Suryaningsih R. Gambaran Klinis Penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis Di RS PKU Muhammadiyah Surakarta. *Univ Muhammadiyah Surakarta.* 2020;3:427–39.
68. Tomlinson LA, Clase CM. Sex and the incidence and prevalence of kidney disease. *Clin J Am Soc Nephrol.* 2019;14(11):1557–9.

69. Setyawan Y. Merokok dan Gangguan Fungsi Ginjal. e-CliniC. 2021;9(2):388.
70. Azizah HN, Argadireja DS, Armandha YS. Hubungan antara Konsumsi Alkohol dengan Kejadian Penyakit Ginjal Kronis di Instalasi Penyakit Dalam di RS Annisa Medical Center Tahun 2018. Pros Pendidik Dr. 2020;6(1):1–5.
71. Anita DC, Novitasari D. KEPATUHAN PEMBATASAN ASUPAN CAIRAN TERHADAP LAMA MENJALANI. 2014;104–12.
72. Fitri Suciana, Istianna Nur Hidayati K. Korelasi Lama Dan Frekuensi Hemodialisa Dengan Kualitas Hidup Pada Pasien Hemodialisa. J Kesehat. 2020;15(1):13–20.
73. Alvarenga L de A, Andrade BD, Moreira MA, Nascimento R de P, Macedo ID, Aguiar AS de. Nutritional profile of hemodialysis patients concerning treatment time. J Bras Nefrol. 2017;39(3):283–6.
74. Han Q, Lin S, He F, Zhang R, Xie X, Qing F, et al. A high neutrophil to lymphocyte ratio is associated with poor nutritional status in chronic kidney disease patients. Br J Nutr. 2022;(22):1–7.
75. Nowak KL, Chonchol M. Does inflammation affect outcomes in dialysis patients? Semin Dial. 2018;31(4):388–97.
76. Nelly N, Widaningsih Y, Mangarengi F. Nilai rasio netrofil limfosit dan rasio trombosit limfosit pada pasien chronic kidney disease sebelum dan setelah hemodialisa. Intisari Sains Medis. 2019;10(2):230–4.
77. Par'i HM, Wiyono S, Harjatmo TP. Buku ajar penilaian status gizi. Jakarta: Kementerian Kesehatan Republik Indonesia; 2017.
78. Bramania P, Ruggajo P, Bramania R, Mahmoud M, Furia F. Nutritional Status of Patients on Maintenance Hemodialysis at Muhimbili National Hospital in Dar es Salaam, Tanzania: A Cross-Sectional Study. J Nutr Metab. 2021;2021.
79. Afianti B, Indrastuli. Hubungan NLR dan PLR terhadap skor GNRI pada pasien PGK yang menjalani hemodialisa. Universitas Hasanuddin; 2019.
80. Diaz-Martinez J, Campa A, Delgado-Enciso I, Hain D, George F, Huffman F, et al. The relationship of blood neutrophil-to-lymphocyte ratio with nutrition

- markers and health outcomes in hemodialysis patients. *Int Urol Nephrol*. 2019;51(7):1239–47.
81. Akchurin OM, Kaskel F. Update on inflammation in chronic kidney disease. *Blood Purif*. 2015;39(1–3):84–92.
 82. Maria R, Wing, Dominic S, Raj MTV. Protein Energy Metabolism in Chronic Kidney Disease. *Acad Pres*. 2015;10:106–25.
 83. Ekaputri GJ, Khasanah TA. Hubungan Asupan Energi Dan Protein Terhadap Status Gizi Pasien Penyakit Ginjal Kronik Dengan Hemodialisa. *J Gizi dan Kuliner (Journal Nutr Culinary)*. 2022;2(2):16.
 84. Markaki A. Association Between Dietary Intake and Nutritional Status in Eastern Mediterranean Patients Receiving Hemodialysis. *Med J Nutrition Metab*. 2020;13(2):175–82.
 85. Maurya NK, Arya P, Sengar NS. Dietary Intake and Nutritional Status in Hemodialysis Patients. *Int Res J Pharm*. 2019;10(4):102–5.
 86. Vincenzo N, Maruyama K, Hasebe N. Utility of geriatric nutritional risk index in patients with chronic kidney disease: A mini-review. *Nutrients*. 2021;13(11).
 87. Brito, G. M. C., Fontenele, A. M. M., Carneiro, E. C. R. L., Nogueira, I. A. L., Cavalcante, T. B., Vale, A. A. M., Monteiro, S. C. M., & Salgado Filho, N. (2021).
 88. Malhotra, R., Marcelli, D., Von Gersdorff, G., Grassmann, A., Schaller, M., Bayh, I., Scatizzi, L., Etter, M., Guinsburg, A., Barth, C., Marelli, C., Carioni, P., Van Der Sande, F., Kooman, J. P., Liu, E., Toffelmire, T., Wang, Y., Thijssen, S., Usvyat, L. A., & Kotanko, P. (2015). Relationship of Neutrophil-to-Lymphocyte Ratio and Serum Albumin Levels with C-Reactive Protein in Hemodialysis Patients: Results from 2 International Cohort Studies. *Nephron*, 130(4), 263–270.
 89. Okyay, G. U., Inal, S., Öneç, K., Er, R. E., Paşaoğlu, Ö., Paşaoğlu, H., Derici, Ü., & Erten, Y. (2013). Neutrophil to lymphocyte ratio in evaluation of inflammation in patients with chronic kidney disease. *Renal Failure*, 35(1), 29–36.

90. Sudhana IW. Penilaian Status Gizi pada Pasien Dialisis. Bali Uro- Nephrology Scientific Communication. 2017. p. 109–26.
91. Suryani I, Isdiany N, Kusumayanti GD. Dietik Penyakit Tidak Menular. Jakarta: Kementerian Kesehatan Republik Indonesia; 2018.
92. Ghorbani A, Hayati F, Karandish M, Sabzali S. The prevalence of malnutrition in hemodialysis patients. Nickan Res Inst [Internet].
93. Kemenkes RI. Tabel Batas Ambang indeks Massa tubuh (IMT) 2019. 2019;