

### Daftar Pustaka

1. Singer M, Deutschman CS, Seymour C, Shankar-Hari M, Annane D, Bauer M, et al. The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA - J Am Med Assoc.* 2016;315(8):801–10.
2. Sepsis: Diagnosis and Management - American Family Physician [Internet]. [cited 2022 Apr 15]. Available from: <https://www.aafp.org/afp/2020/0401/p409.html>
3. Depkes. Kepmenkes Nomor HK.01.07/MENKES/342/2017 tentang Pedoman Nasional Pelayanan Kedokteran Tatalaksana Sepsis. Kementerian Kesehatan RI; 2017.
4. Pakula A. HHS Public Access. *Methods Mol Biol.* 2019;176(5):139–48.
5. Vivianni A, Farhanah N. Faktor – Faktor Prediktor Mortalitas Sepsis Dan Syok. *J Kedokt Diponegoro.* 2016;5(4):504–17.
6. Rheza N, Tambajong, Diana C, Lalenoh LK. Profil penderita sepsis di ICU RSUP Prof.Dr. R. D. Kandou Manado periode Desember 2014 – November 2015. Vol. 4, Fakultas Kedokteran Universitas Sam Ratulangi Manado. Sam Ratulangi Manado; 2016.
7. Zharfan RS, Hakim AL, Purba AKR, Sulistiawan SS, Semedi BP. Albumin, Leukosit, And Protrombin As Predictors Of Sepsis Mortality Among Adult Patients In Soetomo General Hospital, Surabaya, Indonesia. *Indones J Anesthesiol Reanim.* 2019;1(1):8.
8. Farkas JD. The complete blood count to diagnose septic shock. *J Thorac Dis* [Internet]. 2020 Feb 1 [cited 2022 Apr 22];12(Suppl 1):S16. Available from: </pmc/articles/PMC7024748/>
9. Drăgoescu AN, Pădureanu V, Stănculescu AD, Chiuțu LC, Tomescu P, Geormăneanu C, et al. Neutrophil to Lymphocyte Ratio (NLR)—A Useful Tool for the Prognosis of Sepsis in the ICU. *Biomedicines* [Internet]. 2022 Jan 1 [cited 2022 Apr 22];10(1). Available from: </pmc/articles/PMC8772781/>
10. Bastian Lubis, Hasby AY, Putra AO, Yanni GN, Amelia P. Hubungan Neutrophil – Lymphocyte Ratio (NLR) Terhadap Mortalitas Pasien Sepsis

- di Unit Perawatan Intensif RSUP Haji Adam Malik Pada Tahun 2018. *Maj Anest Crit Care*. 2021;39(1):12–8.
11. Sepsis [Internet]. [cited 2022 Apr 15]. Available from: <https://www.who.int/news-room/fact-sheets/detail/sepsis>
  12. Hermawan AG. Buku Ajar Ilmu Penyakit Dalam. In: 6th ed. Jakarta: Internal Publishing; 2014. p. 692–4.
  13. Prescott HC. Handbook of Sepsis. In: *Anesthesia & Analgesia*. Amsterdam: Springer International Publishing; 2018. p. 15–25.
  14. Evans T. Diagnosis and management of sepsis. *Clin Med (Northfield Il)* [Internet]. 2018 Apr 1 [cited 2022 Apr 16];18(2):146. Available from: </pmc/articles/PMC6303466/>
  15. Raith EP, Udy AA, Bailey M, McGloughlin S, MacIsaac C, Bellomo R, et al. Prognostic Accuracy of the SOFA Score, SIRS Criteria, and qSOFA Score for In-Hospital Mortality Among Adults With Suspected Infection Admitted to the Intensive Care Unit. *JAMA* [Internet]. 2017 Jan 17 [cited 2022 May 26];317(3):290–300. Available from: <https://jamanetwork.com/journals/jama/fullarticle/2598267>
  16. Jain A, Palta S, Saroa R, Palta A, Sama S, Gombar S. Sequential organ failure assessment scoring and prediction of patient's outcome in Intensive Care Unit of a tertiary care hospital. *J Anaesthesiol Clin Pharmacol* [Internet]. 2016 Jul 1 [cited 2022 May 26];32(3):364. Available from: </pmc/articles/PMC5009845/>
  17. Irvan, Febyan S. Sepsis dan Tata Laksana Berdasar Guideline Terbaru Sepsis. *J Anesthesiol Indones*. 2018;X(1):62–73.
  18. Liu Z, Meng Z, Li Y, Zhao J, Wu S, Gou S, et al. Prognostic accuracy of the serum lactate level, the SOFA score and the qSOFA score for mortality among adults with Sepsis. *Scand J Trauma Resusc Emerg Med* [Internet]. 2019 Apr 30 [cited 2022 Jun 22];27(1). Available from: </pmc/articles/PMC6492372/>
  19. Meng LB, Yu ZM, Guo P, Wang QQ, Qi RM, Shan MJ, et al. Neutrophils and neutrophil-lymphocyte ratio: Inflammatory markers associated with

- intimal-media thickness of atherosclerosis. *Thromb Res.* 2018 Oct 1;170:45–52.
20. Spoto S, Lupoi DM, Valeriani E, Fogolari M, Locorriere L, Beretta Anguissola G, et al. Diagnostic accuracy and prognostic value of neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios in septic patients outside the intensive care unit. *Med.* 2021;57(8):1–11.
  21. Chandra HK, Fatoni AZ. Peranan C-Reactive Protein (CRP) pada Pasien Sepsis di Intensive Care Unit (ICU) The. *J Anaesth Pain.* 2021;(1):1–10.
  22. Di D, Rsup HCU, Hoesin M, Irwanto FH, Saleh I, Asmara A, et al. Korelasi Nilai Procalcitonin Clearance dengan Angka Mortalitas pada Pasien Correlation Value of Procalcitonin Clearance with Mortality Rate in Patients with Sepsis Treated in The Icu and Hcu of Dr . Moh HoesinHospital Palembang. 2016;05:132–42.
  23. Suwondo V, Jatmiko H, Hendrianingtyas M. Karakteristik Dasar Pasien Sepsis Yang Meninggal Di Icu Rsup Dr.Kariadi Semarang Periode 1 Januari - 31 Desember 2014. *J Kedokt Diponegoro.* 2015;4(4):1586–96.
  24. Yustika G, Jalaluddin S, H FA. Analisis Parameter Leukosit dalam Diagnosis Neonatorum Awitan Dini di RSIA Ananda Makassar. *J Heal Sci.* 2020;13(02):204–14.
  25. Mortaz E, Alipoor SD, Adcock IM, Mumby S, Koenderman L. Update on neutrophil function in severe inflammation. *Front Immunol.* 2018;9(OCT):1–14.
  26. Arthur C. Guyton JEH. *Buku Ajar Fisiologi Kedokteran.* 12th ed. Jakarta: EGC; 2014. 423–431 p.
  27. Simadibrata DM, Calvin J, Wijaya AD, Ibrahim NAA. Neutrophil-to-lymphocyte ratio on admission to predict the severity and mortality of COVID-19 patients: A meta-analysis. *Am J Emerg Med.* 2021 Apr 1;42:60–9.
  28. Efris Kartika Sari, Yati Sri Hayati NLR. Hubungan Skor SOFA Dengan Mortalitas Pada Pasien Sakit Kritis. *Maj Kesehat.* 2021;8.
  29. Alegría L, Teboul J, Cecconi M, Ferri G. Effect of a Resuscitation Strategy

- Targeting Peripheral. 2019;321(7):654–64.
30. Ehrman RR, Bredell BX, Harrison NE, Favot MJ, Haber BD, Welch RD, et al. Increasing illness severity is associated with global myocardial dysfunction in the first 24 hours of sepsis admission. *Ultrasound J* [Internet]. 2022; Available from: <https://doi.org/10.1186/s13089-022-00282-6>
  31. Manapa AM. Karakteristik Penderita Sepsis Yang dirawat di Beberapa Rumah Sakit di Indonesia Periode Tahun 2003 Sampai Dengan Tahun 2019. Bosawa; 2022.
  32. Djordjevic D, Rondovic G, Surbatovic M, Stanojevic I, Udovicic I, Andjelic T, et al. Ratio , Platelet-to-Lymphocyte Ratio , and Mean Platelet Volume-to-Platelet Count Ratio as Biomarkers in Critically Ill and Injured Patients : Which Ratio to Choose to Predict Outcome and Nature of Bacteremia ? 2018;2018.
  33. Jang JY, Yoo G, Lee T, Uh Y, Kim J. Identification of the robust predictor for sepsis based on clustering analysis. *Sci Rep* [Internet]. 2022;1–8. Available from: <https://doi.org/10.1038/s41598-022-06310-8>
  34. Study O, Chebl RB, Dagher GA. The association between the neutrophil to lymphocyte ratio and in-hospital mortality among sepsis patients. 2022;0.
  35. Naseh S. Keunggulan dan Keterbatasan Beberapa Metode Penelitian Kesehatan. *Puslit Ekol Kesehat*. 2017;3.