

## DAFTAR PUSTAKA

- Ahmed, H., Moawad, A., Owis, A., Abouzid, S., & Ahmed, O. (2016). Flavonoids of *Calligonum polygonoides* and their cytotoxicity. *PHARMACEUTICAL BIOLOGY*, 54(10), 2119–2126. <https://doi.org/10.3109/13880209.2016.1146778>
- Breiterova, K., Koutova, D., Marikova, J., Havelek, R., Kunes, J., Majorosova, M., Opletal, L., Hostalkova, A., Jenco, J., Rezacova, M., & Cahlikova, L. (2020). Amaryllidaceae Alkaloids of Different Structural Types from *Narcissus L. cv. Professor Einstein* and Their Cytotoxic Activity. *MDPI*, 9(137), 2–13.
- Chen, Q., Gu, Y., Tan, C., Sundararajan, B., Li, Z., Wang, D., & Zhou, Z. (2022). Comparative effects of five polymethoxyflavones purified from *Citrus tangerina* on inflammation and cancer. *Journal Frontiers in Nutrition*, 1710(1), 1–14.
- Chusniasih, D., & Tutik. (2020). Aktivitas Antikanker Ekstrak Aseton Kulit Buah Kakao (*Theobroma cacao L.*) Terhadap Sel Vero dan MCF-7 Secara In Vitro Anticancer Activity of Cocoa (*Theobroma cacao L.*) Pod Husk Acetone Extract Against Vero and MCF-7 Cells In Vitro. *Analisis Kesehatan*, 9(2), 35–40.
- Delnavazi, M. reza, Saiyarsarai, P., Nodooshan, S. J., Khanavi, M., Tavakoli, S., Hadavinia, H., & Yassa, N. (2018). Cytotoxic Flavonoids from the Aerial Parts of *Stachys lavandulifolia* Vahl. *Pharmaceutical Sciences*, 24, 332–339. <https://doi.org/10.15171/PS.2018.47>
- Fajrina, A., Eriadi, A., & Reja, W. C. (2019). Uji Sitotoksik Fraksi Dari Ekstrak Etanol Buah Kundur Benincasa hispida (*Thunb.*) Cogn Dengan Metode Brine Shrimp Lethality Test (BSLT). *Farmasi Higea*, 11(2), 113–120.
- Faramayuda, F., Riyanti, S., Pratiwi, A. S., Mariani, T. S., Elfahmi, & Sukrasno. (2021). Isolasi Sinensetin dari Kumis Kucing (*Orthosiphon aristatus* Blume miq.) Varietas Putih. *Journal of Pharmaceutical Science and Clinical Research*, 6(2), 111–127. <https://doi.org/10.20961/jpscr.v6i2.48084>
- Fransisca, D., Kahanjak, D. N., & Frethernety, A. (2020). Uji aktivitas antibakteri ekstrak etanol daun sungkai (*Peronema canescens* Jack) terhadap pertumbuhan *Escherichia coli* dengan metode difusi cakram Kirby-Bauer. *Environmental Sustainability Management*, 4(1), 460–470.
- Fu, Z., & Chen, R. (2019). Study of Complexes of Tannic Acid with Fe (III) and Fe (II). *Journal of Analytical Methods in Chemistry*, 2–6.

- Ghareeb, M. A., Shoeb, H. A., Madkour, H. M. F., Refaey, L. A. G., Motagaly, M. A., & Saad, A. M. (2014). ANTIOXIDANT AND CYTOTOXIC ACTIVITIES OF TECTONA GRANDIS LINN LEAVES. *International Journal of Phytopharmacology*, 5(2), 143–157.
- Gunawan, D. H. (2018). PENURUNAN SENYAWA SAPONIN PADA GEL LIDAH BUAYA. 2004, 41–44.
- Habibi, A. I., Firmansyah, R. A., & Setyawati, S. M. (2018). Skrining Fitokimia Ekstrak n-Heksan Korteks Batang Salam (*Syzygium polyanthum*). *Indonesian Journal of Chemical Science*, 7(1), 1–4.
- Handayani, D., Rasyid, W., Rustini, Zainudin, E. N., & Hertiani, T. (2018a). Cytotoxic Activity Screening of Fungal Extracts Derived from the West Sumatran Marine Sponge *Haliclona fascigera* to Several Human. *Applied Pharmaceutical Science*, 8(01), 55–58. <https://doi.org/10.7324/JAPS.2018.8109>
- Handayani, D., Rasyid, W., Rustini, Zainudin, E. N., & Hertiani, T. (2018b). Cytotoxic Activity Screening of Fungal Extracts Derived from the West Sumatran Marine Sponge *Haliclona fascigera* to Several Human Cell Lines: Hela, WiDr, T47D and Vero. *Journal Of Applied Pharmaceutical Sciences*, 8(01), 55–58. <https://doi.org/10.7324/JAPS.2018.8109>
- Harborne, J. B. (1982). *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. ITB.
- Harnesa Putri, S., Ardiansah, I., & In, I. (2018). ANTIOKSIDAN PADA PRODUK TAHU HASIL KOAGULASI MENGGUNAKAN BIJI KELOR (*MORINGA OLEIFERA L.*). *Jurnal Teknotan*, 12(1), 73–78.
- Hidayah, N. (2016). Utilization of Plant Secondary Metabolites Compounds ( Tannin and Saponin ) to Reduce Methane Emissions from Ruminant Livestock. *WARTAZOA. Indonesian Bulletin of Animal and Veterinary Sciences*, 11(2), 89–98.
- Hidayah, Nikmatul, Hisan, A. K., Solikin, A., Irawati, & Mustikaningtyas, D. (2016). Uji Efektivitas Ekstrak *Sargassum muticum* Sebagai Alternatif Obat Bisul Akibat Aktivitas *Staphylococcus aureus*. *Journal of Creativity Students*, 1(1), 1–9.
- Husni, E., Suharti, N., & Pasella Tri Atma, A. (2018). Karakterisasi Simplisia dan Ekstrak Daun Pacar Kuku ( *Lawsonia inermis Linn* ) serta Penentuan Kadar Fenolat Total dan Uji Aktivitas Antioksidan. *Jurnal Sains Farmasi*

&Klinis, 5(1), 12–16.

- Ibrahim, A., Siswandono, S., & Wardoyo, B. P. E. (2021a). Cytotoxic Activity of *Peronema canescens* Jack Leaves on Human Cells : HT-29 and Primary Adenocarcinoma Colon Cancer. *Pharmacogn*, 13(6), 1389–1396.
- Ibrahim, A., Siswandono, S., & Wardoyo, B. P. E. (2021b). Potential anticancer activities of chloroform subfraction from *Peronema* leaf on colon cancer HT-29 cells in vitro. *Applied Pharmaceutical Science*, 11(12), 82–89. <https://doi.org/10.7324/JAPS.2021.1101206>
- Ikalinus, R., Widyastuti, S. K., & Ni, L. E. S. (2015). Skrining Fitokimia Ekstrak Etanol Kulit Batang Kelor ( *Moringa oleifera* ). *Indonesia Medicus Veterinus*, 4(1), 71–79.
- Imelda, M., Estiati, A., Sari, L., & Erlyandari, F. (2007). Keceragaman Genetik Bibit Sungkai ( *Peronema canescens* Jack ) Hasil Kultur Jaringan tissue culture. *Biodiversitas*, 8(1), 54–57.
- Jayasimha Goud, B., & Poornima, D. (2018). Preliminary Qualitative Phytochemical Screening and Fluorescence Analysis of Methanolic Leaf Extract of *Artemisia Absinthium*. *European Journal Of Biomedical And Pharmaceutical Sciences*, 5(11), 412–417. [www.ejbps.com](http://www.ejbps.com)
- Jimenez, G. G., Duran, A. G., Macias, F. A., & Simonet, A. M. (2021). Structure , Bioactivity and Analytical Methods for the Determination of *Yucca* Saponins. *MDPI*, 26(5251), 1–30.
- Latief, M., Fisesa, A. T., Sari, P. M., & Tarigan, I. L. (2021). ANTI-INFLAMMATORY ACTIVITY OF SUNGKAI LEAVES (PERONEMA CANESCENS JACK) ETHANOL EXTRACT IN CARRAGEENAN INDUCED MICE. *Farmasi Sains Dan Praktis*, 7(2), 144–153.
- Latief, M., Sari, P. M., Fatwa, L. T., Tarigan, I. L., & Rupasinghe, H. P. V. (2021). Antidiabetic Activity of Sungkai ( *Peronema canescens* Jack ) Leaves Ethanol Extract on the Male Mice Induced Alloxan Monohydrate. *Pharmacology and Clinical Pharmacy Research*, 6(2), 64–74. <https://doi.org/10.15416/pcpr.v4i3.31666>
- Latief, M., Tarigan, I. L., Sari, P. M., & Aurora, F. E. (2021). Aktivitas Antihiperurisemia Ekstrak Etanol Daun Sungkai ( *Peronema canescens* Jack ) Pada Mencit Putih Jantan Antihyperuricemia Activity of Ethanol Extract of Sungkai Leaves- ( *Peronema canescens* Jack ) in Male White Mice. *Pharmacon :Jurnal Farmasi Indonesia*, 18(1), 23–37.

- Manthey, J. A. (2006). Fourier transform infrared spectroscopic analysis of the polymethoxylated flavone content of orange oil residues. *Journal of Agricultural and Food Chemistry*, 54(9), 3215–3218. <https://doi.org/10.1021/jf053134a>
- Matondang, I., Rahayu, S. E., & Ritchi, Y. H. L. T. (2022). Ethnobotany of Societies Tanjung Belit , Muara Bio and Batu Sanggan Around the Wild Reserve Bukit Rimbang Bukit Baling Riau , Pekanbaru Indonesia. *Tropical Biodiversity*, 2(2), 107–116.
- Melati, P. (2021). UJI AKTIVITAS ANTIOKSIDAN, SITOTOKSISITAS DAN GC-MS EKSTRAK METANOL ALGA HIJAU *Boergesenia Forbesii* (HARVEY) FELDMANN DARI PANTAI PANJANG BENGKULU. *Jurnal Pengelolaan Laboratorium Sains Dan Teknologi*, 1(1), 10–24.
- Mirzaei, A., Mirzaei, N., & Mehdi, G. (2013). Antioxidant Activity and Cytotoxicity of *Dorema aucheri* by *Artemia urmiana*: a Brine Shrimp Lethality Test. *Life Science*, 10(12 s), 8–12.
- Muaja, A. D., Koleangan, H. S. J., & Runtuwene, M. R. J. (2013a). Uji Toksisitas dengan Metode BSLT dan Analisis Kandungan Fitokimia Ekstrak Daun Soyogik ( *Saurauia bracteosa* DC ) dengan Metode Soxhletasi. *MIPA UNSRAT*, 2(2), 115–118.
- Muaja, A. D., Koleangan, H. S. J., & Runtuwene, M. R. J. (2013b). Uji Toksisitas dengan Metode BSLT dan Analisis Kandungan Fitokimia Ekstrak Daun Soyogik ( *Saurauia bracteosa* DC ) dengan Metode Soxhletasi. *Jurnal Mipa Unsrat*, 2(2), 115–118.
- Mukhriani. (2014). Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Kesehatan*, 7(2), 361–367.
- Mustapa, M. A., Taupik, M., Suryadi, A. M. A., Pakaya, M. S., Akuba, J., Djuwarno, E. N., & Kiyat, W. El. (2023). Cytotoxicity and fragmentation pattern of *Datura metel* L. leaves using ultra-performance liquid chromatography-mass spectroscopy. *Journal of Applied Pharmaceutical Science*, 0(00), 1–11. <https://doi.org/10.7324/JAPS.2023.87779>
- Nazar, M., & Hasan, H. (2018). *Spektroskopi Molekuler*.
- Nerdy, N., Lestari, P., Sinaga, J. P., Ginting, S., Zebua, N. F., Mierza, V., & Bakri, T. K. (2021). Brine Shrimp ( *Artemia salina* Leach .) Lethality Test of Ethanolic Extract from Green Betel ( *Piper betle* Linn .) and Red Betel ( *Piper crocatum* Ruiz and Pav .) through the Soxhletation Method for

Cytotoxicity Test. *Medical Science*, 9(A), 407–412.

- Niksic, H., Becic, F., Koric, E., Gusic, I., Omeragic, E., Muratovic, S., Miladinovic, B., & Duric, K. (2021). Cytotoxicity screening of *Thymus vulgaris* L . essential oil in brine shrimp nauplii and cancer cell lines. *Scientific Reports*, 11(13178), 1–9. <https://doi.org/10.1038/s41598-021-92679-x>
- Pindan, N. P., Daniel, Saleh, C., & Magdaleni, A. R. (2021). Uji FITOKIMIA DAN Uji AKTIVITAS ANTIOKSIDAN EKSTRAK FRAKSI n-HEKSANA, ETIL ASETAT DAN ETANOL SISA DARI DAUN SUNGKAI (*Peronema canescens* Jack.) DENGAN METODE DPPH. *Atomik*, 6(1), 22–27.
- Prakash, V. (2018). Terpenoids as Cytotoxic Compounds : A Perspective. *Pharmacogn*, 12(24), 166–176. <https://doi.org/10.4103/phrev.phrev>
- Saputra, T. R., Ngatin, A., & Sarungu, Y. T. (2018). Penggunaan metode ekstraksi maserasi dan partisi pada tumbuhan cocor bebek ( *kalanchoe pinnata* ) dengan kepolaran berbeda. *FULLERENE Journal of Chemistry*, 3(1), 5–8.
- Sarwar, S., Khatun, A., Nahar, K., & Rahman, M. A. (2016). Phytochemical screening , Cytotoxic and Anthelmintic activities of the methanolic leaf extract of *Terminalia catappa* Linn. *Pharmacognosy and Phytochemistry*, 5(6), 24–27.
- Semuel, M. Y., & Rombot, D. O. (2023). Bioactivity of *Apis dorsata* Nest Extract from a Different Geographical Location in Minahasa , North Sulawesi , Indonesia. *International Journals Of Agriculture & Biology*, 29(1), 1–8. <https://doi.org/10.17957/IJAB/15.1997>
- Setiawan, S. I., Safitri, E. I., Muna, L. N., & Hidayati, D. N. (2021). Aktivitas Sitotoksik dan Induksi Apoptosis dari Ekstrak Etanol Kulit Apel Hijau ( *Pyrus malus* L .) terhadap Sel MCF-7. *Pharmascience*, 8(2), 69–78.
- Sharififar, F., Assadipour, A., Moshafi, M. H., Alishahi, F., & Mahmoudvand, H. (2017). Bioassay Screening of the Essential Oil and Various Extracts of *Nigella sativa* L . Seeds Using Brine Shrimp Toxicity Assay. *Herbal Medicines Journal*, 2(1), 26–31. <https://doi.org/10.22087/HMJ.V1I2.578>
- Steinke, K., Jose, E., Sicker, D., Siehl, H. U., Zeller, K. P., & Berger, S. (2013). Sinensetin: Ein Flavon. *Chemie in Unserer Zeit*, 47(3), 158–163. <https://doi.org/10.1002/ciuz.201300627>
- Utomo, D. S., Kristiani, E. B. E., & Mahardika, A. (2020). Pengaruh Lokasi

Tumbuh Terhadap Kadar Flavonoid , Fenolik , Klorofil , Karotenoid Dan Aktivitas Antioksidan Pada Tumbuhan Pecut Kuda (Stachytarpheta Jamaicensis ). *Jurnal Bioma*, 22(2), 143–149.

Wahyuni, S., & Marpaung, M. P. (2020). PENENTUAN KADAR ALKALOID TOTAL EKSTRAK AKAR KUNING (Fibraurea chloroleuca Miers) BERDASARKAN PERBEDAAN KONSENTRASI ETANOL DENGAN METODE SPEKTROFOTOMETRI UV-VIS. *Jurnal Pendidikan Kimia Dan Ilmu Kimia*, 3(2), 52–61. <https://doi.org/10.31602/dl.v3i2.3911>

Zakaria, N. A., Ibrahim, D., Sulaiman, S. F., & Supardy, N. A. (2011). Assessment of antioxidant activity, total phenolic content and in- vitro toxicity of Malaysian red seaweed, *Acanthophora spicifera*. *Journal of Chemical and Pharmaceutical Research*, 3(3), 182–191.