

DAFTAR PUSTAKA

1. Elvira D. *Korelasi Kadar Leukosit dan Rasio Netrofil-Limfosit dengan Kadar Interleukin- 17 pada Subjek Geriatri Penderita Pneumonia Komuniti. J Univ Andalas [Internet].* 2018;4–9. Available from: [http://repo.unand.ac.id/6352/2/Korelasi Kadar Leukosit dan Rasio Netrofil.pdf](http://repo.unand.ac.id/6352/2/Korelasi_Kadar_Leukosit_dan_Rasio_Netrofil.pdf)
2. Setiati S. *Perubahan Status Fungsional dan Kognitif pada Pasien Usia Lanjut yang Dirawat di Bagian Ilmu Penyakit Dalam RSUPN Cipto Mangunkusumo dan RS. Persahabatan.* Jakarta: Universitas Indonesia;
3. Firmansyah MA, Amin Z, Loho T, Shatri H. *Faktor-Faktor Prediktor Mortalitas Community-Acquired Pneumonia dalam Perawatan Inap di Rumah Sakit Cipto Mangunkusumo, Jakarta.* Indones J Chest Crit Emerg Med. 2015;2(2):45–53.
4. Janssens JP, Krause KH. *Pneumonia in the very old.* Lancet Infect Dis. 2004 Feb;4(2):112-24. doi: 10.1016/S1473-3099(04)00931-4. PMID: 14871636.
5. Suyastri S, Medison I, Herman D, Russilawati R. *Perbandingan Expanded Curb-65 Terhadap Curb-65 dan Psi Dalam Memprediksi Luaran Pasien Cap.* J Endur. 2019;4(3):608.
6. Liu JL, Xu F, Zhou H, Wu XJ, Shi LX, Lu RQ, et al. *Expanded CURB-65: A new score system predicts severity of community-acquired pneumonia with superior efficiency.* Sci Rep [Internet]. 2016;6(March). Available from: <http://dx.doi.org/10.1038/srep22911>
7. Wallihan RG, Suárez NM, Cohen DM, Marcon M, Moore-Clingenpeel M, Mejias A, et al. *Molecular Distance to Health Transcriptional Score and Disease Severity in Children Hospitalized With Community-Acquired Pneumonia.* Front Cell Infect Microbiol. 2018;8(October):1–10.
8. Andrijevic I, Matijasevic J, Andrijevic L, Kovacevic T, Zaric B. *Interleukin-6 and procalcitonin as biomarkers in mortality prediction of hospitalized patients with community acquired pneumonia.* Ann Thorac Med. 2014;9(3):162–7.

9. Furer V, Raveh D, Picard E, Goldberg S, Izbicki G. *Absence of leukocytosis in bacteraemic pneumococcal pneumonia*. Prim Care Respir J. 2011;20(3):276–81.
10. Hoser GA, Skirecki T, Złotorowicz M, Zielińska-Borkowska U, Kawiak J. *Absolute counts of peripheral blood leukocyte subpopulations in intraabdominal sepsis and pneumonia-derived sepsis: A pilot study*. Folia Histochem Cytobiol. 2012;50(3):420–6.
11. Forget P, Khalifa C, Defour JP, Latinne D, Van Pel MC, De Kock M. *What is the normal value of the neutrophil-to-lymphocyte ratio?* BMC Res Notes. 2017;10(1):1–4.
12. Avanzas P, Quiles J, López de Sá E, Sánchez A, Rubio R, García E, López-Sendón JL. *Neutrophil count and infarct size in patients with acute myocardial infarction*. Int J Cardiol. 2004 Oct;97(1):155-6. doi: 10.1016/j.ijcard.2003.06.028. PMID: 15336829.
13. Mathews S, Rajan A, Soans S. *Prognostic value of rise in neutrophil to lymphocyte ratio and platelet to lymphocyte ratio in predicting the mortality in pediatric intensive care*. J Pediatr Crit Care. 2018;5(8):71.
14. Cataudella E, Giraffa CM, Di Marca S, Pulvirenti A, Alaimo S, Pisano M, Terranova V, Corriere T, Ronsisvalle ML, Di Quattro R, Stancanelli B, Giordano M, Vancheri C, Malatino L. *Neutrophil-To-Lymphocyte Ratio: An Emerging Marker Predicting Prognosis in El*.
15. Rhee DY, Park SH, Choi HJ, Kwon MK, Cho DH. *The Value of Neutrophil-Lymphocyte Count Ratio for Disease Severity in Nursing Home Acquired Pneumonia Patients*. J Korean Geriatr Soc. 2013;17(4):213–8.
16. Setiati, Siti; Alwi, Idrus; Sudoyono, Aru. W; K. Simadibrata, Marcellus; Setiyohadi, Bambang; Syam Ari F. *Ilmu Penyakit Dalam. Ilmu Penyakit Dalam*. 2014. 4125–4129 p.
17. PDPI. *Pneumonia Komunitas*. 2nd ed. Jakarta: Badan Penerbit FK UI; 2014.
18. Sari MA, Raveinal R, Noverial N. *Derajat Keparahan Pneumonia Komunitas pada Geriatri Berdasarkan Skor CURB-65 di Bangsal Penyakit Dalam RS. Dr. M. Djamil Padang Tahun 2016*. J Kesehat Andalas.

2018;7(1):102.

19. Lee H, Kim I, Kang BH, Um SJ. *Prognostic value of serial neutrophil-to-lymphocyte ratio measurements in hospitalized community-acquired pneumonia*. PLoS One [Internet]. 2021;16(4 April):1–12. Available from: <http://dx.doi.org/10.1371/journal.pone.0250067>
20. Kaysin A, Viera AJ. *Community-acquired pneumonia in adults: Diagnosis and management*. Am Fam Physician. 2016;94(9):698–706.
21. Bellmann-Weiler R, Ausserwinkler M, Kurz K, Theurl I, Weiss G. *Clinical potential of C-reactive protein and procalcitonin serum concentrations to guide differential diagnosis and clinical management of pneumococcal and Legionella pneumonia*. J Clin Microbiol. 2010;48(5):1915–7.
22. Naidoo K, De Vasconcellos K, Skinner DL. *Procalcitonin kinetics in the first 48 hours of ICU admission is associated with higher mortality in critically ill patients with community-acquired pneumonia in a setting of high HIV prevalence*. South African J Anaesth Analg [Internet]. 2018;24(5):128–34. Available from: <https://doi.org/10.1080/22201181.2018.1514787>
23. Po P. resolution : a pilot study. 2005;25(5):804–12.
24. Afina NN, Olivianto E, Sujuti H. *Kadar C-Reactive Protein (CRP) Serum sebagai Pertanda Prognosis pada Pasien Pneumonia Anak . C - Reactive Protein (CRP) as a Prognostic Marker in Pediatric Patients with Pneumonia* PENDAHULUAN Pneumonia merupakan penyakit dari paru-paru dan sistem pernapasan. 2014;1(September):125–9.
25. Gharagozloo M, Kalantari H, Rezaei A, Maracy MR, Salehi M, Bahador A, et al. *CLINICAL STUDY Immune-mediated cochleovestibular disease*. Bratisl lek?rske List. 2015;116(5):296–301.
26. Wardika IK, Sikesa IGPH. *Pengukuran Interleukin-6 (IL-6), C-Reactive Protein (CRP) dan D-Dimer sebagai prediktor prognosis pada pasien COVID-19 gejala berat: sebuah tinjauan pustaka*. Intisari Sains Medis. 2021;12(3):901.
27. Arslan S, Ugurlu S, Bulut G, Akkurt I. *The association between plasma d-dimer levels and community-acquired pneumonia*. Clinics. 2010;65(6):593–

- 7.
28. Brogly N, Devos P, Boussekey N, Georges H, Chiche A, Leroy O. *Impact of thrombocytopenia on outcome of patients admitted to ICU for severe community-acquired pneumonia*. J Infect. 2007;55(2):136–40.
29. Rogers, K. 2011. *Blood Physiology and Circulation*. Edisi Pertama. New York: Britannica Educational Publishing.
30. Pramana K, Subanada I. *Hubungan Jumlah Leukosit Serta Kadar C-Reactive Protein Dengan Derajat Keparahan Pneumonia Pada Anak. Medicina (B Aires)*. 2015;46(2):77–81.
31. Rosales C, Demarex N, Lowell CA, Uribe-quero E. *Neutrophils : Their Role in Innate and Adaptive Immunity*. 2016;2016:2–4.
32. Sridianti F. 2014. *Pengertian Leukosit*. 2022 Mar 24 (cited 2022 March 24) diunduh dari [Http://WWW.sridianti.com/pengertian-leukosit.html](http://WWW.sridianti.com/pengertian-leukosit.html).
33. Gandasoebrata R. 2001. *Penuntun Laboratorium Klinik*. Jakarta: Dian Rakyat. P.32-3.
34. de Jager CPC, Wever PC, Gemen EFA, Kusters R, van Gageldonk-Lafeber AB, van der Poll T, et al. *The Neutrophil-Lymphocyte Count Ratio in Patients with Community-Acquired Pneumonia*. PLoS One. 2012;7(10):4–11.
35. Baratawidjaja, Rengganis I. 2009. *Imunologi dasar*. Edisi 8. Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
36. Aneja RK, Carcillo JA. *Differences between adult and pediatric septic shock*. Minerva Anesthesiol. 2011;77(10):986–92.
37. Yildiz H, Castanares-Zapatero D, Pierman G, Pothen L, De Greef J, Nana FA, et al. *Validation of neutrophil-to-lymphocyte ratio cut-off value associated with high in-hospital mortality in covid-19 patients*. Int J Gen Med. 2021;14:5111–7.
38. Pantzaris N-D, Platanaki C, Pierrako C, Karamouzos V, Velissaris D. *Neutrophil-to-lymphocyte ratio relation to sepsis severity scores and inflammatory biomarkers in patients with community-acquired pneumonia: A case series*. J Transl Intern Med. 2018;6(1):43–6.
39. Prabawa IPY, Bhargah A, Liwang F, Tandio DA, Tandio AL, Lestari

- AAW, et al. *Pretreatment neutrophil-to-lymphocyte ratio (NLR) and platelet-to-lymphocyte ratio (PLR) as a predictive value of hematological markers in cervical cancer*. Asian Pacific J Cancer Prev. 2019;20(3):863–8.
40. Huang H, Shan K, Liu J, Tao X, Periyasamy S. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ' s public news and information. Bioorg Chem. 2020;103(January):104230.
 41. Moosazadeh M, Maleki I, Alizadeh-Navaei R, Kheradmand M, Hedayatzadeh-Omran A, Shamshirian A, et al. *Normal values of neutrophil-to-lymphocyte ratio, lymphocyte-to-monocyte ratio and platelet-to-lymphocyte ratio among Iranian population: Results of Tabari cohort*. Casp J Intern Med. 2019;10(3):320–5.
 42. Firmansyah MA. *Faktor-faktor prediktor mortalitas pasien pneumonia komunitas saat rawat inap = Predictors of mortality among hospitalized patients with community acquired pneumonia*. 2014;
 43. Sotianingsih, Samsirun H, Syauqi A. *Gambaran Klinis Dan Laboratorium Pada Pasien Pneumonia Di ICU RSUD Raden Mattaher Jambi*. 2019;7(2):238–44.
 44. Salukanan RT, Zulfariansyah A, Sitanggang RH. *Pola Pneumonia Nosokomial di Unit Perawatan Intensif Rumah Sakit Umum Pusat Dr. Hasan Sadikin Bandung Periode Januari–Desember 2017*. J Anestesi Perioper. 2018;6(2):126–36.
 45. Djordjevic D, Rondovic G, Surbatovic M, Stanojevic I, Udovicic I, Andjelic T, et al. *Ratio , Platelet-to-Lymphocyte Ratio , and Mean Platelet Volume- to-Platelet Count Ratio as Biomarkers in Critically Ill and Injured Patients : Which Ratio to Choose to Predict Outcome and Nature of Bacteremia ?* 2018;2018.
 46. Gardner JG, Bhamidipati DR, Rueda AM, Nguyen DTM, Graviss EA, Musher DM. *White blood cell counts, alcoholism, and cirrhosis in pneumococcal pneumonia*. Open Forum Infect Dis. 2017;4(2):1–5.
 47. Rashad M, Ismail Y, Sobeih AA, Abdel Aziz O. *Procalcitonin, C-reactive*

Protein and White Blood Cells Count in Children With Community Acquired Pneumonia. Benha Med J. 2021;0(0):0–0.

48. Adilla NR. Oleh: NADYA RIQGOH ADILLA 170100052. 2021;
49. Ju X, Tao S, Zhou H, Zeng Q. *Predicting value of neutrophil–lymphocyte ratio and CURB-65 score for early clinical stability of adult community-acquired pneumonia.* Eur J Inflamm. 2019;17(82).