

DAFTAR PUSTAKA

- Agi, A., Junin, R., Gbadamosi, A., Abbas, A., & Bashirah, N. (2019). Chemical Engineering & Processing: Process Intensification Influence of nanoprecipitation on crystalline starch nanoparticle formed by ultrasonic assisted weak-acid hydrolysis of cassava starch and the rheology of their solutions. *142*(June). <https://doi.org/10.1016/j.cep.2019.107556>
- Agyemang, P. N., Akonor, P. T., Tortoe, C., Johnsona, P. N. T., & Manu-Aduening, J. (2020). Effect of the use of starches of three new Ghanaian cassava varieties as a thickener on the physicochemical, rheological and sensory properties of yoghurt. *Scientific African*, *9*, e00521. <https://doi.org/10.1016/j.sciaf.2020.e00521>
- Amin, N. A. (2013). Pengaruh Suhu Fosforilasi Terhadap Sifat Fisikokimia Pati Tapioka Termomodifikasi. In *Program Studi Ilmu dan Teknologi Pangan Jurusan Teknologi Pertanian Fakultas Pertanian Universitas Hasanuddin Makassar*.
- Beninca, C., Demiate, I. M., Lacerda, L. G., Filho, M. A. S. C., Ionashiro, M., & Schnitzler, E. (2008). *Thermal behavior of corn starch granules modified by acid treatment at 30 and 50 ° C*. 13–18.
- Budoyo, S. (2010). Kandungan Karbohidrat Dan Pola Pita Isozim Pada Varietas Lokal Ubi Kelapa (*Dioscorea alata*) Di Kabupaten Karanganyar.
- Chatakanonda, P., Wongprayoon, S., Dan Sriroth, K. (2005). Gelatinization And Retrogradation Of Cassava Starch In The Presence Of Nacl And Sucrose. The 3rd Conference On Starch Technology
- Chin, S. F., Pang, S. C., & Tay, S. H. (2011). Size controlled synthesis of starch nanoparticles by a simple nanoprecipitation method. *Carbohydrate Polymers*, *86*(4), 1817–1819. <https://doi.org/10.1016/j.carbpol.2011.07.012>
- Chiotelli, E., Pilosio, G., & Le Meste, M. (2001). Effect of sodium chloride on the gelatinization of starch: A multimeasurement study. *Biopolymers*, *63*(1), 41–58. <https://doi.org/10.1002/bip.1061>
- Collado, L. S., & Corke, H. (1999). Heat-moisture treatment effects on sweetpotato starches differing in amylose content. *Food Chemistry*, *65*(3), 339–346. [https://doi.org/10.1016/S0308-8146\(98\)00228-3](https://doi.org/10.1016/S0308-8146(98)00228-3)
- Collins, K. D. (2004). Ions from the Hofmeister series and osmolytes: Effects on proteins in solution and in the crystallization process. *Methods*, *34*(3), 300–311. <https://doi.org/10.1016/j.ymeth.2004.03.021>
- Copeland, L., Blazek, J., Salman, H., Dan Tang, M. C. (2009). Form And Functionality Of Starch. *Food Hydrocolloids*, *23*, 1527–1534. Doi: 10.1016/J.Foodhyd. 2008.09.016.

- De Graaf, R. A., Karman, A. P., & Janssen, L. P. B. M. (2003). Material properties and glass transition temperatures of different thermoplastic starches after extrusion processing. *Starch/Staerke*, 55(2), 80–86. <https://doi.org/10.1002/star.200390020>
- Diniyah, N., Subagio, A., Lutfian Sari, R. N., & Yuwana, N. (2019). Sifat Fisikokimia Dan Fungsional Pati Dari Mocaf (Modified Cassava Flour) Varietas Kaspro Dan Cimanggu. *Jurnal Penelitian Pascapanen Pertanian*, 15(2), 80. <https://doi.org/10.21082/jpasca.v15n2.2018.80-90>
- Dong, Y., Chang, Y., Wang, Q., Tong, J., & Zhou, J. (2015). Effects of surfactants on size and structure of amylose nanoparticles prepared by precipitation. *Bulletin of Materials Science*, 39(1), 35–39. <https://doi.org/10.1007/s12034-015-1115-5>
- Fachrudin, R. (2017). *Produksi Pati Na-Karboksimetil dengan Perbedaan Tipe Pengadukan pada Tahap Alkalisasi*.
- Falade, K. O., & Christopher, A. S. (2015). Physical, functional, pasting and thermal properties of flours and starches of six Nigerian rice cultivars. *Food Hydrocolloids*, 44, 478–490. <https://doi.org/10.1016/j.foodhyd.2014.10.005>
- Farrag, Y., Ide, W., Montero, B., Rico, M., Rodríguez-Llamazares, S., Barral, L., & Bouza, R. (2018). Preparation of starch nanoparticles loaded with quercetin using nanoprecipitation technique. *International Journal of Biological Macromolecules*, 114(2017), 426–433. <https://doi.org/10.1016/j.ijbiomac.2018.03.134>
- Fonseca-Florido, H. A., Vázquez-García, H. G., Méndez-Montealvo, G., Basilio-Cortés, U. A., Navarro-Cortés, R., Rodríguez-Marín, M. L., Castro-Rosas, J., & Gómez-Aldapa, C. A. (2018). Effect of acid hydrolysis and OSA esterification of waxy cassava starch on emulsifying properties in Pickering-type emulsions. *LWT - Food Science and Technology*, 91(July 2017), 258–264. <https://doi.org/10.1016/j.lwt.2018.01.057>
- Gülsün, T., Gürsoy, R. N., & Öner, L. (2009). Nanocrystal technology for oral delivery of poorly water-soluble drugs. *Fabad Journal of Pharmaceutical Sciences*, 34(1), 55–65.
- Hapsari, T. R. (2014). Prospek Uwi Sebagai Pangan Fungsional Dan Bahan Diversifikasi Pangan. *Buletin Palawija*, 0(27), 26–38.
- Hartati, P. (2006). *Pengaruh Penambahan Berbagai Jenis Bahan Pengikat*. 2(1), 1–5.
- Hartika, F. (2017). *Sintesis Pati Teroksidasi dari Pati Sukun (Artocarpus altilis) Menggunakan Hidrogen Peroksida*.
- Hidayat, B., Kalsum, N., & Surfiana. (2009). Characterization of modified cassava flour processed through partial pregelatinisation method. *Journal of Industrial Technology and Agricultural Products*, 14(2), 148–159.

file:///C:/Users/acer/Downloads/Data Tenant Pdg Pasar Sgs 2021/junalnurbani.pdf

- Ismanto. (2021). Modifikasi Pati Singkong (*Manihot utilissima*) Metode Presipitasi Dengan Penambahan NaCl.
- Itthisoponkul, T., Mitchell, J. R., Taylor, A. J., & Farhat, I. A. (2007). Inclusion complexes of tapioca starch with flavour compounds. *Carbohydrate Polymers*, 69(1), 106–115. <https://doi.org/10.1016/j.carbpol.2006.09.012>
- Jiang, Q., Gao, W., Shi, Y., Li, X., Wang, H., Huang, L., & Xiao, P. (2013). Physicochemical properties and in vitro digestion of starches from different Dioscorea plants. *Food Hydrocolloids*, 32(2), 432–439. <https://doi.org/10.1016/j.foodhyd.2013.02.001>
- Kharuddin, N., & Idayu, I. (2007). Antimicrobial Effects On Starch-Based Films Incorporated With Lyozimes. *World Engineering Congress*, 1–7.
- Koswara, S. (2009). Teknologi Modifikasi Pati, Ebook Pangan. <http://repository.untad.ac.id/id/eprint/6041>
- Ma, X., Jian, R., Chang, P. R., & Yu, J. (2008). Fabrication and characterization of citric acid-modified starch nanoparticles/plasticized-starch composites. *Biomacromolecules*, 9(11), 3314–3320. <https://doi.org/10.1021/bm800987c>
- Marchal, L. M., Beftink, H. H., & Tramper, J. (1999). Towards a rational design of commercial maltodextrins. *Trends in Food Science and Technology*, 10(11), 345–355. [https://doi.org/10.1016/S0924-2244\(00\)00018-2](https://doi.org/10.1016/S0924-2244(00)00018-2)
- Maryam, Kasim, A., Novelina, & Emriadi. (2018). Review : Teknologi Preparasi Pati Nanopartikel Review : the Preparation Technology of Starch Nanoparticle and Its Application in the. *Majalah Ilmiah Teknologi Industri (SAINTI)*, 15(January), 36–56.
- Miyazaki, M., Van Hung, P., Maeda, T., & Morita, N. (2006). Recent advances in application of modified starches for breadmaking. *Trends in Food Science and Technology*, 17(11), 591–599. <https://doi.org/10.1016/j.tifs.2006.05.002>
- Nadia, L. (2014). Characterization of Physicochemical and Functional Properties of Starch from Five Yam (*Dioscorea Alata*) Cultivars in Indonesia. *International Journal of Chemical Engineering and Applications*, 5(6), 489–496. <https://doi.org/10.7763/ijcea.2014.v5.434>
- Nadia, L., Aman Wirakartakusumah, M., Andarwulan, N., Eko Hari Purnomo, dan, & Bogor, P. (2013). Karakterisasi Sifat Fisikokimia Dan Fungsional Fraksi Pati Uwi Ungu (*Dioscorea Alata*) (Characterization of Physicochemical and Functional Properties of Yam (*Dioscorea Alata*) Starch Fraction). *Penelitian Gizi Dan Makanan*, 36(2), 91–102.
- Nadia, L., & Hartari, A. (2012). Potensi Umbi Uwi Ungu Sebagai Bahan Pangan Dan Khasiatnya Sebagai Pangan Fungsional. In *Kanal UGM* (Issue October).

<https://kanalpengetahuan.tp.ugm.ac.id/menara-ilmu/2017/671-apa-itu-pangan-fungsional.html>

- Nadia, L., & Hartati, A. (2011). *Potensi Umbi Uwi Ungu sebagai Bahan Pangan dan Khasiatnya sebagai Bahan Fungsional*.
- Neelam, K., Vijay, S., & Lalit, S. (2012). Various Techniques For The Modification Of Starch And The Applications Of Its Derivatives. *Kaviani Neelam **, *Sharma Vijay* , *Singh Lalit*. 3(5), 25–31.
- Niba, L. L., Bokanga, M. M., Jackson, F. L., Schlimme, D. S., & Li, B. W. (2002). Physicochemical Properties and Starch Granular Characteristics of Flour from Various Manihot Esculenta (Cassava) Genotypes. *Journal of Food Science*, 67(5), 1701–1705. <https://doi.org/10.1111/j.1365-2621.2002.tb08709.x>
- Panjaitan, N., Ulyarti, U., Mursyid, M., & Nazarudin, N. (2019). Modifikasi Pati Uwi Kuning (Dioscorea Alata) Menggunakan Metode Presipitasi Serta Aplikasinya Untuk Edible Film. In *Jurnal Teknologi Pertanian Andalas* (Vol. 23, Issue 2). <http://tpa.fateta.unand.ac.id/index.php/JTPA/article/view/271>
- Peng M. Biochemical and molecular characterization of A- and B- type starch granules in wheat (Triticum aestivum L.). Thesis. Canada: University of Saskatchewan, 2000.
- Polnaya, F. J., Huwae, A. A., & Tetelepta, G. (2018). Karakteristik Sifat Fisiko-Kimia dan Fungsional Pati Sagu Ihur (Metroxylon sylvestre) Dimodifikasi dengan Hidrolisis Asam. *Agritech*, 38(1), 7. <https://doi.org/10.22146/agritech.16611>
- Qin, Y., Liu, C., Jiang, S., Xiong, L., & Sun, Q. (2016). Characterization of starch nanoparticles prepared by nanoprecipitation: Influence of amylose content and starch type. *Industrial Crops and Products*, 87, 182–190. <https://doi.org/10.1016/j.indcrop.2016.04.038>
- Rauf, R., & Sarbini, D. (2015). Daya Serap Air Sebagai Acuan untuk Menentukan Volume Air Dalam Pembuatan Adonan Roti Dari Campuran Tepung Terigu Dan Tepung Singkong. *Agritech*, 35(3), 324–330.
- Richana, N., & Sunarti, T. C. (2004). *Nur Richana & Titi chandra sunarti_2004_fisikokimia tepung gembili,ganyong,suweg.pdf* (pp. 29–37).
- Saari, H., Fuentes, C., Sjöö, M., Rayner, M., & Wahlgren, M. (2017). Production of starch nanoparticles by dissolution and non-solvent precipitation for use in food-grade Pickering emulsions. *Carbohydrate Polymers*, 157, 558–566. <https://doi.org/10.1016/j.carbpol.2016.10.003>
- Sajilata, M. G., Singhal, R. S., & Kulkarni, P. R. (2006). Resistant starch - A review. *Comprehensive Reviews in Food Science and Food Safety*, 5(1), 1–17. <https://doi.org/10.1111/j.1541-4337.2006.tb00076.x>

- Sriroth, K., Piyachomw, K., Sangseethong, K., & Oates, C. (2002). Modification of Cassava Starch. *Żywność*, 4(33), 219–230.
- Sulistiyowati, P. V., Kendarini, N., & Respatijarti. (2014). Observasi Keberadaan Tanaman Talas-talasan Genus *Colocasia* Dan *Xanthosoma* Di Kecamatan Kedungkandang Kota Malang. 87–93.
- Sumardiono, S., & Pudjihastuti, I. (2015). Pengembangan Proses Modifikasi Cassava dengan Hidrolisa Asam Laktat dan UV untuk Substitusi Terigu dalam Produk Pangan. *Metana*, 11(2), 27–32.
- Syamsir, E., Hariyadi, P., Fardiaz, D., Andarwulan, N., & Kusnandar, F. (2012). Pengaruh Proses Heat-Moisture Treatment (HMT) Terhadap Karakteristik Fisikokimia Pati. *Jurnal Teknologi Dan Industri Pangan*, 23(1), 100–106.
- Tavernier, I., Wijaya, W., Van der Meeren, P., Dewettinck, K., & Patel, A. R. (2016). Food-grade particles for emulsion stabilization. *Trends in Food Science and Technology*, 50, 159–174. <https://doi.org/10.1016/j.tifs.2016.01.023>
- Tester, R. F., Karkalas, J., & Qi, X. (2004). Starch - Composition, fine structure and architecture. *Journal of Cereal Science*, 39(2), 151–165. <https://doi.org/10.1016/j.jcs.2003.12.001>
- Ulyarti, Lavlinesia, Fortuna, D., & Surhaini. (2016). The study of physical properties of dioscorea alata's starch from jambi province. *International Journal on Advanced Science, Engineering and Information Technology*, 6(4), 456–459. <https://doi.org/10.18517/ijaseit.6.4.735>
- Ulyarti, Mursyid, Ismanto, Rahmayani, I., Suseno, R., & Nazarudin. (2021). Modification of Cassava Starch (Manihot utilisima) Using Precipitation Method with Addition of NaCl. *Proceedings of the 6th International Conference of Food, Agriculture, and Natural Resource (IC-FANRES 2021)*, 16, 132–137. <https://doi.org/10.2991/absr.k.220101.018>
- Ulyarti, U., Lavlinesia, L., Nuzula, N., & Nazarudin, N. (2018). Sifat Fungsional Pati Ubi Kelapa Kuning (*Dioscorea alata*) dan Pemanfaatannya sebagai Pengental pada Saus Tomat. *AgriTECH*, 38(3), 235. <https://doi.org/10.22146/agritech.30965>
- Wang, W., Zhou, H., Yang, H., Zhao, S., Liu, Y., & Liu, R. (2016). Effects of salts on the gelatinization and retrogradation properties of maize starch and waxy maize starch. *Food Chemistry*, 214, 319–327. <https://doi.org/10.1016/j.foodchem.2016.07.040>
- Wei, B., Xu, X., Jin, Z., & Tian, Y. (2014). Surface chemical compositions and dispersity of starch nanocrystals formed by sulfuric and hydrochloric acid hydrolysis. *PLoS ONE*, 9(2), 1–7. <https://doi.org/10.1371/journal.pone.0086024>
- Winarti, S., Harmayani, E., & Nurismanto, R. (2011). Karakter Dan Profil Inulin

- Beberapa Jenis Uwi (*Dioscorea* spp.). *Agritech*, 31(4), 1–1.
- Winarti, S., & Saputro, E. A. (2013). Karakteristik Tepung Prebiotik Umbi Uwi (*Dioscorea* spp) Yam Tuber Flour Prebiotic Characteristic (*Dioscorea* spp). *J. Teknik Kimia*, 8(1), 17–21.
- Wulandari, K. (2013). *Penyiapan dan karakterisasi pati nanokristalin dari sagu dan tapioka kartika wulandari*.
- Yan, X., Diao, M., Li, C., Lu, C., Zhao, P., & Zhang, T. (2022). Formation and properties of starch-palmitic acid complex nanoparticles and their influence on Pickering emulsions. *International Journal of Biological Macromolecules*, 204 (January), 685–691. <https://doi.org/10.1016/j.ijbiomac.2022.01.170>
- Zhou, H., Wang, C., Shi, L., Chang, T., Yang, H., & Cui, M. (2014). Effects of salts on physicochemical, microstructural and thermal properties of potato starch. *Food Chemistry*, 156, 137–143. <https://doi.org/10.1016/j.foodchem.2014.02.015>
- Zulaidah, A. (2011). Modifikasi Ubi Kayu Secara Biologi Menggunakan Starter Bimo-CF Menjadi Tepung Termodifikasi Pengganti Gandum. In *Universitas Diponegoro*.