

DAFTAR PUSTAKA

1. Balitbangkes RI. Laporan Riskesdas 2018 Nasional.pdf. *Lembaga Penerbit Balitbangkes* at (2018).
2. Astuti, A. & Maulani, M. Faktor Resiko Infark Miokard. *J. Endur.* **3**, 82 (2018).
3. Gusti, N. *et al.* Hubungan kadar troponin t (TnT) dan creatinin kinase-myocardial band (CK-MB) pada pasien infark miokard akut (IMA) di Rumah Sakit Umum Pusat (RSUP) Sanglah Denpasar. *E-Jurnal Med.* **7**, 43–48 (2018).
4. Global Burden of Disease Study 2017. (2017).
5. Benjamin, E. J. *et al.* *Heart Disease and Stroke Statistics'2017 Update: A Report from the American Heart Association.* *Circulation* vol. 135 (2017).
6. Çağdaş, M. *et al.* The association between monocyte HDL-C ratio and SYNTAX score and SYNTAX score II in STEMI patients treated with primary PCI. *Acta Cardiol. Sin.* **34**, 23–30 (2018).
7. Morrow, D. A. *Myocardial infarction : a companion to Braunwald's heart disease.* (St.Louis, Missouri : Elsevier, 2017).
8. Wu, T. T. *et al.* Monocyte to high-density lipoprotein cholesterol ratio as long-term prognostic marker in patients with coronary artery disease undergoing percutaneous coronary intervention. *Lipids Health Dis.* **18**, 1–10 (2019).
9. Ganjali, S. *et al.* Monocyte-to-HDL-cholesterol ratio as a prognostic marker in cardiovascular diseases. *J. Cell. Physiol.* **233**, 5 (2018).
10. Sercelik, A. & Besnili, A. F. Increased monocyte to high-density lipoprotein cholesterol ratio is associated with TIMI risk score in patients with ST-segment elevation myocardial infarction. *Rev. Port. Cardiol. (English Ed.* **37**, 217–223 (2018).
11. Chen, Y. H., Huang, S. S. & Lin, S. J. TIMI and GRACE risk scores predict both short-term and long-term outcomes in chinese patients with acute myocardial infarction. *Acta Cardiol. Sin.* **34**, 4–12 (2018).
12. Kashif, I. *et al.* Frequency Of High TIMI Score And Its Short Term Clinical

- Outcomes. **52**, 80–84 (2019).
13. Furnaz, S. *et al.* Performance of the TIMI risk score in predicting mortality after primary percutaneous coronary intervention in elderly women: Results from a developing country. *PLoS One* **14**, 1 (2019).
 14. Guoyu, Z., Chuan, C. & Mengyuan, L. Relationship between monocyte to high-density lipoprotein cholesterol ratio and the thrombolysis in myocardial infarction risk score in elderly patients with ST-segment elevation myocardial infarction. *Chinese J. Geriatr.* **40**, 1097–1101 (2021).
 15. Domienik-karłowicz, J., Kupczyńska, K. & Michalski, B. Fourth universal definition of myocardial infarction . Selected messages from the European Society of Cardiology document and lessons learned from the new guidelines on ST-segment elevation myocardial infarction and non-ST-segment elevation-acute coronary. **28**, 195–201 (2021).
 16. Rathore, V. Risk Factors of Acute Myocardial Infarction: A Review. *Eurasian J. Med. Investig.* **2**, 2–4 (2018).
 17. Teo, K. K. & Rafiq, T. Cardiovascular Risk Factors and Prevention: A Perspective From Developing Countries. *Can. J. Cardiol.* **37**, 733–743 (2021).
 18. Kingma, J. G. Myocardial Infarction: An Overview of STEMI and NSTEMI Physiopathology and Treatment. *World J. Cardiovasc. Dis.* **08**, 498–517 (2018).
 19. Ibanez, B. *et al.* 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *Eur. Heart J.* **39**, 119–177 (2018).
 20. Setiati, S. Alwi, I. Sudoyono, A. Simadibrata, M. Setiyonadi, B. Fahrial, A. *Buku Ajar Ilmu Penyakit Dalam.* (InternaPublishing, 2017).
 21. Giresha, A. Current Research and Trends in Medical Science and Technology (Volume-1). in 34 (2021).
 22. NWL ICS. Cardiology Guidelines. *Ref. Guidel. Clin. Doc.* (2022).
 23. Eroschenko, V. P. *Atlas Of Histology with Functional Correlations Thirteenth Edition.* (2017).

24. Rich, R. R. *et al.* *Clinical immunology: Principles and practice: Fourth edition. Clinical Immunology: Principles and Practice: Fourth Edition* (2019).
25. Klimov, V. V. *Klimov V. V. From Basic to Clinical Immunology. Tomsk, Springer, 2019, 377 p.*
26. Kelly, K. M., Burkhardt, B. & Bollard, C. M. *Malignant Lymphomas in Childhood. Hematology: Basic Principles and Practice* (2017). doi:10.1016/B978-0-323-35762-3.00084-6.
27. Zhao, Y., Zou, W., Du, J. & Zhao, Y. The origins and homeostasis of monocytes and tissue-resident macrophages in physiological situation. *J. Cell. Physiol.* **233**, 6425–6439 (2018).
28. Flynn, M. C., Pernes, G., Lee, M. K. S., Nagareddy, P. R. & Murphy, A. J. Monocytes, macrophages, and metabolic disease in atherosclerosis. *Front. Pharmacol.* **10**, 1–13 (2019).
29. Moriya, J. Critical roles of inflammation in atherosclerosis. *J. Cardiol.* **73**, 22–27 (2019).
30. Mehu, M., Narasimhulu, C. A. & Singla, D. K. Inflammatory Cells in Atherosclerosis. *Antioxidants* **11**, 4 (2022).
31. Aguilar-Ballester, M., Herrero-Cervera, A., Vinué, Á., Martínez-Hervás, S. & González-Navarro, H. Impact of cholesterol metabolism in immune cell function and atherosclerosis. *Nutrients* **12**, 1–19 (2020).
32. Park, J. S. *et al.* Predictive and protective role of high-density lipoprotein cholesterol in acute myocardial infarction. *Cardiol. J.* **26**, 176–185 (2019).
33. Kalyoncuoglu, M., Biter, H. İ., Ozturk, S., Belen, E. & Can, M. M. Predictive accuracy of lymphocyte-to-monocyte ratio and monocyte-to-high-density-lipoprotein-cholesterol ratio in determining the slow flow/no-reflow phenomenon in patients with non-ST-elevated myocardial infarction. *Coron. Artery Dis.* **31**, 518–526 (2020).
34. Ziaee, M. *et al.* Predictive Value of Endocan Based on TIMI Risk Score on Major Adverse Cardiovascular Events After Acute Coronary Syndrome. *Angiology* **70**, 952–959 (2019).

35. Ferreira, J. P. *et al.* Association between mean systolic and diastolic blood pressure throughout the follow-up and cardiovascular events in acute myocardial infarction patients with systolic dysfunction and/or heart failure: an analysis from the High-Risk Myocardial Infarction. *Eur. J. Heart Fail.* **20**, 323–331 (2018).
36. Hashmi, K. A. *et al.* Risk Assessment of Patients After ST-Segment Elevation Myocardial Infarction by Killip Classification: An Institutional Experience. *Cureus* **12**, 1–6 (2020).
37. Borovac, J. A., Orsolic, A., Miric, D. & Glavas, D. The use of Smith-modified Sgarbossa criteria to diagnose an extensive anterior acute myocardial infarction in a patient presenting with a left bundle branch block. *J. Electrocardiol.* **64**, 3 (2021).
38. Karayiannides, S. *et al.* Prognosis in Patients With Diabetes Mellitus and STEMI Undergoing Primary PCI. *J. Am. Coll. Cardiol.* **72**, 1427–1428 (2018).
39. Nordlund, D. *et al.* Gender but not diabetes, hypertension or smoking affects infarct evolution in ST-elevation myocardial infarction patients - Data from the CHILL-MI, MITOCARE and SOCCER trials. *BMC Cardiovasc. Disord.* **19**, 1–10 (2019).
40. Ralapanawa, U. *et al.* Epidemiology and risk factors of patients with types of acute coronary syndrome presenting to a tertiary care hospital in Sri Lanka. *BMC Cardiovasc. Disord.* **19**, 3 (2019).
41. Palasubramaniam, J., Wang, X. & Peter, K. Myocardial Infarction - From Atherosclerosis to Thrombosis: Uncovering New Diagnostic and Therapeutic Approaches. *Arterioscler. Thromb. Vasc. Biol.* **39**, E176–E185 (2019).
42. Wang, J., Wang, C., Zeng, Z. & Zuo, H. Impact of BMI on Long-Term Outcomes in Patients with ST-Segment Elevation Myocardial Infarction after Primary Percutaneous Coronary Intervention. *Int. J. Clin. Pract.* **2022**, 1–2 (2022).
43. Liu, S. H., Lin, Y. Z., Han, S. & Jin, Y. Z. The obesity paradox in ST-

- segment elevation myocardial infarction patients: A meta-analysis. *Ann. Noninvasive Electrocardiol.* 1–10 (2022) doi:10.1111/anec.13022.
44. Palma dos Reis, R. Is the monocyte to high-density lipoprotein cholesterol ratio important in risk stratification after myocardial infarction? *Rev. Port. Cardiol.* **37**, 225–226 (2018).
 45. Soltan, G. M., Samy, N. I., Ahmed, S. E. & ELShafey, W. E. H. Association of the Monocyte to HDL Cholesterol Ratio with Thrombus Burden in Patients with Acute Coronary Syndrome. *World J. Cardiovasc. Dis.* **09**, 746–758 (2019).
 46. Laksmi, N. M. D., Gunadhi, I. G. N. P., Wirawan, H. & Maliawan, R. P. I. Rasio Monosit-High Density Lipoprotein (RMH) sebagai prediktor independen kejadian kardiovaskular mayor selama rawat inap pada pasien Infark Miokard Akut (IMA) yang menjalani intervensi koroner perkutan di RSUP Sanglah, Bali, Indonesia. *Intisari Sains Medis* **11**, 1392–1398 (2020).
 47. Liu, Z., Xv, Y., Liu, X. & Zhou, X. Associations of systemic inflammatory markers with the risks of chronic heart failure: A case-control study. *Clinics* **77**, 1–8 (2022).
 48. Guoyu, Z., Chuan, C. & Mengyuan, L. Relationship between monocyte to high-density lipoprotein cholesterol ratio and the thrombolysis in myocardial infarction risk score in elderly patients with ST-segment elevation myocardial infarction. *Chinese J. Geriatr.* **40**, 1097–1101 (2021).
 49. Muhammad, G. R. & Ardhianto, P. Profil Faktor Risiko Atherosklerosis Pada Kejadian Infark Miokard Akut Dengan St-Segment Elevasi Di Rsup Dr Kariadi Semarang. *J. Kedokt. Diponegoro* **4**, 849–858 (2015).
 50. Siabani, S. *et al.* Gender-based difference in early mortality among patients with ST-segment elevation myocardial infarction: Insights from Kermanshah STEMI Registry. *J. Cardiovasc. Thorac. Res.* **12**, 63–68 (2020).
 51. Cenko, E. *et al.* Sex differences in outcomes after STEMI effect modification by treatment strategy and age. *JAMA Intern. Med.* **178**, 632–639 (2018).
 52. Mihajlović, D., Maksimović, Ž. M., Dojčinović, B. & Banjac, N. Acute

- Coronary Syndrome (STEMI, NSTEMI and Unstable Angina Pectoris) and Risk Factors, Similarities and Differences. *Scr. Medica (Banja Luka)* **51**, 252–260 (2020).
53. Amrullah, S., Rosjidi, C., Dhesa, D., Wurjatkiko, A. & Hasrima. Faktor Resiko Penyakit Infark Miokard Akut di Rumah Sakit Umum Dewi Sartika Kota Kendari. *J. Ilm. Karya Kesehat.* **02**, 21–29 (2022).
 54. Ruiz Pizarro, V. *et al.* ST-Elevation Myocardial Infarction in Patients ≤ 35 Years of Age. *Am. J. Cardiol.* **123**, 889–893 (2019).
 55. Melyani, M., Tambunan, L. N. & Baringbing, E. P. Hubungan Usia dengan Kejadian Penyakit Jantung Koroner pada Pasien Rawat Jalan di RSUD dr. Doris Sylvanus Provinsi Kalimantan Tengah. *J. Surya Med.* **9**, 119–125 (2023).
 56. Yunyun, W. *et al.* Analysis of risk factors of ST-segment elevation myocardial infarction in young patients. *BMC Cardiovasc. Disord.* **14**, 1–6 (2014).
 57. Tumminello, G. *et al.* Age-Related Mortality in STEMI Patients: Insight from One Year of HUB Centre Experience during the Pandemic. *J. Cardiovasc. Dev. Dis.* **9**, 4 (2022).
 58. Kala, P. *et al.* Age - related treatment strategy and long-term outcome in acute myocardial infarction patients in the PCI era. *BMC Cardiovasc. Disord.* **12**, 1–6 (2012).
 59. Pravitasari, H., Mahmuda, I., Jatmiko, S. & Nursanto, D. Hubungan Tekanan Darah, Kolesterol Total Dan Trigliserida Terhadap Pasien STEMI dan NSTEMI. *Publ. Ilm. UMS* 243–256 (2021).
 60. Haryuni, S., Yunalia, E. M. & Yusuf, A. Hubungan tekanan darah sistolik dengan kejadian mortalitas pasien STEMI di RSUD Mardi Waluyo Kota Blitar. *Nurs. Sci. J.* **3**, 17–30 (2019).
 61. Jensen, M. T. *et al.* Heart rate at admission is a predictor of in-hospital mortality in patients with acute coronary syndromes: Results from 58 European hospitals: The European Hospital Benchmarking by Outcomes in acute coronary syndrome Processes study. *Eur. Hear. J. Acute Cardiovasc.*

- Care* **7**, 149–157 (2018).
62. Nepper-Christensen, L. *et al.* Importance of elevated heart rate in the very early phase of ST-segment elevation myocardial infarction: Results from the DANAMI-3 trial. *Eur. Hear. J. Acute Cardiovasc. Care* **8**, 318–328 (2019).
 63. Sivaramakrishna Battula, V. Satyanarayana, D. Rajasekhar, A. Krishna Simha Reddy, V. S. Clinical presentation and outcome in patients presenting with acute coronary syndrome – A prospective study. *J. Clin. Sci. Res.* 67–73 (2019).
 64. Murat, B., Kivanc, E., Dizman, R., Mert, G. O. & Murat, S. Gender differences in clinical characteristics and in-hospital and one-year outcomes of young patients with ST-segment elevation myocardial infarction under the age of 40. *J. Cardiovasc. Thorac. Res.* **13**, 116–124 (2021).
 65. Vicent, L. *et al.* Predictors of high Killip class after ST segment elevation myocardial infarction in the era of primary reperfusion. *Int. J. Cardiol.* **248**, 46–50 (2017).
 66. Thakkar, D. *et al.* A study on clinical profile and in-hospital outcome of elderly patients receiving thrombolytic therapy for ST elevation myocardial infarction. *J. Indian Coll. Cardiol.* **12**, 14 (2022).
 67. Scarparo, P. *et al.* Impact of thrombus burden on long-term clinical outcomes in patients with either anterior or non-anterior ST-segment elevation myocardial infarction. *J. Thromb. Thrombolysis* **54**, 47–57 (2022).
 68. Dharmawan, M., Hidayat, L. W. & Tiluata, L. J. Profil Infark Miokard Akut dengan Kenaikan Segmen-ST Di ICCU RSUD Prof W . Z . Johannes Kupang, Nusa Tenggara Timur, Januari-April 2018. *J. Cermin Dunia Kedokt.* **46**, 727–730 (2019).
 69. Ferrante, G. *et al.* Predictors of mortality and long-term outcome in patients with anterior stemi: Results from a single center study. *J. Clin. Med.* **10**, 8–9 (2021).
 70. Wilar, G. I., Panda, A. L. & Rampengan, S. H. Pengamatan 6 Bulan Terhadap Kejadian Kardiovaskular Mayor Pada Pasien Dengan Infark Miokard Akut Dengan Elevasi Segmen St (Stemi) Di Rsup Prof. Dr. R. D.

- Kandou Manado Periode Januari-Desember 2017. *J. Med. dan Rehabil.* **1**, 1–8 (2019).
71. Muhibbah, M., Wahid, A., Agustina, R. & Illiandri, O. Karakteristik Pasien Sindrom Koroner Akut Pada Pasien Rawat Inap Ruang Tulip Di Rsud Ulin Banjarmasin. *Indones. J. Heal. Sci.* **3**, 6 (2019).
 72. Lolaen, C., Rampengan, S. H. & Pangemanan, J. A. Gambaran Intervensi Koroner Perkutan Primer pada Pasien Infark Miokard Akut dengan Elevasi Segmen ST di RSUP Prof Dr. R. D. Kandou Manado Periode Januari – Desember 2017. *e-CliniC* **6**, 153–161 (2018).
 73. Muneeb, M. *et al.* Patterns of Dyslipidemia Among Acute Coronary Syndrome (ACS) Patients at a Tertiary Care Hospital in Lahore, Pakistan. *Cureus* **14**, 10–14 (2022).
 74. Aswania. Dislipidemia sebagai prediktor kejadian kardiovaskular mayor pada pasien infark miokard akut. *J. Med. Udayana* **9**, 91–100 (2020).
 75. Aji, I. A. K., Setiawan, A. A., Ariosta, A. & Pramudo, S. G. the Impact of Body Mass Index To Acute Myocardial Infarction in-Hospital Patients Mortality Rate in Dr. Kariadi Hospital. *Diponegoro Med. J. (Jurnal Kedokt. Diponegoro)* **9**, 225–234 (2020).
 76. Reinstadler, S. J. *et al.* Obesity paradox in ST-elevation myocardial infarction: Is it all about infarct size? *Eur. Hear. J. - Qual. Care Clin. Outcomes* **5**, 180–182 (2019).
 77. Shah, S. D. A. *et al.* Association between TIMI Risk Score and in-Hospital Mortality in Acute STEMI Patients Undergoing Primary PCI. *Pakistan J. Med. Heal. Sci.* **16**, 158–159 (2022).
 78. Park, J. *et al.* Prognostic Implications of Door-to-Balloon Time and Onset-to-Door Time on Mortality in Patients With ST-Segment–Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. *J. Am. Heart Assoc.* **8**, 1–4 (2019).
 79. Morrow, D. A. *et al.* The Risk Score Profile: A novel approach to characterising the risk of populations enrolled in clinical studies. *Eur. Heart J.* **25**, 1139–1145 (2004).

80. Rathore, S. S., Weinfurt, K. P., Foody, J. A. M. & Krumholz, H. M. Performance of the Thrombolysis in Myocardial Infarction (TIMI) ST-elevation myocardial infarction risk score in a national cohort of elderly patients. *Am. Heart J.* **150**, 402–410 (2005).
81. Morrow, D. A. *et al.* TIMI risk score for ST-elevation myocardial infarction: A convenient, bedside, clinical score for risk assessment at presentation: An Intravenous nPA for Treatment of Infarcting Myocardium Early II trial substudy. *Circulation* **102**, 2031–2037 (2000).
82. Çaltekin, İ. & Demirtaş, E. Is platelet to monocyte ratio a useful inflammatory determinant of st-elevation myocardial infarction? *Disaster Emerg. Med. J.* **5**, 205–211 (2020).
83. Kamińska, J. *et al.* Differences in Monocyte Subsets and Monocyte-Platelet Aggregates in Acute Myocardial Infarction—Preliminary Results. *Am. J. Med. Sci.* **357**, 421–434 (2019).
84. Algin, A. & Özdemir, S. Comparison of the monocyte-to-HDL cholesterol ratio between patients with STEMI and NSTEMI: A retrospective observational study. *J. Clin. Med. Kazakhstan* **18**, 45–49 (2021).
85. Karataş, M. B. *et al.* Monocyte to high-density lipoprotein ratio as a new prognostic marker in patients with STEMI undergoing primary percutaneous coronary intervention. *Am. J. Emerg. Med.* **34**, 240–244 (2016).
86. Ahmed I. El-Shall, M.B.B.Ch.; Seham F. Badr, M.D.; Hatem F. El-Sokkary, M. D. and & Ahmed F. Alarag, M. D. The Relation Between Monocyte to High-Density Lipoprotein Cholesterol Ratio and Short Term Outcome in Patients with Acute ST Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. *Med. J.* **87**, 1300–1309 (2019).
87. Dr. Sandu Siyoto, SKM, M. K. & M. Ali Sodik, M. a. Dasar Metodologi Penelitian Dr. Sandu Siyoto, SKM, M. Kes M. Ali Sodik, M.A. 1. *Dasar Metodol. Penelit.* 1–109 (2015).
88. Tudurachi, B. S., Anghel, L., Tudurachi, A., Sascău, R. A. & Stătescu, C. Assessment of Inflammatory Hematological Ratios (NLR, PLR, MLR, LMR

- and Monocyte/HDL–Cholesterol Ratio) in Acute Myocardial Infarction and Particularities in Young Patients. *Int. J. Mol. Sci.* **24**, 11–12 (2023).
89. Weissglas-Volkov, D. & Pajukanta, P. Genetic causes of high and low serum HDL-cholesterol. *J. Lipid Res.* **51**, 2032–2057 (2010).
90. Zaid, M. *et al.* Associations of high-density lipoprotein particle and high-density lipoprotein cholesterol with alcohol intake, smoking, and body mass index: The INTERLIPID study. *Circ. J.* **82**, 2557–2565 (2018).