

DAFTAR PUSTAKA

1. American College of Rheumatology. Lupus [Homepage on the Internet]. 2023 [cited 2024 Jun 6];Available from: <https://rheumatology.org/patients/lupus>
2. Lupus Foundation of America. Lupus facts and statistics [Homepage on the Internet]. 2021 [cited 2024 Jun 6];Available from: <https://www.lupus.org/resources/lupus-facts-and-statistics>
3. Data kunjungan pasien SLE di RSUD Raden Mattaher Provinsi Jambi.
4. Martin M, Guffroy A, Argemi X, Martin T. [Systemic lupus erythematosus and lymphopenia_ Clinical and pathophysiological features] - PubMed. Rev Med Interne [homepage on the Internet] 2017 [cited 2024 Jun 6];38(9):603–613. Available from: <https://pubmed.ncbi.nlm.nih.gov/28214184/>
5. Cojocaru M, Inimioara ;, Cojocaru M, Silosi I, Doina Vrabie C. Manifestations of Systemic Lupus Erythematosus. 2011;
6. Zahorec R. Neutrophil-to-lymphocyte ratio, past, present and future perspectives. Bratislava Medical Journal [homepage on the Internet] 2021 [cited 2024 Jun 6];122(7):474–488. Available from: <https://pubmed.ncbi.nlm.nih.gov/34161115/>
7. Cupp MA, Cariolou M, Tzoulaki I, Aune D, Evangelou E, Berlanga-Taylor AJ. Neutrophil to lymphocyte ratio and cancer prognosis: an umbrella review of systematic reviews and meta-analyses of observational studies. BMC Med 2020;18(1).
8. Jiang J, Liu R, Yu X, et al. The neutrophil-lymphocyte count ratio as a diagnostic marker for bacteraemia: A systematic review and meta-analysis. American Journal of Emergency Medicine 2019;37(8).
9. Wang L, Wang C, Jia X, Yang M, Yu J. Relationship between neutrophil-to-lymphocyte ratio and systemic lupus erythematosus: A meta-analysis. Clinics. 2020;75.
10. Martínez-García MÁ, Oliveira C, Girón R, et al. Peripheral Neutrophil-to-Lymphocyte Ratio in Bronchiectasis: A Marker of Disease Severity. Biomolecules 2022;12(10).
11. Cai J, Li H, Zhang C, et al. The Neutrophil-to-Lymphocyte Ratio Determines Clinical Efficacy of Corticosteroid Therapy in Patients with COVID-19. Cell Metab 2021;33(2).
12. Hernández-Segura N, Marcos-Delgado A, Pinto-Carral A, Fernández-Villa T, Molina AJ. Health-Related Quality of Life (HRQOL) Instruments and Mobility: A Systematic Review. Int J Environ Res Public Health. 2022;19(24).
13. McElhone K, Abbott J, Gray J, Williams A, Teh LS. Patient perspective of systemic lupus erythematosus in relation to health-related quality of life concepts: A qualitative study. Lupus 2010;19(14).
14. Mok CC, Lau CS. Pathogenesis of systemic lupus erythematosus. J Clin Pathol. 2003;56(7):481–490.

15. Rekomendasi Perhimpunan Reumatologi Indonesia: Diagnosis dan Pengelolaan Lupus Eritematosus Sistemik [Homepage on the Internet]. 2019 [cited 2024 Jun 6]; Available from: https://reumatologi.or.id/wp-content/uploads/2020/10/Diagnosis_dan_pengelolaan_SLE.pdf
16. Tian J, Zhang D, Yao X, Huang Y, Lu Q. Global epidemiology of systemic lupus erythematosus: a comprehensive systematic analysis and modelling study. *Ann Rheum Dis* 2023;82(3):351–356.
17. Stojan G, Petri M. Epidemiology of systemic lupus erythematosus: An update. *Curr Opin Rheumatol*. 2018;30(2):144–150.
18. Kementerian Kesehatan RI (InfoDATIN: Pusat Data dan Informasi Kementerian Kesehatan). Situasi Lupus di Indonesia [Homepage on the Internet]. Indonesia: 2017 [cited 2024 Jun 6]; Available from: www.pusdatin.kemkes.go.id
19. Tsai HL, Chang JW, Lu JH, Liu CS. Epidemiology and risk factors associated with avascular necrosis in patients with autoimmune diseases: a nationwide study. *Korean Journal of Internal Medicine* 2022;37(4):864–876.
20. Lupus Foundation of America. What causes lupus? [Homepage on the Internet]. 2024 [cited 2024 Jun 6]; Available from: <https://www.lupus.org/resources/what-causes-lupus>
21. Kumar V, Abbas AK, Aster JC. Robbins Basic Pathology, Tenth Edition. 2018;
22. Vaillant AAJ, Goyal A, Bansal P, Varacallo M. Systemic Lupus Erythematosus (SLE) - StatPearls - NCBI Bookshelf. StatPearls [Internet]. 2020;
23. Fauci AS md. Harrison's TM Rheumatology, 3rd Edition. 2013;
24. Aringer M. EULAR/ACR classification criteria for SLE. *Semin Arthritis Rheum* 2019;49(3).
25. Tanzilia MF, Tambunan BA, Dewi DNSS. TINJAUAN PUSTAKA: PATOGENESIS DAN DIAGNOSIS SISTEMIK LUPUS ERITEMATOSUS. *Syifa' MEDIKA: Jurnal Kedokteran dan Kesehatan* 2021;11(2).
26. Ugarte A, Ruiz-Irastorza G. SLE: The changing prognosis. *Lupus* 2016;25(12).
27. Regolo M, Vaccaro M, Sorce A, et al. Neutrophil-to-Lymphocyte Ratio (NLR) Is a Promising Predictor of Mortality and Admission to Intensive Care Unit of COVID-19 Patients. *J Clin Med* [homepage on the Internet] 2022 [cited 2024 Jun 5];11(8). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9027549/>
28. Agarwal S. Neutrophil-Lymphocyte Ratio Predicting Case Severity in SARS-CoV-2 Infection: A Review. *Cureus* 2022;
29. Huang Z, Fu Z, Huang W, Huang K. Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: A meta-analysis. *American Journal of Emergency Medicine*. 2020;38(3).
30. Corriere T, Marca S Di, Cataudella E, et al. Neutrophil-to-Lymphocyte Ratio is a strong predictor of atherosclerotic carotid plaques in older adults. *Nutrition, Metabolism and Cardiovascular Diseases* 2018;28(1).

31. Banna GL, Quattro R Di, Malatino L, et al. Neutrophil-to-lymphocyte ratio and lactate dehydrogenase as biomarkers for urothelial cancer treated with immunotherapy. *Clinical and Translational Oncology* 2020;22(11).
32. Rias YA, Kurniasari MD, Traynor V, et al. Synergistic Effect of Low Neutrophil–Lymphocyte Ratio With Physical Activity on Quality of Life in Type 2 Diabetes Mellitus: A Community-Based Study. *Biol Res Nurs* 2020;22(3).
33. Zhao J, Wang M, Huang R, et al. Effects of CALM intervention on neutrophil-to-lymphocyte ratio (NLR), fear of cancer recurrence and quality of life in patients with lung cancer. *Supportive Care in Cancer* 2023;31(7).
34. Kaplan RM, Hays RD. Health-Related Quality of Life Measurement in Public Health. *Annu Rev Public Health*. 2022;43.
35. National Center for Chronic Disease Prevention and Health Promotion D of PH. Health-related quality of life (HRQOL). 2022 [cited 2024 Jun 28];Available from: https://archive.cdc.gov/www_cdc_gov/hrqol/index.htm
36. Yazdany J. Health-related quality of life measurement in adult systemic lupus erythematosus: Lupus Quality of Life (LupusQoL), Systemic Lupus Erythematosus-Specific Quality of Life Questionnaire (SLEQOL), and Systemic Lupus Erythematosus Quality of Life Questionnaire (L-QoL). *Arthritis Care Res (Hoboken)* 2011;63(SUPPL. 11).
37. Olesińska M, Saletta A. Quality of life in systemic lupus erythematosus and its measurement. *Reumatologia*. 2018;56(1).
38. McKinley PS, Ouellette SC, Winkel GH. The contributions of disease activity, sleep patterns, and depression to fatigue in systemic lupus erythematosus. *Arthritis Rheum* 1995;38(6).
39. Bauernfeind B, Aringer M, Proding B, et al. Identification of relevant concepts of functioning in daily life in people with systemic lupus erythematosus: A patient Delphi exercise. *Arthritis Care Res (Hoboken)* 2009;61(1).
40. Papachristodoulou E, Kakoullis L, Christophi C, Psarelis S, Hajiroussos V, Parperis K. The relationship of neutrophil-to-lymphocyte ratio with health-related quality of life, depression, and disease activity in SLE: a cross-sectional study. *Rheumatol Int* 2023;43(10).
41. McElhone K, Abbott J, Shelmerdine J, et al. Development and validation of a disease-specific health-related quality of life measure, the LupusQoL, for adults with systemic lupus erythematosus. *Arthritis Care Res (Hoboken)* 2007;57(6).
42. Amin M Al, Dwi Juniati. KLASIFIKASI KELOMPOK UMUR MANUSIA BERDASARKAN ANALISIS DIMENSI FRAKTAL BOX COUNTING DARI CITRA WAJAH DENGAN DETEKSI TEPI CANNY. *Jurnal ilmiah matematika* 2017;2(2).
43. Anindito B, Hidayat R, Koesnoe S, Dewiasty E. Validity And Reliability Of Lupus Quality Of Life Questionnaire In Patients With Systemic Lupus Erythematosus In Indonesia. *Indonesian Journal of Rheumatology* 2018;8(2).

44. Utari SD. ANGKA KEJADIAN DAN KARAKTERISTIK PENYAKIT LUPUS ERITEMATOSUS KUTANEUS DI RSUP DR. MOHAMMAD HOESIN PALEMBANG. 2022;
45. Trilistyoti D, Agustina B, Awalia A. CLINICAL PROFILE AND INCIDENCE OF INFECTION IN SYSTEMIC LUPUS ERYTHEMATOSUS PATIENTS AT MEDICAL INPATIENT INSTALLATION, DEPARTMENT OF INTERNAL MEDICINE, DR. SOETOMO GENERAL ACADEMIC HOSPITAL, SURABAYA, INDONESIA IN 2016. *Majalah Biomorfologi* 2021;31(2).
46. Narupan N, Seeherunwong A, Pumpuang W. Prevalence and biopsychosocial factors associated with depressive symptoms among patients living with systemic lupus erythematosus in clinical settings in urban Thailand. *BMC Psychiatry* 2022;22(1).
47. Aji G, Djuwita R, Sudaryo MK, Sukamto. Risk Factors of Worsening of Systemic Lupus Erythematosus in Patients at Two Tertiary Hospitals in Jakarta. *Kesmas* 2023;18(3).
48. Christou EAA, Banos A, Kosmara D, Bertias GK, Boumpas DT. Sexual dimorphism in SLE: above and beyond sex hormones. *Lupus* 2019;28(1).
49. Tjan B, Kambayana G, Kurniari PK. Gambaran profil systemic lupus erythematosus (SLE) dan lupus nefritis di Rumah Sakit Umum Pusat Sanglah. *Jurnal Penyakit Dalam Udayana* 2022;6(2).
50. Guéry JC. Why Is Systemic Lupus Erythematosus More Common in Women? *Joint Bone Spine*. 2019;86(3).
51. Aldakhkhny SA, Hodeeb HA, El-Gazzar NM, Elwan S. Implications of blood indices in systemic lupus erythematosus patients: Two feasible determinants of disease activity and lupus nephritis. *Egyptian Rheumatologist* 2023;45(4).
52. Han BK, Wysham KD, Cain KC, Tyden H, Bengtsson AA, Lood C. Neutrophil and lymphocyte counts are associated with different immunopathological mechanisms in systemic lupus erythematosus. *Lupus Sci Med* 2020;7(1).
53. Kaplan MJ. Neutrophils in the pathogenesis and manifestations of SLE. *Nat Rev Rheumatol*. 2011;7(12):691–699.
54. Sobhy N, Niaz MH, Kamal A. Lymphopenia in systemic lupus erythematosus patients: Is it more than a laboratory finding? *Egyptian Rheumatologist* 2020;42(1):23–26.
55. Fayyaz A, Igoe A, Kurien BT, et al. Haematological manifestations of lupus. *Lupus Sci Med*. 2015;2(1).
56. Soliman WM, Sherif NM, Ghanima IM, EL-Badawy MA. Neutrophil to lymphocyte and platelet to lymphocyte ratios in systemic lupus erythematosus: Relation with disease activity and lupus nephritis. *Reumatol Clin* 2020;16(4).
57. Firizal AS, Sugianli AK, Hamijoyo L. Cut off point of neutrophil-to-lymphocyte ratio as a marker of active disease in systemic lupus erythematosus. *Lupus* 2020;29(12).

58. Yu J, Zeng T, Wu Y, et al. Neutrophil-to-C3 ratio and neutrophil-to-lymphocyte ratio were associated with disease activity in patients with systemic lupus erythematosus. *J Clin Lab Anal* 2019;33(1).
59. Zhu LW, Zhang T, Pan HF, Li XP, Ye DQ. BMI, disease activity, and health-related quality-of-life in systemic lupus erythematosus. *Clin Rheumatol* 2010;29(12).