

DAFTAR PUSTAKA

1. Siregar FA, Makmur T. Metabolisme Lipid Dalam Tubuh. J Inov Kesehat Masy [Internet]. 2020;1(2):60–5. Available from: <http://ejournal.delihusada.ac.id/index.php/JIKM>
2. CDC. Healthy Weight , Nutrition , and Physical Activity About Adult BMI What are the BMI trends for adults in the United States ? 2022;1–6.
3. Dutchen S. what do fats do in the body [Internet]. national instute of general medical sciences. 2010 [cited 2023 May 15]. Available from: <https://www.nigms.nih.gov/education/Inside-Life-Science/Pages/what-do-fats-do-in-the-body.aspx>
4. Taking aim at belly fat [Internet]. Harvard Health Publishing. 2021 [cited 2023 May 15]. Available from: <https://www.health.harvard.edu/staying-healthy/taking-aim-at-belly-fat>
5. Panahi S, Tremblay A. Sedentariness and Health: Is Sedentary Behavior More Than Just Physical Inactivity? Front Public Heal. 2018;6(September):1–7.
6. Frayling TM, Timpson NJ, Weedon MN, Zeggini E, Freathy RM, Lindgren CM, et al. A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. Science. 2007 May;316(5826):889–94.
7. Herbert A D. A common genetic variation near INSIG2 is associated with obesity. Nat Clin Pract Endocrinol Metab. 2006;2(8):421.
8. Wåhlén K, Sjölin E, Hoffstedt J. The common rs9939609 gene variant of the fat mass- and obesity-associated gene FTO is related to fat cell lipolysis. J Lipid Res. 2008 Mar;49(3):607–11.
9. Hotta K, Nakamura M, Nakamura T, Matsuo T, Nakata Y, Kamohara S, et

- al. Polymorphisms in NRXN3, TFAP2B, MSRA, LYPLAL1, FTO and MC4R and their effect on visceral fat area in the Japanese population. *J Hum Genet.* 2010 Nov;55(11):738–42.
10. Haupt A, Thamer C, Machann J, Kirchhoff K, Stefan N, Tschrötter O, et al. Impact of Variation in the FTO Gene on Whole Body Fat Distribution, Ectopic Fat, and Weight Loss. *Obesity* [Internet]. 2008;16(8):1969–72. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1038/oby.2008.283>
 11. Maharani C. Hubungan Variasi Genetik RS1421085 pada Gen Fat Mass and Obesity-Associated (FTO) dengan Profil lemak Tubuh pada Penderita Obesitas Populasi Etnis Jawa. *Univ Gajah Mada.* 2019;5.
 12. Pardede IT. Hubungan antara polimorfisme gen Fat Mass Obesity Associated (FTO) rs9939609 dengan persentase lemak tubuh pada dewasa muda dengan obesitas sentral. 2022;22(4):241–8.
 13. Li H, Wu Y, Loos RJF, Hu FB, Liu Y, Wang J, et al. Variants in the Fat Mass–and Obesity-Associated (FTO) Gene Are Not Associated With Obesity in a Chinese Han Population. *Diabetes* [Internet]. 2008 Jan 1;57(1):264–8. Available from: <https://doi.org/10.2337/db07-1130>
 14. Frühbeck G, Gómez-Ambrosi J. Adipose tissue. *Encycl Hum Nutr.* 2005;1–14.
 15. Tsiloulis T, Watt MJ. Exercise and the Regulation of Adipose Tissue Metabolism [Internet]. 1st ed. Vol. 135, *Progress in Molecular Biology and Translational Science*. Elsevier Inc.; 2015. 175–201 p. Available from: <http://dx.doi.org/10.1016/bs.pmbts.2015.06.016>
 16. Sherwood L. *Fisiologi Manusia* Sherwood ed 9. Lydia, editor. Jakarta: Penerbit Buku Kedokteran ECG; 2016.
 17. Luo L, Liu M. Adipose tissue in control of metabolism. *J Endocrinol* [Internet]. 2016;231(3):R77–R991. Luo L, Liu M. Adipose tissue in contro.

Available from:
<https://joe.bioscientifica.com/view/journals/joe/231/3/R77.xml>

18. Dewi L, Ayuningtyas RA, Press UGM. A-Z Tentang Obesitas [Internet]. UGM PRESS; 2023. Available from:
<https://books.google.co.id/books?id=WOGwEAAAQBAJ>
19. Karundeng R, Wangko S. jaringan lemak putih dan jaringan lemak coklat aspek histofisiologi. Vol 6, Nomor 3, Suplemen, November 2019, hlm. S8-16
20. Joseph , M. What's the best way to measure body fat? [Internet]. british heart foundation. 2021. Available from:
<https://www.bhf.org.uk/information-support/heart-matters-magazine/nutrition/weight/best-way-to-measure-body-fat>
21. Nösslinger H, Mair E, Toplak H, Hörmann-Wallner M. Measuring subcutaneous fat thickness using skinfold calipers vs. high-resolution B-scan ultrasonography in healthy volunteers: A pilot study. Clin Nutr Open Sci [Internet]. 2022;41:19–32. Available from:
<https://www.sciencedirect.com/science/article/pii/S2667268521000474>
22. Khalil SF, Mohktar MS, Ibrahim F. The theory and fundamentals of bioimpedance analysis in clinical status monitoring and diagnosis of diseases. Sensors (Basel). 2014 Jun;14(6):10895–928.
23. Clinic C. Subcutaneous Fat [Internet]. Vol. 11, cleaveland clinic. 2023. p. 131–4. Available from:
<https://my.clevelandclinic.org/health/diseases/23968-subcutaneous-fat>
24. Hall JE. Guyton and hall textbook of medical physiology edisi 13. Guyton and Hall Textbook of Medical Physiology. 2016. 882–893 p.
25. Loos RJF, Yeo GSH. The bigger picture of FTO—the first GWAS-identified obesity gene. Nat Rev Endocrinol [Internet]. 2014;10(1):51–61. Available from: <https://doi.org/10.1038/nrendo.2013.227>

26. Liu SJ, Tang HL, He Q, Lu P, Fu T, Xu XL, et al. FTO is a transcriptional repressor to auto-regulate its own gene and potentially associated with homeostasis of body weight. *J Mol Cell Biol* [Internet]. 2019 Feb 1;11(2):118–32. Available from: <https://doi.org/10.1093/jmcb/mjy028>
27. Mizuno TM. Fat Mass and Obesity Associated (FTO) Gene and Hepatic Glucose and Lipid Metabolism. *Nutrients*. 2018 Nov;10(11).
28. Kilpeläinen TO, Qi L, Brage S, Sharp SJ, Sonestedt E, Demerath E, et al. Physical Activity Attenuates the Influence of FTO Variants on Obesity Risk: A Meta-Analysis of 218,166 Adults and 19,268 Children. *PLOS Med* [Internet]. 2011;8(11):1–14. Available from: <https://doi.org/10.1371/journal.pmed.1001116>
29. Agagunduz D, Gezmen-karadag M. Association of FTO common variant (rs9939609) with body fat in Turkish individuals. *Lipids Health Dis* [Internet]. 2019;18(1):212. Available from: <https://doi.org/10.1186/s12944-019-1160-y>
30. MedlinePlus Genetics. Variants and Health. *US Natl Libr Med* [Internet]. 2022;1–41. Available from: <https://medlineplus.gov/genetics/understanding/mutationsanddisorders/>
31. Parker J. Variations in reading the genetic code. *Transf RNA Protein Synth*. 2018;191–267.
32. Lear SA, Deng WQ, Paré G, Sulistyoningrum DC, Loos RJF, Devlin A. Associations of the FTO rs9939609 variant with discrete body fat depots and dietary intake in a multi-ethnic cohort. *Genet Res (Camb)*. 2011;93(6):419–26.
33. Prakash J, Mittal B, Srivastava A, Awasthi S, Srivastava N. Association of FTO rs9939609 SNP with Obesity and Obesity- Associated Phenotypes in a North Indian Population. *Oman Med J*. 2016 Mar;31(2):99–106.
34. Gulati S, Misra A, Tiwari R, Sharma M, Pandey RM, Upadhyay AD. The

influence of polymorphisms of fat mass and obesity (FTO, rs9939609) and vitamin D receptor (VDR, BsmI, TaqI, ApaI, FokI) genes on weight loss by diet and exercise interventions in non-diabetic overweight/obese Asian Indians in North India. *Eur J Clin Nutr* [Internet]. 2020;74(4):604–12. Available from: <http://dx.doi.org/10.1038/s41430-020-0560-4>

35. Daniel, A. For the Western Pacific WHORO. The Asia-Pacific perspective : redefining obesity and its treatment. Sydney : Health Communications Australia; 2000. 55p.
36. Hakim LN. Urgensi Revisi Undang-Undang tentang Kesejahteraan Lanjut Usia. *Aspir J Masal Sos*. 2020;11(1):43–55.
37. Stephany, N. Body fat % [Internet]. Available from: [https://www.tanita.asia/?_page=understanding&_para\[0\]=1](https://www.tanita.asia/?_page=understanding&_para[0]=1)
38. Müller TD, Hinney A, Scherag A, Nguyen TT, Schreiner F, Schäfer H, et al. “Fat mass and obesity associated” gene (FTO): No significant association of variant rs9939609 with weight loss in a lifestyle intervention and lipid metabolism markers in German obese children and adolescents. *BMC Med Genet*. 2008;9:1–6.
39. Amalia P, Kurniawan E, Rahayu IG, Noviar G. Analisis Faktor-Faktor Kepatuhan Penerapan Standar Operasional Prosedur Pengambilan Darah Vena. *J Ris Kesehat Poltekkes Depkes Bandung*. 2019;11(2):211–7.
40. Ni X, Sun Z. Correlation Between the Distribution of Abdominal , Pericardial and Subcutaneous Fat and Muscle and Age and Gender in a Middle-Aged and Elderly Population. 2021;(December 2020):8–15.
41. Kar A, Alvarez M, Garske KM, Huang H, Lee SHT, Deal M, et al. Age-dependent genes in adipose stem and precursor cells affect regulation of fat cell differentiation and link aging to obesity via cellular and genetic interactions. *Genome Med* [Internet]. 2024;16(1):1–24. Available from: <https://doi.org/10.1186/s13073-024-01291-x>

42. Boneva-asiova Z, Boyanov M. Age-related changes of body composition and abdominal adipose tissue assessed by bio-electrical impedance analysis and computed tomography &. *Med Intensiva* (English Ed [Internet]. 2011;58(9):472–7. Available from: <http://dx.doi.org/10.1016/j.endoen.2011.07.002>
43. Gavin KM, Bessesen DH. Sex Differences in Adipose Tissue Function. *Endocrinol Metab Clin North Am* [Internet]. 2020;49(2):215–28. Available from: <https://www.sciencedirect.com/science/article/pii/S0889852920300104>
44. Mallio CA, Greco F, Pacella G, Schena E, Zobel BB. Gender-based differences of abdominal adipose tissue distribution in non-small cell lung cancer patients. *Shanghai Chest*. 2018;2(4):1–10.
45. Power ML, Schulkin J. Sex differences in fat storage, fat metabolism, and the health risks from obesity: Possible evolutionary origins. *Br J Nutr*. 2008;99(5):931–40.
46. Ranasinghe C, Gamage P, Katulanda P, Andraweera N, Thilakarathne S, Tharanga P. Relationship between Body mass index (BMI) and body fat percentage, estimated by bioelectrical impedance, in a group of Sri Lankan adults: A cross sectional study. *BMC Public Health*. 2013;13(1).
47. Karnes JH, Arora A, Feng J, Steiner HE, Sulieman L, Boerwinkle E, et al. Racial, ethnic, and gender differences in obesity and body fat distribution: An All of Us Research Program demonstration project. *PLoS One* [Internet]. 2021 Aug 6;16(8):e0255583. Available from: <https://doi.org/10.1371/journal.pone.0255583>
48. Xu S, Nianogo RA, Jaga S, Arah OA. Development and validation of a prediction equation for body fat percentage from measured BMI: a supervised machine learning approach. *Sci Rep* [Internet]. 2023;13(1):1–9. Available from: <https://doi.org/10.1038/s41598-023-33914-5>

49. Apalasamy YD, Ming MF, Rampal S, Bulgiba A, Mohamed Z. Genetic association of SNPs in the FTO gene and predisposition to obesity in Malaysian Malays. *Brazilian J Med Biol Res = Rev Bras Pesqui medicas e Biol.* 2012 Dec;45(12):1119–26.
50. Kawajiri T, Osaki Y, Kishimoto T. Association of gene polymorphism of the fat mass and obesity associated gene with metabolic syndrome: a retrospective cohort study in Japanese workers. *Yonago Acta Med.* 2012 Jun;55(2):29–40.
51. Lear SA, Deng W, Pare G, Sulistyoningrum DC, Loos RJF, Devlin A. Associations of the FTO rs9939609 variant with discrete body fat depots and dietary intake in a multi-ethnic cohort. *Genet Res (Camb)* [Internet]. 2011/12/22. 2011;93(6):419–26. Available from: <https://www.cambridge.org/core/product/374A4AE80B2B8FEBE557A6AC748994C8>
52. Woehning A, Schultz JH, Roeder E, Moeltner A, Isermann B, Nawroth PP, et al. The A-allele of the common FTO gene variant rs9939609 complicates weight maintenance in severe obese patients. *Int J Obes (Lond).* 2013 Jan;37(1):135–9.
53. Jacobsson JA, Almén MS, Benedict C, Hedberg LA, Michaëlsson K, Brooks S, et al. Detailed Analysis of Variants in FTO in Association with Body Composition in a Cohort of 70-Year-Olds Suggests a Weakened Effect among Elderly. *PLoS One* [Internet]. 2011 May 27;6(5):e20158. Available from: <https://doi.org/10.1371/journal.pone.0020158>
54. Lappalainen T, Lindström J, Paananen J, Eriksson JG, Karhunen L, Tuomilehto J, et al. Association of the fat mass and obesity-associated (FTO) gene variant (rs9939609) with dietary intake in the Finnish Diabetes Prevention Study. *Br J Nutr.* 2012;108(10):1859–65.