

DAFTAR PUSTAKA

- [AOAC] Association of Official Analytical Chemist. (2005). Official Methods of Analysis, 18th edn. AOAC, Inc. Washington DC.
- Abballe, C., Moralez, F., Gomes, L., Dezembro, B., Paula, A., Oliveira, F. De, Isabel, M., Efraim, P., & Am, S. (2021). Cocoa beans and derived products : Effect of processing on polycyclic aromatic hydrocarbons levels. *LWT - Food Science and Technology*, 135(110019). <https://doi.org/10.1016/j.lwt.2020.110019>
- Adisa, Vanesa. (2023). *Dari Cokelat Hitam hingga Cokelat Susu: Perbedaan dan Keunggulannya*. Yogyakarta: Cahaya Harapan.
- Adisakwattana, S., Ruengsamran, T., Kampa, P., & Sompong, W. (2012). In vitro inhibitory effects of plant-based foods and their combinations on intestinal α - glucosidase and pancreatic α -amylase. *BMC Complementary and Alternative Medicine*, 12(110), 1–8.
- Adrikayana, E. S., Pratiwi, E., & Putri, A. S. (2022). Pengaruh Penambahan Konsentrasi Ekstrak Bunga Telang (*Clitoria ternatea* L.) Terhadap Sifat Fisik, Kimia dan Sensori pada Puding Bunga Telang. 75, 1–10.
- Afoakwa, E. O., Paterson, A., Fowler, M., & Vieira, J. (2009). Microstructure and mechanical properties related to particle size distribution and composition in dark chocolate. *International Journal of Food Science and Technology*, 44, 111–119. <https://doi.org/10.1111/j.1365-2621.2007.01677.x>
- Afoakwa, E.O. (2016). *Chocolate Science and Technology*. 2nd Edition ed. West Sussex: Wiley Blackwell. DOI:10.1002/9781118913758
- Ahmed, S. A., & Ahmed, M. (2013). Effect of Weed Control on Growth and Seed Production of Butterfly Pea (*Clitoria ternatea*) Under Rainfed Conditions at Zalingei Western Darfur State - Sudan. *ARPJ Journal of Science and Technology*, 3(5), 523–528.
- Albak, F., & Tekin, A. R. (2013). Effect of cinnamon powder addition during conching on the flavor of dark chocolate mass. *J Food Sci Technol*. <https://doi.org/10.1007/s13197-013-1217-2>
- Al-snafi, A. E. (2017). Pharmacological importance of *Clitoria ternatea* – A review. *IOSR Journal of Pharmacy*, 6(3), 68–83.
- Andarwulan, N., Kusnandar, F., & Herawati, D. (2011). *Analisis Pangan*. Jakarta: Dian Rakyat.
- Andriani, D., & Murtisiwi, L. (2020). Uji Aktivitas Antioksidan Ekstrak Etanol 70 % Bunga Telang (*Clitoria ternatea* L) dari Daerah Sleman dengan Metode DPPH Antioxidant Activity Test of 70 % Ethanol Extract of Telang Flower (*Clitoria ternatea* L) from Sleman Area with DPPH Method. *Jurnal Farmasi Indonesia*, 17(1), 70–76.
- Angriani, L. (2019). Potensi Ekstrak Bunga Telang (*Clitoria ternatea*) Sebagai Pewarna Alami Lokal pada Berbagai Industri Pangan. *Canrea Journal*, 2(1), 32–37.
- Anisyah, L., Hasana, A. R., Lela, S., & Tindaon, V. (2022). Pemberdayaan Kelompok PKK Kelurahan Kauman Kota Malang dalam Pemanfaatan Bunga Telang Sebagai Teh Herbal di Masa Pandemi Covid 19. *Jurnal Pengabdian Masyarakat Berkelanjutan*, 6(1), 175–179.

- Anita-Sari, I., Murti, R. H., Misnawi, Putra, E. T. S., Setyawan, B., & Susilo, A. W. (2023). Flavor Characteristics of Three Indonesian Cocoa Clones in. *Agronomy*, 13(2658), 1–12.
- Arif, M., Pertanian, F. I., & Oleo, U. H. (2017). Pengaruh penambahan karagenan dan jahe terhadap organoleptik dan sifat fisikokimia coklat batang. *J. Sains Dan Teknologi Pangan*, 2(2), 394–404.
- Arifaini, I. A. F. (2022). Karakteristik Fisikokimia Cookies dengan Berbagai Konsentrasi Serbuk Bunga Telang (*Clitoria ternatea* L.). *Skripsi*. Fakultas Teknologi Pertanian, Universitas Semarang.
- Arizka, A. A., & Daryatmo, J. (2015). Perubahan Kelembaban dan Kadar Air Teh Selama Penyimpanan pada Suhu dan Kemasan yang Berbeda. *Jurnal Aplikasi Teknologi Pangan*, 4(4), 124–129.
- Asmawati, Sunardi, H., & Ihromi, S. (2018). Kajian persentase penambahan gula terhadap komponen mutu sirup buah naga merah 1. *Jurnal Agrotek*, 5(2), 97–105.
- Badan Standarisasi Nasional. (2014). SNI 7934:2014. *Syarat Mutu Cokelat dan Produk-Produk Cokelat*. Badan Standarisasi Nasional : Jakarta. Bogor. 94 hlm.
- Beckett, S. T. (2008). *The Science of Chocolate: 2nd Edition*. ISBN: 978-0-85404-970-7. Royal Society of Chemistry. United Kingdom.
- Bertazzo, A., Comai, S., Mangiarini, F., & Chen, S. (2013). Composition of Cacao Beans. *Nutrition and Health*, 106–117. <https://doi.org/10.1007/978-1-61779-803-0>
- Biswas, N., Lin, Y., Ping, C., & Fong, L. (2017). Physical , rheological and sensorial properties , and bloom formation of dark chocolate made with cocoa butter substitute (CBS). *LWT - Food Science and Technology*, 82, 420–428. <https://doi.org/10.1016/j.lwt.2017.04.039>
- Budiasih, Kun Sri. (2017). Kajian potensi farmakologis bunga telang (*Clitoria ternatea*). Prosiding Seminar Nasional Kimia UNY 2017 Sinergi Penelitian dan Pembelajaran untuk Mendukung Pengembangan Literasi.
- Chauhan, N., Rajvaidhya, S., & Dubey, B. K. (2012). Pharmacognostical, Phytochemical and Pharmacological Review on *Clitoria ternatea* For Antiasthmatic Activity. *International Journal of Pharmaceutical Science and Research*, 3(02), 398–404.
- Chayaratanasin, P., Barbieri, M. A., Suanpairintr, N., & Adisakwattana, S. (2015). Inhibitory effect of *Clitoria ternatea* flower petal extract on fructose-induced protein glycation and oxidation-dependent damages to albumin in vitro. *BMC Complementary and Alternative Medicine*, 15(27), 1–9. <https://doi.org/10.1186/s12906-015-0546-2>
- Danilo, L., Barrientos, P., Diego, J., Oquendo, T., Andrea, M., Garzón, G., Lucia, O., & Álvarez, M. (2018). Effect of the solar drying process on the sensory and chemical quality of cocoa (*Theobroma cacao* L.) cultivated in Antioquia, Colombia. *Food Research International*, #pagerange#. <https://doi.org/10.1016/j.foodres.2018.08.084>
- Dehpour, A. A., Ebrahimzadeh, M. A., Fazel, N. S., & Mohammad, N. S. (2009). Antioxidant activity of the methanol extract of *Ferula assafoetida* and its essential oil composition. *Grasas Y Aceites*, 60(4), 405–412.
- Dwijatmoko, M. I. S. A., Praseptiangga, D., Rahadian, D., & Muhammad, A. J. I. (2016). Effect of cinnamon essential oils addition in the sensory attributes of dark chocolate. 8(2), 301–305. <https://doi.org/10.13057/nusbiosci/n080227>

- Efendi, M., Hawa, L. C., & Wibisono, Y. (2023). Hygroscopicity of butterfly-pea under room temperature: Effect on sorption and physicochemical properties. *World Journal of Advance Research and Reviews*, 18(02), 1396–1405.
- Efrizal, R. A., Amanda, U. D., Hemelda, N. M., & Purbaningsih, S. (2017). Preliminary studies using the flower of *Clitoria ternatea* L. (butterfly pea) as natural dyes food. *Departemen Biologi, FMIPA UI*.
- Engeseth, N. J., & Pangan, M. F. A. (2018). Current context on chocolate flavor development — a review. *Current Opinion in Food Science*, 21, 84–91. <https://doi.org/10.1016/j.cofs.2018.07.002>
- Fauziyah, R., Widyasanti, A., & Rosalinda, S. (2022). Perbedaan Metode Ekstraksi terhadap Kadar Sisa Pelarut dan Rendemen Total Ekstrak Bunga Telang (*Clitoria ternatea* L.). *Kimia Padjajaran*, 1, 18–25.
- Fernando, A., Rahmadhani, A. W., & Susanti, E. (2023). Pengaruh Proses Pengeringan Terhadap Kadar Total Fenolik Dan Flavonoid Ekstrak Metanol Kubis Ungu (*Brassica oleraceae* L.). *Jurnal Hasil Penelitian Dan Pengkajian Ilmiah Eksakta*, 2(1), 102–109.
- Firmanto, H. (2020). *Partisipasi Kakao Indonesia pada Kompetisi Internasional Cocoa of Excellence CoEx 2010 di Paris*.
- Fithriani, D., Amini, S., & Melanie, S. (2015). Uji Fitokimia, Kandungan Total Fenol dan Aktivitas Antioksidan Mikroalga *Spirulina* sp., *Chlorella* sp., dan *Nannochloropsis* sp. *JPB Kelautan Dan Perikanan*, 10(2), 101–109.
- Fitriyaningtyas, S. I., & Widyaningsih, T. D. (2015). Pengaruh Penggunaan Lesitin dan CMC Terhadap Sifat Fisik, Kimia, dan Organoleptik Margarin Sari Apel Manalagi (*Malus sylvestris* Mill) Tersuplementasi Minyak Kacang Tanah. *Jurnal Pangan Dan Agroindustri*, 3(1), 226–236.
- Fizriani, A., Quddus, A. A., & Hariadi, H. (2020). Pengaruh Penambahan Ekstrak Bunga Telang Terhadap Sifat Kimia dan Organoleptik Pada Produk Minuman Cendol. *Jurnal Ilmu Pangan Dan Hasil Pertanian*, 4(2), 136–145.
- Goya, L., Kongor, J. E., & Pascual-teresa, S. De. (2022). From Cocoa to Chocolate: Effect of Processing on Flavanols and Methylxanthines and Their Mechanisms of Action. *Molecular Sciences*, 23(14365), 1–15.
- Hamad, A., Septhea, A. G., & Ma'ruf, A. (2015). Production From Corn Oil As Food Emulsifier. *Techno*, 16(2), 118–124.
- Hammerstone, J. F., Lazarus, S. A., & Schmitz, H. H. (2000). Procyanidin content and variation in some commonly consumed foods. *Journal of Nutrition*, 130(8), 2086–2092.
- Handito, D., Basuki, E., Saloko, S., Dwikasari, L. G., Triani, E., Mataram, U., Kedokteran, F., & Mataram, U. (2022). Analisis Komposisi Bunga Telang (*Clitoria ternatea*) Sebagai Antioksidan Alami Pada Produk Pangan. *Prosiding SAINTEK*, 4, 23–24.
- Hartuti, S., Bintoro, N., Nugroho, J., Karyadi, W., & Pranoto, Y. (2019). Characteristics of Dried Cocoa Beans (*Theobroma cacao* L.) Color Using Response Surface Methodology. *Journal of Agro Science*, 7(1), 82–92. <https://doi.org/10.18196/pt.2019.097.82-92>
- Haryadi & Supriyanto. (2012). *Teknologi Cokelat*. Yogyakarta: Gadjah Mada University Press.

- Hasibuan, H. A., Lestari, E., & Lubis, N. N. (2020). Pembuatan Cokelat Dark dan Cokelat White Berbahan Cocoa Butter Substitute. *Journal of Agro-Based Industry*, 37(1), 48–57.
- Hermani & Haliza, Winda. (2013). Optimasi Komposisi Nutrien untuk Pembentukan Komponen Citarasa pada Fermentasi Biji Kakao Asalan. *J. Pascapanen*, 10 (2), 74-82.
- Husniati, H., Sari, M. Y., & Sari, A. (2021). Kajian : Karakterisasi Senyawa Aktif Asam Klorogenat Dalam Kopi Robusta Sebagai Antioksidan. *Teknologi Argo Industri*, 12(2), 34–39.
- Husniati, Sari, M. Y., & Sari, A. (2005). Review : Characterization of active compounds in Robusta coffee as antioxidants. *Majalah Teknologi Agro Industri (Tegi)*, 12(2), 2021.
- Ikrawan, Y., Hervelly, & Pirmansyah, W. (2019). Korelasi Konsentrasi Black Tea Powder (Camelia Sinensis) Terhadap Muiu Sensori Produk Dark chocolate. *Pasundan Food Technology Journal*, 6(2), 1–11.
- Irsyam, A. S. D., & Priyanti. (2016). Suku Fabaceae di Kampus Universitas Islam Negeri (UIN) Syarif Hidayatullah, Jakarta, Bagian 1: Tumbuhan Polong Berperawakan Pohon. *Al-Kaunyah Jurnal Biologi*, 9(1), 44–56.
- Juanda, & Hartuti, S. (2024). Sensory Analysis of Butterfly Pea (Clitoria ternatea L .) Flower Tea Drink Using Central Composite Design Keywords : *International Journal of Design & Nature and Ecodynamics*, 19(1), 41–47.
- Kazuma, K., Noda, N., & Suzuki, M. (2003). Flavonoid composition related to petal color in different lines of Clitoria ternatea. *Phytochemistry*, 64, 1133–1139. [https://doi.org/10.1016/S0031-9422\(03\)00504-1](https://doi.org/10.1016/S0031-9422(03)00504-1)
- Khoddami, A., Wilkes, M. A., & Roberts, T. H. (2013). Techniques for Analysis of Plant Phenolic Compounds. *Molecules*, 18, 2328–2375. <https://doi.org/10.3390/molecules18022328>
- Khoiriyah, S. (2021). *Penambahan Bubuk Bunga Telang (Clitoria ternatea L.) Pada Permen Susu Ditinjau dari Kualitas Kimia dan Total Plate Count*. Universitas Brawijaya.
- Kramer, A dan Twigg, B. S. (1966). *Fundamental Of Quality Control The Food Industry*. The AVI Publishing Company Inc.
- Kurnia, D., Roslana, E., Juanda, D., & Nurochman, Z. (2020). Aktivitas Antioksidan dan Penetapan Kadar Fenol Total dari Mikroalga Laut Chlorella vulgaris. *Jurnal Kimia Riset*, 5(1), 14–21.
- Kurniadi, A., Sartika, D., Herdiana, N., & Susilawati. (2024). Kajian Formulasi Ekstrak Bunga Telang (Clitoria ernatea) Terhadap Aktivitas Antioksidan pada Minuman Fungsional. *Jurnal Agroindustri Berkelanjutan*, 3(1), 13–28.
- Kushargina, R., Kusumaningati, W., & Yuniano, A. E. (2022). Pengaruh Bentuk, Suhu, dan Lama Penyeduhan Terhadap Sifat Organoleptik dan Aktivitas Antioksidan Teh Herbal Bunga Telang (Clitoria ternatea L.). *Gizi Indonesia*, 45(1), 11–22. <https://doi.org/10.36457/gizindo.v45i1.633>
- Lakshmi, C. H. N. D., Raju, B. D. P. R., Madhavi, T., & Sushma, N. J. (2014). Identification of Bioactive Compounds by FTIR Analysis and In Vitro Antioxidant Activity of Clitoria ternaea Leaf and Flower Extracts. *Indo American Journal of Pharmaceutical Research*, 4(9), 3894–3903.

- Lestari, P. D., Yulviatun, A., & Martien, R. (2021). Physical and sensory characteristics of milk and white compound chocolate added with Asian pigeonwings flower (*Clitoria ternatea*). *E3S Web of Conference*, 01001(332).
- Li, H., Tsao, R., & Deng, Z. (2012). Factors affecting the antioxidant potential and health benefits of plant foods. *Can. J. Plant Sci.*, 92, 1101–1111. <https://doi.org/10.4141/CJPS2011-239>
- Marpaung, A. M. (2020). Tinjauan manfaat bunga telang (*clitoria ternatea* l.) bagi kesehatan manusia. *Journal of Functional and Nutraceutical*, 1(2), 47–69. <https://doi.org/10.33555/jffn.v1i2.30>
- Martini, S., Conte, A., & Tagliazucchi, D. (2018). NU SC. In *Food Research International*. Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2018.06.020>
- Mattia, C. D. Di, Sacchetti, G., Mastrocola, D., & Serafini, M. (2017). From Cocoa to Chocolate : The impact of Processing on In Vitro Antioxidant Activity and the effects of Chocolate on Antioxidant Markers In Vivo. *Frontiers in Immunology*, 8(1207), 1–7. <https://doi.org/10.3389/fimmu.2017.01207>
- Mehmood, A., Ishaq, M., Zhao, L., Yaqoob, S., Safdar, B., Nadeem, M., Munir, M., & Wang, C. (2018). Impact of Ultrasound and Conventional Exraction Techniques on Bioactive Compounds and Biological Activities of Blue Butterfly Pea Flower (*Clitoria ternatea* L.). *Ultrasonics - Sonochemistry*. <https://doi.org/10.1016/j.ultsonch.2018.10.013>
- Mellor, D. D., Amund, D., Georgousopoulou, E., & Naumovski, N. (2017). *Invited review Sugar and cocoa : sweet synergy or bitter antagonisms . Formulating cocoa and chocolate products for health: a narrative review.* 1–10. <https://doi.org/10.1111/ijfs.13651>
- Meng, C. C., Maleyki, A., Jalil, M., & Ismail, A. (2009). Phenolic and Theobromine Contents of Commercial Dark, Milk and White Chocolates on the Malaysian Market. *Molecules*, 14, 200–209. <https://doi.org/10.3390/molecules14010200>
- Mexis, S. F., Badeka, A. V, Riganakos, K. A., & Kontominas, M. G. (2010). Effect of active and modi fi ed atmosphere packaging on quality retention of dark chocolate with hazelnuts. *Innovative Food Science and Emerging Technologies*, 11(1), 177–186. <https://doi.org/10.1016/j.ifset.2009.09.001>
- Misnawi & Selamat. (2003). Effect of Cocoa Bean Polyphenols on Sensory Properties and Their Changes During Fermentation. *Pelita Perkebunan*, 19(2), 90-103.
- Misnawi., & Jinap, S. (2008). *Citarasa, Tekstur, dan Warna Cokelat dalam buku Panduan Lengkap KAKAO*. Jakarta: Penerbit Penebar Swadaya.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity. *J. Sci. Technol*, 26(2), 211–219.
- Mulato, S., & Suharyanto, E. (2014). *Kakao, Cokelat, dan Kesehatan*. Pusat Penelitian Kopi dan Kakao. Jember.
- Mulato, S., S.Widyatomo, Misnawi, E.Suharyanto, 2005.*Pengolahan Produk Primer dan Sekunder Kakao*. Pusat Penelitian Kopi Dan Kakao Indonesia, Jember.
- Muresan, C., Stan, L., Man, S., Scrob, S., & Muste, S. (2012). Sensory evaluation of bakery products and its role in determining of the consumer preferences. *Journal of Agroallmentary Processes and Technologies*, 18(4), 304–306.

- Naik, B., & Kumar, V. (2014). Cocoa Butter and Its Alternatives : A Reveiw. *Journal of Food, Nutrition and Packaging*, 01, 7–17.
- Nazaruddin, R., Seng, L. K., Hassan, O., & Said, M. (2006). Effect of pulp preconditioning on the content of polyphenols in cocoa beans (*Theobroma cacao*) during fermentation. *Industrial Crops and Products*, 24, 87–94. <https://doi.org/10.1016/j.indcrop.2006.03.013>
- Neda, G. D., Rabeta, M. S., & Ong, M. T. (2013). Chemical composition and anti-proliferative properties of flowers of *Clitoria Ternatea*. *International Food Research Journal*, 20(3), 1229–1234.
- Niranjana, M., Vaishnav, V., & Mankar, P. (2020). In-vitro analysis of antioxidant and antimicrobial properties of *Garcinia mangostana* L . (pericarp) and *Clitoria ternatea* (flower). *The Pharma Innovation Journal*, 9(3), 468–472.
- Onkar, P., Bangar, J., & Karodi, R. (2012). Evaluation of Antioxidant activity of traditional formulation Giloy satva and hydroalcoholic extract of the *Curculigo orchoides gaertn.* *Journal of Applied Pharmaceutical Science*, 02(06), 209–213. <https://doi.org/10.7324/JAPS.2012.2733>
- Padmawati, I. G. A., Pratiwi, I. D. P. K., & Wiadnyani, A. A. I. S. (2022). Pengaruh Penambahan Ekstrak Bunga Telang (*Clitoria ternatea* Linn) Terhadap Karakteristik Marshmallow. *Jurnal Ilmu Dan Teknologi Pangan*, 11(1), 43–54.
- Pamungkaningtyas, F. H., Fandy, S. J., & Septiyanto, J. P. (2024). The effect of butterfly pea (*Clitoria ternatea* L.) and roselle (*Hibiscus sabdariffa* L.) powder addition on the physicochemical and sensory properties of white chocolate ganache. *IOP Conf. Series: Earth and Enviromental Science*, 1324(012107), 1–9. <https://doi.org/10.1088/1755-1315/1324/1/012107>
- Pamungkas, J. D., Anam, K., & Kusriani, D. (2016). Penentuan Total Kadar Fenol dari Daun Kersen Segar , Kering dan Rontok (*Muntingia calabura* L.) serta Uji Aktivitas Antioksidan dengan Metode DPPH. *Jurnal Kimia Sains Dan Aplikasi*, 19(1), 15–20.
- Panggabean, T.R., Wahyudi, T., Pujiyanto., & Prawoto, A.A. (2008). *Panduan Lengkap Kakao: Manajemen Agribisnis dari Hulu Hingga Hilir*. Jakarta: Penerbit Penebar Swadaya.
- Pangkalan Ide. 2008. *Dark chocolate Healing*. Jakarta: PT Gramedia.
- Purba, E. C. (2020). Kembang Telang (*Clitoria ternatea* L.): Pemanfaatan dan Bioaktivitas. *Jurnal EduMatSains*, 4(2), 111–124.
- Purgiyanti, Purba, A. V., & Winarno, H. (2019). Penentuan Kadar Fenol Total Dan Uji Aktivitas Antioksidan Kombinasi Ekstrak Herba Pegagan (*Centella asiatica* L . Urban) dan Buah Mahkota Dewa (*Phaleria macrocarpa*(Scheff.) Boerl.). *Politeknik Harapan Bersama Tegal*, 8(2), 40–45.
- Ramlah, S., Yumas, M., Besar, B., & Hasil, I. (2017). Pengaruh Formulasi Dan Asal Biji Kakao Fermentasi Terhadap Mutu dan Citarasa Dark chocolate. *Jurnal Ilmu Dan Teknologi Pangan*, 12(1), 58–75.
- Schantz, B., & Rohm, H. (2005). Influence of lecithin – PGPR blends on the rheological properties of chocolate. *Lebensm.-Wiss. u.-Technol.*, 38, 41–45. <https://doi.org/10.1016/j.lwt.2004.03.014>

- Septian, M. H., Bayuaji, P., Sihite, M., Aeni, R. N., & Romadhon, W. (2020). The Effect of Storage Periods on The Physical and Organoleptic Properties of Brown Rice Polish. *Jurnal Nutrisi Ternak Tropis Dan Ilmu Pakan*, 2(4), 198–206.
- Setyaningsih, D., Rahmalia, R., & Sugiyono. (2000). Kajian Mikroenkapsulasi Ekstrak Vanili. *J. Tek. Ind. Pert.*, 19(2), 64–70.
- Setyaningsih, Dwi., Apriyanto, Anton., & Sari, Maya Puspita. (2010). *Analisis Sensori untuk Industri Pangan dan Agro*. IPB Press: Bogor.
- Shen, Y., Du, L., Zeng, H., Zhang, X., Prinyawiwatkul, W., & Alonso-marengo, J. R. (2016). Butterfly pea (*Clitoria ternatea*) seed and petal extracts decreased HEp-2 carcinoma cell viability. *International Journal of Food Science & Technology*, 51, 1860–1868. <https://doi.org/10.1111/ijfs.13158>
- Singh, N. K., Garabadu, D., Sharma, P., Shrivastava, S. K., & Mishra, P. (2018). Anti-allergy and anti-tussive activity of *Clitoria ternatea* L. in experimental animals. In *Journal of Ethnopharmacology*. Elsevier Ireland Ltd. <https://doi.org/10.1016/j.jep.2018.05.026>
- Sipahutar, Y. H., Suryanto, M. R., Ramli, H. K., Pratama, R. B., & Panjaitan, T. F. C. (2020). Organoleptic quality of whiteleg shrimp (*litopenaeus vannamei*) cultivated from intensive and traditional pond at Bulukumba District , South Sulawesi. *IOP Conf. Series: Earth and Enviromental Science*, 564, 1–6. <https://doi.org/10.1088/1755-1315/564/1/012040>
- Soares, S., Brand, E., Guerreiro, C., Soares, S., Mateus, N., & Freitas, V. De. (2020). Tannins in Food : Insights into the Molecular Perception of Astringency and Bitter Taste. *Molecules*, 25(2590), 1–26.
- Sumartini, Ikrawan, Y., & Muntaha, F. M. (2020). Analisis Bunga Telang (*Clitoria Ternatea*) Dengan Variasi Ph Metode Liquid Chromatograph-Tandem Mass Spectrometry (LC-MS / MS). *Pasundan Food Technology Journal*, 7(2), 70–77.
- Tamrin. (2023). *Katekin Biji Kakao (Antioksidan untuk Pangan Fungsional dan Penurunannya dalam Proses Pengolahan)*. Yogyakarta: Penerbit Deepublish.
- Tarigan, J, G, T, B. (2019). Optimasi Suhu, Waktu Pengeringan Sari Serai dan Jeruk Nipis Untuk Pembuatan Serbuk Kaya Antioksidan. *Skripsi*. Universitas Brawijaya. Malang.
- Tchouya, G. R. F., & Barhe, T. A. (2015). Comparative study of the anti-oxidant activity of the total polyphenols extracted from Hibiscus Sabdariffa L ., Glycine max L . Merr . , yellow tea and red wine through reaction with DPPH free radicals. *Arabian Journal of Chemistry*, 1–17. <https://doi.org/10.1016/j.arabjc.2014.11.048>
- Thomas, J., & Kurivilla, KM. (2012). Cinnamon. In: Peter KV (ed.) Handbook of Herbs and Spices. Vol. 1. 2nd ed. Woodhead Publishing Series in Food Science, Technology and Nutrition: Number 227. Woodhead Publishing: Oxford.
- Torres-Moreno, M., Torrescasana, E., Salas-Salvado, J., & Blanch, C. (2014). Nutritional composition and fatty acids profile in cocoa beans and chocolates with different geographical origin and processing conditions. *FOOD CHEMISTRY*. <https://doi.org/10.1016/j.foodchem.2014.05.141>
- Towaha, J. (2014). Kandungan Senyawa Polifenol Biji Kakao dan Kontribusinya Terhadap Kesehatan. *SIRINOV*, 2(1), 1–16.

- Ulimaz, T. A., Ustari, D., Aziza, V., Suganda, T., & Concibido, V. (2020). Genetic Diversity of Butterfly Pea [*Clitoria ternatea*] from Indonesia Based on Flower and Yield Component Traits in Two Land Condition. *Jurnal AgroBiogen*, 16(1), 1–6.
- Urbanska, B., & Kowalska, J. (2019). Comparison of the Total Polyphenol Content and Antioxidant Activity of Chocolate Obtained from Roasted and Unroasted Cocoa Beans from Different Regions of the World. *Antioxidants*, 8(283), 1–13.
- Vankar, P. S., & Srivasta, J. (2010). Evaluation of Anthocyanin Content in Red and Evaluation of Anthocyanin Content in Red and Blue Flowers. *International Journal of Food Engineering*, 6(4), 1–11. <https://doi.org/10.2202/1556-3758.1907>
- Waruwu, I. S., Rawar, E. A., & Kristiyani, A. (2023). Penetapan Kadar Flavonoid Total dan Fenolik Total Serta Uji Penghambatan Denaturasi Protein dalam Seduhan Teh Bunga Telang (*Clitoria ternatea* L.). *Majalah Farmasi Dan Farmakologi*, 27(2), 47–51. <https://doi.org/10.20956/mff.v27i2.26250>
- Weerasinghe, T., Perera, D., Silva, N. De, Poogoda, D., & Swarnathilaka, H. (2022). Butterfly pea : An emerging plant with applications in food and medicine. *The Pharma Innovation Journal*, 11(6), 625–637.
- Widayat, H. P., Andini, N., Nilda, C., Rahmi, F., & Muzaifa, M. (2024). Aktivitas Antioksidan, Sifat Fisik dan Sensori Es Krim Vanila Dengan Penambahan Bunga Telang (*Clitoria ternatea* L.). *Jurnal Agroindustri*, 14(01), 68–76. <https://doi.org/10.31186/j.agroind.14.1.68-76>
- Widiantara, T. (2004). Peningkatan Karakteristik Produk Cokelat Olahan Dengan Fortifikasi Inulin dan Soy Powder. Tesis. UNPAS, Bandung.
- Wiguna, P. A., Aji, M. P., & Yulianto, A. (2014). Sifat Mekanik Komposit Cokelat Batang dengan Filler Biji Mete. *Jurnal MIPA*, 37(2), 141–145.
- Winarno, F. G. 1991. *Kimia Pangan dan Gizi*. Penerbit: PT Gramedia Pustaka Utama, Jakarta.
- Yanus, R. L., Sela, H., Borojovich, E. J. C., Zakon, Y., Saphier, M., Nikolski, A., Gut, E., Lorber, A., & Karpas, Z. (2014). Trace elements in cocoa solids and chocolate : An ICPMS study. *Talanta*, 119, 1–4. <https://doi.org/10.1016/j.talanta.2013.10.048>
- Yoriska, D. P., Praseptiangga, D., & Khasanah, L. U. (2019). Panelist acceptance level and characterization of physical and chemical properties on dark chocolate bar with addition of kaffir lime (*Citrus hystrix* DC.) leaf essential oil Panelist acceptance level and characterization of physical and chemical propert. *International Conference on Food Science and Engineering*, 633, 1–6. <https://doi.org/10.1088/1757-899X/633/1/012031>
- Yuan, S., Li, X., Jin, Y., & Lu, J. (2017). Chocolate Consumption and Risk of Coronary Heart Disease, Stroke, and Diabetes: A Meta-Analysis of Prospective Studies. *Nutrients*, 9(688), 1–10. <https://doi.org/10.3390/nu9070688>
- Yuslianti, Euis Reni. (2018). *Pengantar Radikal Bebas dan Antioksidan*. Yogyakarta: Penerbit Deepublish.

- Zakaria, N. N. A., Okello, E. J., Howes, M.-J., Machin, M. A. B., & Bowman, A. (2018). In vitro protective effects of an aqueous extract of *Clitoria ternatea* L . flower against hydrogen peroxide - induced cytotoxicity and UV - induced mtDNA damage in human keratinocytes. *Phytotherapy Research*, January, 1–9. <https://doi.org/10.1002/ptr.6045>
- Zugravu, C., & Otelea, M. R. (2019). Dark chocolate : To Eat or Not to Eat ? A Review. *Journal of AOAC International*, 102(5), 1388–1396.
- Zussiva, A., Laurent, B. K., & Budiya, C. S. (2012). Ekstraksi Dan Analisis Zat Warna Biru (Anthothosianin) dari Bunga Telang (*Clitoria ternatea*) Sebagai Pewarna Alami. *Jurnal Teknologi Kimia Dan Industri*, 1(1), 356–365.
- Żyżelewicz, D., Krysiak, W., Oracz, J., Sosnowska, D., Budryn, G., & Nebesny, E. (2016). The Influence of The Roasting Process Conditions on The Polyphenol Content in Cocoa Beans. *Food Research International*. <https://doi.org/10.1016/j.foodres.2016.03.026>.