

DAFTAR PUSTAKA

- Ahmed, J., & Ramaswamy, H. S. (2006). Viscoelastic properties of sweet potato puree infant food. *Journal of Food Engineering*, 74(3), 376–382. <https://doi.org/10.1016/j.jfoodeng.2005.03.010>
- Aryanti, N., Kharis, D., & Abidin, Y. (2015). Ekstraksi glukomanan dari porang lokal (*Amorphophallus oncophyllus* dan *Amorphophallus muerelli blume*). *Metana*, 11(01), 21–30.
- Baijens, L. W. J., Clavé, P., Cras, P., Ekberg, O., Forster, A., Kolb, G. F., Leners, J. C., Masiero, S., Mateos-Nozal, J., Ortega, O., Smithard, D. G., Speyer, R., & Walshe, M. (2016). European society for swallowing disorders - european union geriatric medicine society white paper: oropharyngeal dysphagia as a geriatric syndrome. *Clinical Interventions in Aging*, 11, 1403–1428. <https://doi.org/10.2147/CIA.S107750>
- Barczi, S. R., Sullivan, P. A., & Robbins, J. A. (2000). How should dysphagia care of older adults differ? Establishing optimal practice patterns. *Seminars in speech and language*, 21(4), 347–361. <https://doi.org/10.1055/s-2000-8387>
- Barnes, H. A. (2000). A Handbook of elementary rheology. In *Polymer Composites* (Vol. 6, Issue 4). Cambrian Printers.
- Behera, S. S., & Ray, R. C. (2016). Konjac glucomannan, a promising polysaccharide of *Amorphophallus konjac* K. Koch in health care. *International Journal of Biological Macromolecules*, 92, 942–956. <https://doi.org/10.1016/j.ijbiomac.2016.07.098>
- Bolivar-prados, M., Hayakawa, Y., Tomsen, N., Arreola, V., Nascimento, W., Riera, S., Kawakami, S., Miyaji, K., Takeda, Y., Kayashita, J., & Clavé, P. (2023). Shear-viscosity-dependent effect of a gum-based thickening product on the safety of swallowing in older patients. *Nutrients*, 10, 1–15.
- Cardello, A. V., Maller, O., Masor, H. B., Dubose, C., & Edelman, B. (1985). Role of consumer expectancies in the acceptance of novel foods. *Journal of Food Science*, 50(6), 1707–1714. <https://doi.org/10.1111/j.1365-2621.1985.tb10571.x>
- Chatpong, U., Apichartsrangkoon, A., & Bell, A. E. (2007). Effects of hydrocolloid addition and high pressure processing on the rheological properties and microstructure of a commercial ostrich meat product “Yor” (Thai sausage). *Meat Science*, 76(3), 548–554. <https://doi.org/10.1016/j.meatsci.2007.01.012>
- Chen, C. C. H., Schilling, L. S., & Lyder, C. H. (2001). A concept analysis of malnutrition in the elderly. *Journal of Advanced Nursing*, 36(1), 131–142. <https://doi.org/10.1046/j.1365-2648.2001.01950.x>
- Chen, J., & Lolivret, L. (2011). The determining role of bolus rheology in triggering a swallowing. *Food Hydrocolloids*, 25(3), 325–332. <https://doi.org/10.1016/j.foodhyd.2010.06.010>
- Chen, Y., Zhao, H., Liu, X., Li, Z., Liu, B., Wu, J., Shi, M., Norde, W., & Li, Y. (2016). Tempo-oxidized Konjac glucomannan as appliance for the preparation of hard capsules. *Carbohydrate Polymers*, 143, 262–269. <https://doi.org/10.1016/j.carbpol.2016.01.072>
- Cho, H. M., & Yoo, B. (2015). Rheological characteristics of cold thickened beverages containing xanthan gum-based food thickeners used for dysphagia diets. *Journal of*

the Academy of Nutrition and Dietetics, 115(1), 106–111.
<https://doi.org/10.1016/j.jand.2014.08.028>

Cichero JAY. Age-related changes to eating and swallowing impact frailty: aspiration, choking risk, modified food texture and autonomy of choice. *Geriatrics (Basel)*. 2018 Oct 12;3(4):69. doi: 10.3390/geriatrics3040069. PMID: 31011104; PMCID: PMC6371116.

Cichero, J. A. Y., Steele, C., Duivestein, J., Clavé, P., Chen, J., Kayashita, J., Dantas, R., Lecko, C., Speyer, R., Lam, P., & Murray, J. (2013). The need for international terminology and definitions for texture-modified foods and thickened liquids used in dysphagia management: foundations of a global initiative. *Current Physical Medicine and Rehabilitation Reports*, 1(4), 280–291. <https://doi.org/10.1007/s40141-013-0024-z>

Dahl, A., Campos, J. J., Anderson, D. I., Uchiyama, I., Witherington, D. C., Ueno, M., Poutrain-Lejeune, L., & Barbu-Roth, M. (2013). The Epigenesis of Wariness of Heights. *Psychological Science*, 24(7), 1361–1367. <https://doi.org/10.1177/0956797613476047>

Ditchfield, C., Tadini, C. C., Singh, R., & Toledo, R. T. (2004). Rheological properties of banana puree at high temperatures. *International Journal of Food Properties*, 7(3), 571–584. <https://doi.org/10.1081/JFP-200032973>

Flynn, J. T., Daniels, S. R., Hayman, L. L., Maahs, D. M., McCrindle, B. W., Mitsnefes, M., Zachariah, J. P., & Urbina, E. M. (2014). Update: Ambulatory blood pressure monitoring in children and adolescents: A scientific statement from the American Heart Association. *Hypertension*, 63(5), 1116–1135. <https://doi.org/10.1161/HYP.0000000000000007>

Funami, T. (2011). Food hydrocolloids next target for food hydrocolloid studies : texture design of foods using hydrocolloid technology. *Food Hydrocolloids*, 25(8), 1904–1914. <https://doi.org/10.1016/j.foodhyd.2011.03.010>

Funami, T., Ishihara, S., Nakauma, M., Kohyama, K., & Nishinari, K. (2012). Food hydrocolloids texture design for products using food hydrocolloids. *Food Hydrocolloids*, 26(2), 412–420. <https://doi.org/10.1016/j.foodhyd.2011.02.014>

Gesari I.R.P. (2019). Karakteristik fisik dan reologi mayones berbasis fibril isolat protein kedelai. Skripsi. IPB Bogor. Bogor. <http://repository.ipb.ac.id/handle/123456789/98066>

Hickson, M. (2006). Malnutrition and ageing. *Postgraduate Medical Journal*, 82(963), 2–8. <https://doi.org/10.1136/pgmj.2005.037564>

Hua, Y., Cui, S. W., Wang, Q., Mine, Y., & Poysa, V. (2005). Heat induced gelling properties of soy protein isolates prepared from different defatted soybean flours. *Food Research International*, 38(4), 377–385. <https://doi.org/10.1016/j.foodres.2004.10.006>

Hudson, H. M., Daubert, C. R., & Mills, R. H. (2000). The interdependency of protein-energy malnutrition, aging, and dysphagia. *Dysphagia*, 15(1), 31–38. <https://doi.org/10.1007/s004559910007>

Ishihara, S., Nakauma, M., Funami, T., Odake, S., & Nishinari, K. (2011). Swallowing profiles of food polysaccharide gels in relation to bolus rheology. *Food Hydrocolloids*, 25(5), 1016–1024. <https://doi.org/10.1016/j.foodhyd.2010.09.022>

Jin, Y., Zhang, H., Yin, Y., & Nishinari, K. (2006). Comparison of curdlan and its

- carboxymethylated derivative by means of Rheology, DSC, and AFM. *Carbohydrate Research*, 341(1), 90–99. <https://doi.org/10.1016/j.carres.2005.11.003>
- Khan, M., Salahuddin, T., & Chu, Y. (2021). Analysis of the carreau fluid model presenting physical properties along different molecular axes near an anisotropic rough surface. *International Communications in Heat and Mass Transfer*, 123, 105233. <https://doi.org/10.1016/j.icheatmasstransfer.2021.105233>
- Khan, M., Sardar, H., Gulzar, M. M., & Alshomrani, A. S. (2018). On multiple solutions of non-newtonian carreau fluid flow over an inclined shrinking sheet. *Results in Physics*, 8, 926–932. <https://doi.org/10.1016/j.rinp.2018.01.021>
- Lam, P., Stanschus, S., Zaman, R., & Cichero, J. A. (2017). The international dysphagia diet standardisation initiative (iddsi) framework: the kempen pilot. *British Journal of Neuroscience Nursing*, 13(Sup2), S18–S26. <https://doi.org/10.12968/bjnn.2017.13.sup2.s18>
- Li, J., Ye, T., Wu, X., Chen, J., Wang, S., Lin, L., & Li, B. (2014). Preparation and characterization of heterogeneous deacetylated konjac glucomannan. *Food Hydrocolloids*, 40, 9–15. <https://doi.org/10.1016/j.foodhyd.2014.02.001>
- Liu, F., Zou, H., Peng, J., Hu, J., Liu, H., Chen, Y., & Lu, F. (2016). Removal of copper using deacetylated konjac glucomannan conjugated soy protein isolate. *International Journal of Biological Macromolecules*, 86, 338–344. <https://doi.org/10.1016/j.ijbiomac.2016.01.092>
- Logemann, J. A. (2007). Swallowing disorders. *Best Practice and Research in Clinical Gastroenterology*, 21(4), 563–573. <https://doi.org/10.1016/j.bpg.2007.03.006>
- Lukhmana, N., Kong, F., Kerr, W. L., & Singh, R. K. (2018). Rheological and structural properties of tart cherry puree as affected by particle size reduction. *Food Science and Technology*, 90(August 2017), 650–657. <https://doi.org/10.1016/j.lwt.2017.11.032>
- Marik, P. E., & Kaplan, D. (2003). reviews Aspiration Pneumonia and Dysphagia in the Elderly *. *CHEST*, 124(1), 328–336. <https://doi.org/10.1378/chest.124.1.328>
- Martino, R., Foley, N., Bhogal, S., Diamant, N., Speechley, M., & Teasell, R. (2005). Dysphagia after stroke: Incidence, diagnosis, and pulmonary complications. *Stroke*, 36(12), 2756–2763. <https://doi.org/10.1161/01.STR.0000190056.76543.eb>
- Matsuo K, Palmer JB. Anatomy and physiology of feeding and swallowing: normal and abnormal. *Phys Med Rehabil Clin N Am*. 2008 Nov;19(4):691-707, vii. doi: 10.1016/j.pmr.2008.06.001. PMID: 18940636; PMCID: PMC2597750.
- Moelants, K. R. N., Cardinaels, R., Jolie, R. P., Verrijssen, T. A. J., Van Buggenhout, S., Zumalacarregui, L. M., Van Loey, A. M., Moldenaers, P., & Hendrickx, M. E. (2013). Relation between particle properties and rheological characteristics of carrot-derived suspensions. *Food and Bioprocess Technology*, 6(5), 1127–1143. <https://doi.org/10.1007/s11947-011-0718-0>
- Morley, J. E., Malmstrom, T. K., & Miller, D. K. (2012). A simple frailty questionnaire (frail) predicts outcomes in middle aged african americans. *Journal of Nutrition, Health & Aging*, 16(7), 601–608. <https://doi.org/10.1007/s12603-012-0084-2>
- Mullineux, G. (2008). Non-linear least squares fitting of coefficients in the Herschel-Bulkley model. *Applied Mathematical Modelling*, 32(12), 2538–2551. <https://doi.org/10.1016/j.apm.2007.09.010>
- Ney, D. M., Weiss, J. M., Kind, A. J. H., & Robbins, J. (2009). Senescent swallowing:

- Impact, strategies, and interventions. In *Nutrition in Clinical Practice* (Vol. 24, Issue 3, pp. 395–413). <https://doi.org/10.1177/0884533609332005>
- Nishinari, K., Takemasa, M., Su, L., Michiwaki, Y., Mizunuma, H., & Ogoshi, H. (2011). Effect of shear thinning on aspiration - Toward making solutions for judging the risk of aspiration. *Food Hydrocolloids*, 25(7), 1737–1743. <https://doi.org/10.1016/j.foodhyd.2011.03.016>
- Penman, J. P., & Thomson, M. (1998). REVIEW A review of the textured diets developed for the management of dysphagia. *Journal of Human Nutrition and Dietetics*, 11(1), 51–60.
- Perlman Z. E., Michael D Slack, Yan Feng, Timothy J Mitchison, and L. F. W. (2004). Multidimensional Drug Profiling By Automated Microscopy. *Science*, 306(November), 1194–1198.
- Rao, M. A., & Tattiyakul, J. (1999). Granule size and rheological behavior of heated tapioca starch dispersions. *Carbohydrate Polymers*, 38(2), 123–132. [https://doi.org/10.1016/S0144-8617\(98\)00112-X](https://doi.org/10.1016/S0144-8617(98)00112-X)
- Rodd, B. G., Tas, A. A., & Taylor, K. D. A. (2021). Dysphagia, texture modification, the elderly and micronutrient deficiency: a review. *Critical Reviews in Food Science and Nutrition*, 62(26), 7354–7369. <https://doi.org/10.1080/10408398.2021.1913571>
- Saha, D., & Bhattacharya, S. (2010). Hydrocolloids as thickening and gelling agents in food: A critical review. *Journal of Food Science and Technology*, 47(6), 587–597. <https://doi.org/10.1007/s13197-010-0162-6>
- Shah, B. R., Li, B., Wang, L., Liu, S., Li, Y., Wei, X., Zhenshun, L. (2015). Health benefits of konjac glucomannan with special focus on diabetes. *Bioactive Carbohydrates and Dietary Fibre*, 5(2), 179–187. <https://doi.org/10.1016/j.bcdf.2015.03.007>
- Steffe, J. F. (1996). Rheological methods in food process engineering (2nd ed.). Freeman Press. <http://linkinghub.elsevier.com/retrieve/pii/0260877494900906>
- Supriyanto, A. (2019). Supriyanto Agus. 2019. Karakteristik fisik dan reologi mayones berbasis isolat protein kedelai. Skripsi. IPB Bogor. Bogor. <http://repository.ipb.ac.id/handle/123456789/98066>
- Tester, R. F., & Al-Ghazzewi, F. H. (2016). Beneficial health characteristics of native and hydrolysed konjac (*Amorphophallus konjac*) glucomannan. *Journal of the Science of Food and Agriculture*, 96(10), 3283–3291. <https://doi.org/10.1002/jsfa.7571>
- Ullrich S, & Crichton J. (2015). Older people with dysphagia: transitioning to texture-modified food. *British Journal of Nursing*, 24(13), 687–692.
- Vajravelu, K., & Prasad, K. V. (2014). Mechanical engineering flow and heat transfer of an Ostwald – de Waele fluid over an unsteady stretching surface. *Ain Shams Engineering Journal*, 5(1), 157–167. <https://doi.org/10.1016/j.asej.2013.07.009>
- Van Hecke, E., Nguyen, P. U., Clausse, D., & Lanoisellé, J. L. (2012). Flow behaviour of carrot puree: Modelling the influence of time, temperature and potato flakes addition. *International Journal of Food Science and Technology*, 47(1), 177–185. <https://doi.org/10.1111/j.1365-2621.2011.02824.x>
- Wang, S., Zhou, B., Wang, Y., & Li, B. (2015). Preparation and characterization of konjac glucomannan microcrystals through acid hydrolysis. *Food Research International*, 67, 111–116. <https://doi.org/10.1016/j.foodres.2014.11.008>

- Wei, Y., Guo, Y., Li, R., Ma, A., Zhang, H., Rheological characterization of polysaccharide thickeners oriented for dysphagia management: Carboxymethylated curdlan, konjac glucomannan and their mixtures compared to xanthan gum. *Food Hydrocolloids*, 2021; 110, 106198.
- Wendin, K., Ekman, S., Bu, M., Ekberg, O., Johansson, D., & Rothenberg, E. (2010). Objective and quantitative definitions of modified food textures based on sensory and rheological methodology. *Food & Nutrition Research*, 1, 1–12. <https://doi.org/10.3402/fnr.v54i0.5134>
- Widjaja, B. (2018). Model bingham dan herschel-bulkley untuk viskositas lumpur sidoarjo model bingham dan herschel-bulkley untuk viskositas lumpur sidoarjo menggunakan flow box test. *Universitas Katolik Parahyangan*, 2, 47–48.
- Yanuriati, A., Marseno, D. W., Rochmadi, & Harmayani, E. (2017). Characteristics of glucomannan isolated from fresh tuber of Porang (*Amorphophallus muelleri Blume*). *Carbohydrate Polymers*, 156, 56–63. <https://doi.org/10.1016/j.carbpol.2016.08.080>
- Yaseen, E. I., Herald, T. J., Aramouni, F. M., & Alavi, S. (2005). Rheological properties of selected gum solutions. *Food Research International*, 38(2), 111–119. <https://doi.org/10.1016/j.foodres.2004.01.013>
- Yoon, S. N., & Yoo, B. (2016). Effect of pH on rheological properties of dysphagia-oriented thickened water. *Preventive Nutrition and Food Science*, 21(1), 73–77. <https://doi.org/10.3746/pnf.2016.21.1.73>
- Zainuri, Sulastri, Y., & Gautama, I. K. Y. (2020). Karakteristik mutu es krim ubi jalar ungu dengan penstabil tepung porang. *Indonesian Journal of Applied Science and Technology*, 1(4), 134–142.
- Zarim N. A., Abidin S. Z., A. F. (2018). Rheological studies on the effect of different thickeners in texture- modified chicken rendang for individuals with dysphagia. *Journal of Food Science and Technology*, 55(11), 4522–4529. <https://doi.org/10.1007/s13197-018-3386-5>
- Zengeni, B. T. (2016). Bingham yield stress and Bingham plastic viscosity of homogeneous non-Newtonian slurries (Master's thesis). Cape Peninsula University of Technology. <https://core.ac.uk/display/148366243>
- Zhang, C., Chen, J. Da, & Yang, F. Q. (2014). Konjac glucomannan, a promising polysaccharide for OCDDS. *Carbohydrate Polymers*, 104(1), 175–181. <https://doi.org/10.1016/j.carbpol.2013.12.081>
- Zhang, H., Nishinari, K., Williams, M. A. K., Foster, T. J., & Norton, I. T. (2002). A molecular description of the gelation mechanism of curdlan. *International Journal of Biological Macromolecules*, 30(1), 7–16. [https://doi.org/10.1016/S0141-8130\(01\)00187-8](https://doi.org/10.1016/S0141-8130(01)00187-8)