

## DAFTAR PUSTAKA

- Abraham, Y. J., Moore, D., & Godwin, G. (1990). Rearing and aspects of biology of *Cephalonomia stephanoderis* and *Prorops nasuta* (Hymenoptera: Bethyridae) parasitoids of the coffee berry borer, *Hypothenemus hampei* (Coleoptera: Scolytidae). *Bulletin of Entomological Research*, 80(2), 121-128.
- Ade AM, Suwanto & S Nurfaaqa. 2016. Pengendalian hama penggerek buah kopi (*Hypothenemus hampei* Ferr.) pada tanaman kopi Arabika (*Coffea arabica* L.) di kebun Rante Karua Tana Toraja Sulawesi Selatan. Universitas Lambung Mangkurat Press (1): 150 – 155.
- Afifah DN & NK Indah. 2023. Penanda karakter dan hubungan kekerabatan kultivar kopi robusta (*Coffea canephora*) di Jember berdasarkan karakter morfologi. *LenteraBio: Berkala Ilmiah Biologi* 12(1): 90-101. DOI: <https://doi.org/10.26740/lenterabio.v12n1.p90-101>
- Apriani N, HU Maritsa & H Riany. 2023. Identifikasi tingkat serangan serangga penggerek (*Hypothenemus hampei*) tanaman kopi dan musuh alaminya. *Biosciences* 3(2): 1-8. DOI: <http://dx.doi.org/10.24042/organisms.v3i2.17982>
- Arifin RDN, A Suroto & B Prakoso. 2022. Identifikasi tingkat serangan *Hypothenemus hampei* dan musuh alaminya pada tanaman kopi di Pesangkalan, Pegedongan, Banjarnegara. *Jurnal Ilmiah Pertanian* 18(2): 126-133. DOI: <http://dx.doi.org/10.31941/biofarm.v18i2.1710>
- Aristizabal LF, MA Johnson, YA Mariño, P Bayman & MG Wright. 2023. Establishing an integrated pest management program for coffee berry borer (*Hypothenemus hampei*) in Hawaii and Puerto Rico coffee agroecosystems: achievements and challenges. *Insects* 14 (7): 96-110. DOI: <https://doi.org/10.3390/insects14070603>
- Aristizábal, L. F., Bustillo, A. E., & Arthurs, S. P. (2016). Integrated pest management of coffee berry borer: strategies from Latin America that could be useful for coffee farmers in Hawaii. *Insects*, 7(1), 6.
- Azrag, A. G., Yusuf, A. A., Pirk, C. W., Niassy, S., Mbugua, K. K., & Babin, R. (2019). Temperature-dependent development and survival of immature stages of the coffee berry borer *Hypothenemus hampei* (Coleoptera: Curculionidae). *Bulletin of Entomological Research*, 110(3), 207-210.

- Azrag, A. G., Yusuf, A. A., Pirk, C. W., Niassy, S., Mbugua, K. K., & Babin, R. (2020). Temperature-dependent development and survival of immature stages of the coffee berry borer *Hypothenemus hampei* (Coleoptera: Curculionidae). *Bulletin of Entomological Research*, 110(2), 207-218.
- Badan Pusat Statistik. 2024. Produksi perkebunan kopi menurut Kecamatan di Kabupaten Kerinci 2023. Tersedia di <https://kerincikab.bps.go.id>. Diakses pada 15 Maret 2024.
- Baker PS. 1984. Some aspects of the behavior of the coffee berry borer in relation to its control in southern Mexico (Coleoptera, Scolytidae). *Folia Entomológica Mexicana* 61: 9-24. DOI: <https://www.cabidigitallibrary.org/doi/full/10.5555/19860530501>
- Baltazar, A. M. P., & INOCENCIO, J. E. B. (2019). Leaf architectural analysis of taxonomically confusing coffee species: *Coffea liberica* and *Coffea liberica* var. *dewevrei*. *Biodiversitas Journal of Biological Diversity*, 20(6).
- Bayjili MF, T Chamzurni, J jauharlina. 2023. Pengaruh Kerapatan Tanaman Penaung terhadap Tingkat Serangan Hama Penggerek Buah Kopi (*Hypothenemus hampei*) dan Cendawan Entomopatogen *Beauveria bassiana* di Perkebunan Kopi Arabika Gayo. *Jurnal Ilmiah Mahasiswa Pertanian* (8):4. E-ISSN:2614-6053. DOI : <https://doi.org/10.17969/jimfp.v8i4.27972>
- Bunn, C., Läderach, P., Ovalle Rivera, O., & Kirschke, D. (2015). A bitter cup: climate change profile of global production of Arabica and Robusta coffee. *Climatic change*, 129(1), 89-101.
- Budiman, H. 2012. Prospek Tinggi Bertanam Kopi. Pustaka Baru Press.Yogyakarta.
- Cui, L., Hanika, K., Visser, R. G., & Bai, Y. (2020). Improving pathogen resistance by exploiting plant susceptibility genes in coffee (*Coffea* spp.). *Agronomy*, 10(12), 1928.
- DaMatta, F. M., Rahn, E., Läderach, P., Ghini, R., & Ramalho, J. C. (2019). Why could the coffee crop endure climate change and global warming to a greater extent than previously estimated?. *Climatic change*, 152, 167-178.
- Damon, A. (2000). A review of the biology and control of the coffee berry borer, *Hypothenemus hampei* (Coleoptera: Scolytidae). *Bulletin of entomological research*, 90(6), 453-465.
- Dikdayan & Arifin. Kajian Iklim Mikro Tanaman Kopi Sistem Agroforestri di UB Forest. *Jurnal Produksi Tanaman* 10(6): 345-349. ISSN: 2527-8452. DOI: <http://dx.doi.org/10.21776/ub.protan.2022.010.07.01>

- Dinas Pertanian Tanjung Jabung Barat. (2022). Laporan Produksi dan Serangan Hama Kopi Liberika.
- Direktorat Jenderal Perkebunan. 2010. Organisme Pengganggu Tumbuhan (OPT) Tanaman Perkebunan. Kementerian Pertanian, Jakarta.efa
- Efandri O, H Hamdani & D Supriyatdi. 2019. Keragaman intensitas serangan hama penggerek buah kopi (*Hypothenemus hampei* Ferrari) pada beberapa sentra produksi kopi Robusta Provinsi Lampung. Jurnal Penelitian Pertanian Terapan 19(3): 244-249. ISSN: 2047-1781. DOI: <https://doi.org/10.25181/jppt.v19i3.1523>
- Erfan M, H Purnomo & NT Haryadi. 2019. Siklus hidup penggerek buah kopi (*Hypothenemus hampei* Ferr.) pada perbedaan pakan alami buah kopi dan pakan buatan. Berkala Ilmiah Pertanian 2(2): 82-86.
- Fintasari J, S Rasnovi, Y Yunita & S Suwarno. 2018. Fase pertumbuhan dan karakter morfologi kumbang penggerek buah kopi, *Hypothenemus hampei* Ferrari (Coleoptera : Scolytidae) pada umur buah berbeda. Jurnal Bioleuser 2(2):41-45. DOI: <https://doi.org/10.24815/bioleuser.v2i2.14885>
- Firdaus. 2015. Mengenal Lebih Dekat Hama Penggerek Buah Kopi (PBKo) *Hypothenemus hampei*. Balai Pengkajian Teknologi Pertanian Aceh.
- Fitriyah IR, T Harika, MW Saragih & A Khoiriya. 2023. Populasi dan sebaran penggerek buah kopi (*Hypothenemus hampei*) pada beberapa jenis kopi di Kabupaten Bondowoso. Nusantara Journal of Multidisciplinary Science 1(4):766-772. DOI: <https://jurnal.intekom.id/index.php/njms/article/view/145>
- García-Méndez, V., González-Gómez, R., Toledo, J., Valle-Mora, J. F., & Barrera, J. F. (2024). *Effect of microclimate on the mass emergence of Hypothenemus hampei in coffee grown under shade of trees and in full sun exposure.* Insects, 15(2), 124. <https://doi.org/10.3390/insects15020124>
- Gemasih M, Djufri, Abdullah & Hasanuddin. 2022. Pest distribution pattern of *Hypothenemus hampei* in Arabica coffee plantations. Science and Education 1(1): 1–6. DOI: <https://doi.org/10.37276/sjse.v1i1.135>
- Girsang W, R Purba & R Rudiyanono. 2020. Intensitas serangan hama penggerek buah kopi (*Hypothenemus hampei* Ferr.) pada tingkat umur tanaman yang berbeda dan upaya pengendalian memanfaatkan atraktan. Journal Tabaro Agriculture Science 4(1): 27-34. DOI: <https://doi.org/10.35914/tabaro.v4i1.358>
- Gutiérrez-Martínez A & RN Ondarza. 1996. Kairomone effect of extracts from *Coffea canephora* over *Hypothenemus hampei* (Coleoptera:

Scolytidae). *Environmental Entomology* 25(1):96–100. DOI: <https://doi.org/10.1093/ee/25.1.96>

Gomez, K. A., & Gomez, A. A. (1984). *Statistical procedures for agricultural research*. John Wiley & Sons.

Hafif, B., Ferry, Y., Martono, B., Harni, R., Sasmita, K. D., Saidi, B. B., ... & Ibrahim, M. S. D. (2024). Liberica coffee as an alternative cropping system for sustainable farming on Indonesian Peatlands. *International Journal of Agricultural and Biological Engineering*, 17(1), 180-188.

Hamilton LJ, RG Hollingsworth, M Sabado-Halpern, NC Manoukis, PA Follett & MA Johnson. 2019. Coffee berry borer (*Hypothenemus hampei*) (Coleoptera: Scolytidae) development across an elevational gradient on Hawai'i Island: Applying laboratory degree-day predictions to natural field populations. *Plos One* 14(7) :1–16. DOI: <https://doi.org/10.1371/journal.pone.0218321>

Hergoualc'h, K., Carmenta, R., Atmadja, S., Martius, C., Murdiyarso, D., & Purnomo, H. (2018). Managing peatlands in Indonesia: challenges and opportunities for local and global communities.

Ijala, J. B., Jaramillo, J., & Rware, H. (2018). *Parasitism of Hypothenemus hampei in different coffee agroecosystems in Uganda*. *International Journal of Tropical Insect Science*, 38(1), 44–52.

Jaramillo, J., Chabi-Olaye, A., Kamonjo, C., Jaramillo, A., Vega, F. E., Poehling, H. M., & Borgemeister, C. (2009). *Thermal tolerance of the coffee berry borer Hypothenemus hampei: predictions of climate change impact on a tropical insect pest*. *PloS one*, 4(8).

Jaramillo J, A Chabi-Olaye, C Kamonjo, A Jaramillo, FE Vega, HM Poehling & C Borgemeister. 2009. Thermal tolerance of the coffee berry borer *Hypothenemus hampei*: predictions of climate change impact on a tropical insect pest. *Plos One* 4(8) :1–11. DOI: <https://doi.org/10.1371/journal.pone.0006487>

Johnson MA & NC Manoukis. 2020. Abundance of coffee berry borer in feral, abandoned and managed coffee on Hawaii Island. *Journal of Applied Entomology* 144(10): 920-928. DOI: <https://doi.org/10.1111/jen.12804>

Johnson, M. A., & Manoukis, N. C. 2021. *Influence of seasonal and climatic variables on coffee berry borer (Hypothenemus hampei) flight activity in Hawaii*. *PLOS ONE*, 16(12), e0257861.

<https://doi.org/10.1371/journal.pone.0257861>

- Kaimuddin, K., Alwi, M., & Aminah, A. 2021. *Effect of climatic factors on the level of coffee berry borer (Hypothenemus hampei) attack on smallholder coffee plantation in Tana Toraja Regency*. IOP Conf. Series: Earth and Environmental Science, 807(4), 042049. <https://doi.org/10.1088/1755-1315/807/4/042049>
- Kalshoven LGE. 1981. *The Pest of Crops in Indonesia*. Ichtiar Baru-Van Hoeve, Jakarta.
- Kristanto, D., & Saputro, H. 2021. *Pengendalian Hama Terpadu dalam Budidaya Tanaman Perkebunan*. Yogyakarta: Agro Media.
- Leonardo, V., & Milantara, N. 2023. Pests And Diseases Of Arabika Coffee (Coffea Arabika) In Hkm Solok Radjo, Aie Dingin, Lembang Gumanti District, Solok District, West Sumatra Province. *Sylva: Jurnal Penelitian Ilmu-Ilmu Kehutanan*, 12(1), 12-20.
- Langkai H, J Rimbing & NN Wanta. 2023. Persentase serangan hama penggerek buah kopi (*Hypothenemus hampei* Ferr.) (Coleoptera : Scolytidae) pada pertanaman kopi Robusta (*DRO canephora*) di Desa Sumber Rejo Kecamatan Modayag. *Jurnal Entomologi dan Fitopatologi* 3(1):1-9.  
DOI:<https://ejournal.unsrat.ac.id/v3/index.php/enfit/article/view/51118>
- Le Pelley RH. 1968. *Pests of coffee*. London: (Longmans, Green and Co. Ltd., London). 590
- Maharani, R. (2023). *PENGARUH FERMENTASI KOPI LIBERIKA (Coffea liberica) MENGGUNAKAN BAKTERI LACTOBACILLUS PLANTARUM TERHADAP SIFAT SENSORI DAN SENYAWA KIMIA* (Doctoral dissertation, Universitas Jambi).
- Martínez, H. M., Rojas, C. A., & Morales, J. P. (2024). *Effect of microclimate on the mass emergence of Hypothenemus hampei in coffee grown under shade of trees and in full sun exposure*. *Insects*, 15(2), 124. <https://doi.org/10.3390/insects15020124>
- Mawardhi, A. D., & Setiadi, D. (2019). *Strategi pemanfaatan lahan gambut melalui pengembangan agroforestri kopi liberika (Coffea liberica)*. *Seminar Nasional Lahan Suboptimal*, 43-51.
- Mawardhi, A. D., & Setiadi, D. (2019, March). *Strategi pemanfaatan lahan gambut melalui pengembangan agroforestri kopi liberika (Coffea liberica)*. In *Seminar Nasional Lahan Suboptimal* (pp. 43-51).

Murpratama, D. I. (2020). Pengamatan Karakteristik Morfologi Kopi Liberika Di Pusat Penelitian Kopi Dan Kakao Indonesia.

Nadiawati S. 2021. Penggerek Buah Kopi (*Hypothenemus hampei* Ferr.) Pada Kopi Arabika (*Coffea arabica* L.): Morfologi, Gejala Serangan dan Tingkat Kerusakan. *Skripsi*. Fakultas Pertanian. Universitas Andalas. Padang. DOI: <http://scholar.unand.ac.id/id/eprint/98159>

Nadiawati S, A Adrinal & S Efendi. 2023. Perbandingan tingkat kerusakan buah kopi oleh hama penggerek (*Hypothenemus hampei* Ferr.) pada perkebunan kopi Arabika (*Coffea arabica* L.) dengan ketinggian berbeda. *Media Pertanian* 8(1): 47-58. DOI: <https://doi.org/10.37058/mp.v8i1.6972>

Novianti R, RF Rahayuniati & A Suroto. 2023. Penanganan pascapanen kopi robusta baseh terhadap organisme pengganggu tanaman. *Jurnal Agritechno* 16(2): 75-84. DOI : <https://doi.org/10.70124/at.v16i2.1174>

Panggabean IE. 2011. Buku Pintar Kopi. Penerbit Agro Media. Jakarta

Prastowo B, K Elna, Rubijo, Siswanto, IJ Chandra. 2010. Budidaya dan Pasca Panen Kopi. Penerbit Pusat Penelitian dan Pengembangan Perkebunan. Bogor.

Putri A, Y Yusmani, C Paloma & Z Zakir. 2018. Kinerja faktor produksi kopi arabika (*Coffea arabica* L.) di Lembah Gumanti, Kabupaten Solok, Sumatera Barat. *Industria: Jurnal Teknologi dan Manajemen Agroindustri* 7(3), 189-197. DOI: <https://doi.org/10.21776/ub.industria.2018.007.03.7>

Pusat Penelitian Kopi & Kakao Indonesia. 2006. Pedoman Teknis Budi Daya Tanaman Kopi. Indonesian Coffea and Cocoa Research Institute Jember, Jawa Timur.

Randriani E & Dani. 2018. Pengenalan Varietas Unggul Kopi. IAARD Press, Jakarta.

Riswandi R & WK Sari. 2021. Pengaruh pemberian kompos kulit buah kopi terhadap pertumbuhan bibit kopi Robusta (*Coffea canephora*). *Jurnal Riset Perkebunan* 2(2): 107-117. DOI: <https://doi.org/10.25077/jrp.2.2.107-117.2021>

Rivera, A. M., & González, J. L. (2023). *Climate and its relationship with the population dynamics and dispersion of the coffee berry borer Hypothenemus hampei in an altitudinal gradient in the Risaralda River Basin, Caldas, Colombia*. *Revista Colombiana de*

- Ruiz-Cárdenas R & P Baker. 2010. Life table of *Hypothenemus hampei* (Ferrari) in relation to coffee berry phenology under Colombian field conditions. *Scientia agricola* 67: 658-668.  
DOI: <https://doi.org/10.1590/S0103-90162010000600007>
- Ruiz-Diaz CP & JCV Rodrigues. 2021. Vertical trapping of the coffee berry borer, *Hypothenemus hampei* (Coleoptera: Scolytinae), in coffee. *Insects* 12(7): 607. DOI: <https://doi.org/10.3390/insects12070607>
- Samsudin, Dani & Syafaruddin. 2022. Evaluation of Gayo coffee germplasm on *Hypothenemus hampei* resistances. *IOP Conf Ser Earth Environ Sci* 974(1):012068. DOI: <https://doi.org/10.1088/1755-1315/974/1/012068>
- Sera, G. H., Sera, T., Ito, D. S., Filho, C. R., Villacorta, A., Kanayama, F. S., & Grossi, L. D. (2010). Coffee berry borer resistance in coffee genotypes. *Brazilian Archives of Biology and Technology*, 53(2), 413–420.
- Shrivastava SK, RC Joshi, A Pprakash & J Rao. 2024. Insect and Climate Interactions. *Applied Zoologist Research Assosiation (AZRA) ICI Book*. ISBN 978-81-981879-6-3.
- Sianipar, H. (2017). Keragaman Genetik Populasi Kopi Liberika (*Coffea Liberica* W. Bull Ex. Hiern) Di Kecamatan Betaraberdasarkan Karakter Buah Dan Biji. *Universitas Jambi*.
- Siregar. 2016. Atraktan Kopi Ramah Lingkungan (Cetakan I). *Inteligensia Media Malang Indonesia*.
- Sitanggang S, SF Sitepu & L Lubis. 2017. Survei serangan hama penggerek buah kopi (*Hypothenemus hampei* Ferr.) berdasarkan faktor kultur teknis di Kabupaten Tapanuli Utara' *Jurnal Online Agroekoteknologi* 5(4) : 816-823. DOI: <https://doi.org/10.32734/joa.v5i4.2495>
- Susilo AW. 2008. Ketahanan tanaman kopi (*Coffea* spp.) terhadap hama penggerek buah kopi (*Hypothenemus hampei* Ferr.). *Review Penelitian Kopi dan Kakao* 24(1): 1-14.
- Steel, R. G., & Torrie, J. H. (1981). *Principles and procedures of statistics, a biometrical approach* (No. Ed. 2, p. 633pp).
- Susanti, L., & Gunawan, D. (2019). Pengaruh iklim mikro terhadap populasi hama penggerek buah kopi (*Hypothenemus hampei*) pada berbagai tingkat naungan. *Jurnal Perlindungan Tanaman Nusantara*, 17(1), 23–31.



- Untung K. 1993. Pengendalian Hama Terpadu. Gajah Mada University Press.
- Vega, F. E., Infante, F., Castillo, A., & Jaramillo, J. (2009). The coffee berry borer, *Hypothenemus hampei* (Ferrari) (Coleoptera: Curculionidae): A short review, with recent findings and future research directions. *Territorial Journal of Entomology and Applied Research*
- Vega, F. E., Infante, F., & Johnson, A. J. (2015). The genus *Hypothenemus*, with emphasis on *H. hampei*, the coffee berry borer. In F. E. Vega & R. W. Hofstetter (Eds.), *Bark beetles: Biology and ecology of native and invasive species* (pp. 427–494). Academic Press. <https://doi.org/10.1016/B978-0-12-417156-5.00011-3>
- Vega, F. E., Infante, F., Johnson, A. J., & Benavides, P. (2020). Coffee berry borer (*Hypothenemus hampei*), a global pest of coffee: Perspectives from historical and recent invasions, and future priorities. *Insects*, 11(12), 882. <https://doi.org/10.3390/insects11120882>
- Wilyus, W Yunita, FA Futri, R C Joshi. 2025. Effective sanitation practices mitigate coffee berry borer, *Hypothenemus hampei* (Ferrari, 1867) (Coleoptera, Curculionidae) infestation in robusta coffee in Indonesia. *Entomon* 50(1: 67-72. DOI : <https://doi.org/10.33307/entomon.v50i1.1415>
- Wiryadi Putra S. 2014. Distribution pattern of coffee berry borer (*Hypothenemus hampei*) on Arabica and Robusta coffee. *Pelita Perkeb a Coffee Cocoa Res Journal* 30(2): 123–136. DOI: <https://doi.org/10.20961/agrotechresj.v6i2.62282>
- Yudiawati E, A Ardian, A Febrialdi & Asopandi. 2023. Tingkat kerusakan tanaman kopi akibat serangan hama penggerek buah kopi (*Hypothenemus hampei* Ferr.) pada pertanaman kopi di Kabupaten Merangin Provinsi Jambi. *Jurnal Sains Agro* 8(2): 134-145. DOI: <https://doi.org/10.36355/jsa.v8i2.1286>
- Zarnita Z, S Sapdi & M Sayuthi. 2022. Pengaruh warna perangkap terhadap ketertarikan penggerek buah kopi (*Hypothenemus hampei* Ferr.). *Jurnal Ilmiah Mahasiswa Pertanian* 7(4) : 1044-1955.