

DAFTAR PUSTAKA

- Adebowale, Y.A., Adeyemi, I.A. and Oshodi, A. A. (2005). Functional and Physicochemical Properties of Flours of Six Mucuna Species. *African Journal of Biotechnology*, 4, 1461–1468.
- Agi, A., Junin, R., Abdullah, M. O., Jaafar, M. Z., Arsad, A., Wan Sulaiman, W. R., Norddin, M. N. A. M., Abdurrahman, M., Abbas, A., Gbadamosi, A., & Azli, N. B. (2019). Application of polymeric nanofluid in enhancing oil recovery at reservoir condition. *Journal of Petroleum Science and Engineering*, 194. <https://doi.org/https://doi.org/10.1016/j.petrol.2020.107476>
- Agustiani, Riwayati, I., & Maharini, F. (2020). Modifikasi tepung sukun (*Artocarpus altilis*) menggunakan metode heat moisture treatment (HMT) dengan variabel suhu dan lama waktu perlakuan. *Junal Inovasi Teknik Kimia*, 3(2), 105–109.
- Agyemang, P. N., Akonor, P. T., Tortoe, C., Johnsona, P. N. T., & Manu-Aduening, J. (2020). Effect of the use of starches of three new Ghanaian cassava varieties as a thickener on the physicochemical, rheological and sensory properties of yoghurt. *Jurnal Scientific African*, 9, e00521. <https://doi.org/10.1016/j.sciaf.2020.e00521>
- Albert L. Charles, Y. H. C. C. K. S. C. H. (2005). Influence of Amylopectin Structure and Amylose Content on the Gelling Properties of Five Cultivars of Cassava Starches. *Journal of Agricultural and Food Chemistry*, 53(7), 2717–2725. <http://dx.doi.org/10.1021/jf048376%0D>
- Alcázar-Alay, S. C., & Meireles, M. A. A. (2015). Physicochemical properties, modifications and applications of starches from different botanical sources. *Food Science and Technology*, 35(2), 215–236. <https://doi.org/10.1590/1678-457X.6749>
- Allem, A. C. (2002). Cassava: biology, production and utilization. In *CAB International*. <https://doi.org/10.1079/9780851995243.0001>
- Ari putri, L. mei, Prihandono, T., & Supriadi, B. (2017). Air adalah suatu zat kimia yang penting bagi semua bentuk kehidupan yang diketahui sampai saat ini di bumi ,. *Jurnal Pembelajaran Fisika*, 6(2), 147–153.
- Atichokudomchai, N., Shobsngob, S., & Varavinit, S. (2000). Morphological Properties of Acid-modified Tapioca Starch. *Starch/Staerke*, 52(7–8), 283–289. [https://doi.org/10.1002/1521-379x\(20009\)52:8/9<283::aid-star283>3.0.co;2-q](https://doi.org/10.1002/1521-379x(20009)52:8/9<283::aid-star283>3.0.co;2-q)
- Builders, P. F., & Arhewoh, M. I. (2016). Pharmaceutical applications of native starch in conventional drug delivery. *Starch/Staerke*, 68(1–10), 864–873. <https://doi.org/10.1002/star.201500337>
- Chatpamon, C., Wandee, Y., Uttapap, D., Puttanlek, C., & Rungsardthong, V. (2019). Pasting properties of cassava starch modified by heat-moisture treatment under acidic and alkaline pH environments. *Carbohydrate Polymers*, 215, 338–347. <https://doi.org/10.1016/j.carbpol.2019.03.089>
- Chiotelli, E., Pilosio, G., & Le Meste, M. (2002). Effect of sodium chloride on the gelatinization of starch: A multimeasurement study. *Biopolymers*, 63(1), 41–58. <https://doi.org/10.1002/bip.1061>
- Collado, L. S., & Harold Corke. (1999). Heat-moisture treatment effects on sweetpotato starches differing in amylose content. *Food Chemistry*, 65(3), 339 – 346. [https://doi.org/10.1016/S0308-8146\(98\)00228-3](https://doi.org/10.1016/S0308-8146(98)00228-3)
- Dewi, N. S., Parnanto, N. H. R., & Ariyantoro, A. R. (2012). Karakteristik Fisikokimia Tepung Bengkuang (*Pachyrhizus erosus*) Dimodifikasi Secara Asetilasi Dengan Variasi Konsentrasi Asam Asetat Selama Perendaman. *Jurnal Teknologi Hasil Pertanian*, 7(2), 104–112. <https://doi.org/10.20961/jthp.v0i0.13014>

- Diniyah, N., Subagio, A., Lutfian Sari, R. N., & Yuwana, N. (2018). Sifat Fisikokimia Dan Fungsional Pati Dari Mocaf (Modified Cassava Flour) Varietas Kaspro Dan Cimanggu. *Jurnal Penelitian Pascapanen Pertanian*, 15(2), 80–90. <https://doi.org/10.21082/jpasca.v15n2.2018.80-90>
- Dudu, O. E., Oyedeji, A. B., Oyeyinka, S. A., & Ma, Y. (2019). Impact of steam-heat-moisture treatment on structural and functional properties of cassava flour and starch. *International Journal of Biological Macromolecules*, 126, 1056–1064. <https://doi.org/10.1016/j.ijbiomac.2018.12.210>
- Ega, La dan Lopulalan, G. C. . (2015). Modifikasi Pati Sagu dengan Metode Heat Moisture Treatment. *Jurnal Teknologi Pertanian*, 4(2), 33–40.
- Emmanuel, O. A., Clement, A., Agnes, S. B., Chiwona-Karlton, L., & Drinah, B. N. (2012). Chemical composition and cyanogenic potential of traditional and high yielding CMD resistant cassava (*Manihot esculenta crantz*) varieties. *International Food Research Journal*, 19(1), 175–181.
- Endah, M. M., Satmalawati, M., Paramita, B. L., & Nino, J. (2024). Karakteristik Fisikokimia dan Sifat Fungsional Pati Alami Ubi Kayu Hasil Ekstraksi Secara Sederhana Physicochemical Characteristics and Functional Properties of Native Cassava Starch Obtained Through Simple Extraction. *Jurnal Teknologi Pertanian*, 13(1), 55–64.
- Fachrudin, R. (2017). *Produksi pati na-karboksimetil dengan perbedaan tipe pengadukan pada tahap alkalisasi*. Universitas Bogor.
- Falade, K. O., & Christopher, A. S. (2015). Physical, functional, pasting and thermal properties of flours and starches of six Nigerian rice cultivars. *Food Hydrocolloids*, 44, 478–490. <https://doi.org/10.1016/j.foodhyd.2014.10.005>
- Febriani, S. D. A., Kusuma, F. W., Rahmanto, D. E., & Prasetyo, D. A. (2022). Analisis Kualitas Briket Arang Kulit Kacang Tanah Dengan Perekat Biji Nangka. *Jurnal Teknik Terapan*, Vol. 1(2), 42–46. <https://doi.org/10.25047/jteta.v1i2.19>
- Felicia. (2010). *Heat Moisture-Treatment (HMT) sebagai Solusi Penyalahgunaan Boraks pada Bakso Sapi*. Institut Pertanian Bogor.
- Fonseca-Florido, H. A., Vázquez-García, H. G., Méndez-Montealvo, G., Basilio-Cortés, U. A., Navarro-Cortés, R., Rodríguez-Marín, M. L., Castro-Rosas, J., & Gómez-Aldapa, C. A. (2018). Effect of acid hydrolysis and OSA esterification of waxy cassava starch on emulsifying properties in Pickering-type emulsions. *LWT*, 91, 258–264. <https://doi.org/10.1016/j.lwt.2018.01.057>
- Graaf, R. A. De, Karman, A. P., & Nobel, A. (2003). Material Properties and Glass Transition Temperatures of Different Thermoplastic Starches After Extrusion Processing. *Starch/Stärke*, 55, 80–86.
- Herawati, E. R. ., Ariani, D., Nurhayati, R., Miftakhussolikhah, M., Na'imah, H., & Marsono, Y. (2020). Effect of Autoclaving-Cooling Treatments on Chemical Characteristic and Structure of Tacca (*Tacca Leontopetaloides*) Starch. *Advances in Engineering Research*, 194, 169–172. <https://doi.org/10.2991/aer.k.200325.034>
- Hidayat, B., Kalsum, N., & Surfiana. (2009). Karakterisasi Tepung Ubi Kayu Modifikasi Yang Diproses Menggunakan Metode Prigelatinisasi Parsial. *Jurnal Teknologi Industri Dan Hasil Pertanian*, 14(2), 148–159.
- Ismanto. (2021). *Modifikasi Pati Singkong (Manihot utilissima) Metode Presipitasi Dengan Penambahan NaCl*. Universitas Jambi.
- Itthisoponkul, T., Mitchell, J. R., Taylor, A. J., & Farhat, I. A. (2007). Inclusion complexes of tapioca starch with flavour compounds. *Carbohydrate Polymers*, 69, 106–115.

<https://doi.org/10.1016/j.carbpol.2006.09.012>

- Jacobs, Heidi and Delcour, J. A. (1998). Hydrothermal Modifications of Granular Starch, with Retention of the Granular Structure: A Review. *Journal of Agricultural and Food Chemistry*, 46(8). <https://pubs.acs.org/doi/10.1021/jf980169k>
- Juhana, D. (2018). *Pengaruh Konstrasi H₂SO₄ Pada Modifikasi Pati Dengan Metode Hidrolisis Asam Terhadap Sifat Fisikokimia Pati Uwi Putih (Dioscorea alata)*. Skripsi. Teknologi Hasil Pertanian. Fakultas Teknologi Pertanian. Universitas Jambi. Jambi.
- Kawijia, Atmaka, W., & Lestariana, S. (2017). Studi Karakteristik Pati Singkong Utuh Berbasis Edibel Film Dengan Modifikasi Cross-Linking Asam Sitrat. *Journal Teknologi Pertanian*, 18(2), 143–152.
- Khairuddin, N., & Ida Idayu, M. (2007). Antimicrobial Effects On Starch-Based Films Incorporated With Lysozymes. *World Engineering Congres 2007*, 1–7.
- Klein, B., Levien, N., Moomand, K., Zanella, V., Colussi, R., Zavareze, R., Renato, A., & Dias, G. (2014). Ozone oxidation of cassava starch in aqueous solution at different pH. *Food Chemistry*, 155, 167–173. <https://doi.org/10.1016/j.foodchem.2014.01.058>
- Koswara, S. (2009). Teknologi modifikasi pati. *EbookPangan*, 1–32.
- Kusnandar, F. (2010). *Kimia Pangan Komponen Makro*. PT. Dian Rakyat.
- Lutfi, I. (2014). *Teknologi Budidaya dan Agribisnis Tanaman Ubi Kayu*. Universitas Muhammadiyah. Yogyakarta.
- Marta, H., Cahyana, Y., Arifin, H. R., & Khairani, L. (2019). Comparing the effect of four different thermal modifications on physicochemical and pasting properties of breadfruit (*Artocarpus altilis*) starch. *International Food Research Journal*, 26(1), 269–276.
- McClements, D. J. (2016). *Food Emulsions ultima versión*. CRC Press.
- Melani, A., Putri, D., & Robiah. (2020). Bioplastik Dari Pati Kulit Pisang Raja Dengan Berbagai Bahan Perekat. *Jurnal Distilasi*, 4(2), 1. <https://doi.org/10.32502/jd.v4i2.2208>
- Miyazaki, M., Van Hung, P., Maeda, T., & Morita, N. (2006). Recent advances in application of modified starches for breadmaking. *Trends in Food Science and Technology*, 17(11), 591–599. <https://doi.org/10.1016/j.tifs.2006.05.002>
- Moorthy, S. N. (2004). *Tropical Sources of Starches*. Central Tuber Crops Research Institute.
- Murtiningrum, M. M., & Jading, A. (2012). Karakterisasi Umbi dan Pati Lima Kultivar Ubi Kayu (*Manihot esculenta*). *Jurnal Agrotek*, 3(1), 81–90. <https://doi.org/10.30862/agt.v3i1.557>
- Mustafa, A. (2016). Analisis Proses Pembuatan Pati Ubi Kayu (Tapioka) Berbasis Neraca Massa. *Agrointek*, 9(2), 118. <https://doi.org/10.21107/agrointek.v9i2.2143>
- Nasional, B. S. (2011). *Syarat Mutu Tapioka*. <https://babel.bsip.pertanian.go.id/berita/sni-34512011-tentang-tapioka>
- Niba, L. L., Bokanga, M. M., Jackson, F. L., Schlimme, D. S., & Li, B. W. (2002). Physicochemical Properties and Starch Granular Characteristics of Flour from Various Manihot Esculenta (Cassava) Genotypes. *Journal of Food Chemistry and Toxicology*, 67(5), 1701–1705. <https://doi.org/10.1111/j.1365-2621.2002.tb08709.x>
- Panjaitan, N., Ulyarti, U., Mursyid, M., & Nazarudin, N. (2019). Modifikasi Pati Uwi Kuning (*Dioscorea Alata*) Menggunakan Metode Presipitasi Serta Aplikasinya Untuk Edible Film. *Jurnal Teknologi Pertanian Andalas*, 23(2), 196–204.

<http://tpa.fateta.unand.ac.id/index.php/JTPA/article/view/271>

- Polnaya, F. J., Huwae, A. A., & Tetelepta, G. (2018). Karakteristik Sifat Fisiko-Kimia dan Fungsional Pati Sagu Ihur (*Metroxylon sylvestre*) Dimodifikasi dengan Hidrolisis Asam. *Agritech*, 38(1), 7–15. <https://doi.org/10.22146/agritech.16611>
- Prabowo, Y. E., & Rahayu, S. D. I. S. (2018). Ubi Kayu di Karesidenan Kediri Pada Awal Abad Ke-20 Hingga 1940. *Verleden: Jurnal Kesejarahan*, 13(2), 177–184.
- Qin, Y., Liu, C., Jiang, S., Xiong, L., & Sun, Q. (2016). Characterization of starch nanoparticles prepared by nanoprecipitation: Influence of amylose content and starch type. *Industrial Crops and Products*, 87, 182–190. <https://doi.org/10.1016/j.indcrop.2016.04.038>
- Raina, C. S., Singh, S., Bawa, A. S., & Saxena, D. C. (2006). Some characteristics of acetylated, cross-linked and dual modified Indian rice starches. *European Food Research and Technology*, 223(4), 561–570. <https://doi.org/10.1007/s00217-005-0239-z>
- Ramadhan, K. (2009). *Aplikasi Pati Sagu Termodifikasi Heat Moisture Treatment Untuk Pembuatan Bihun Instan*. Institut Pertanian Bogor.
- Rauf, R., & Sarbini, D. (2015). Daya Serap Air Sebagai Acuan untuk Menentukan Volume Air. *Agritech*, 35(3), 324–330.
- Rosida, D. F. (2021). *Pati Termodifikasi Dari Umbi-Umbian Lokal*. CV. Putra Media Nusantara.
- Saari, H., Fuentes, C., Sjö, M., Rayner, M., & Wahlgren, M. (2016). Production of starch nanoparticles by dissolution and non-solvent precipitation for use in food-grade Pickering emulsions. *Carbohydrate Polymers*, 157, 558–566. <https://doi.org/10.1016/j.carbpol.2016.10.003>
- Sajilata, M. G., Singhal, R. S., & Kulkarni, P. R. (2006). Resistant starch - A review. *Comprehensive Reviews in Food Science and Food Safety*, 5(1), 1–17. <https://doi.org/10.1111/j.1541-4337.2006.tb00076.x>
- Siwi, K.S., dan W. D. R. (2013). *Studi Perubahan Sifat Fisik Kimia Tepung Ubi Jalar Putih (Ipoema batatas Var. Sukuh) sebagai Efek Modifikasi Menggunakan Metode Heat Moisture Treatment*. Universitas Brawijaya. Malang.
- Sriroth, K., Piyachomw, K., Sangseethong, K., & Oates, C. (2002). Modification of Cassava Starch. *Żywność*, 4(33), 219–230.
- Suga, K. K., Aini, N., & Setyawati, R. (2020). Pengaruh Konsentrasi Stpp Dan Lama Perendaman Terhadap Karakteristik Pati Kimpul Termodifikasi Ikatan Silang. *Agrointek*, 14(2), 199–212. <https://doi.org/10.21107/agrointek.v14i2.6262>
- Sugih, A. K., & , L Christabella, H. K. and S. P. (2019). Effect of different types of phosphorylating reagent on the synthesis of modified tapioca starch Effect of different types of phosphorylating reagent on the synthesis of modified tapioca starch. *Materials Science and Engineering*, 673 012001. <https://doi.org/10.1088/1757-899X/673/1/012001>
- Sulistyowati, P. V., Kendarini, N., & Respatijarti. (2014). Observasi Keberadaan Tanaman Talas-Talasan Genus Colocasia dan Xanthosoma di Kec . Kedungkandang Kota Malang dan Kec. Ampel Gading Kab. Malang. *Jurnal Produksi Tanaman*, 2(2), 86–93.
- Sumardiono, S., & Pudjihastuti, I. (2015). Pengembangan Proses Modifikasi Cassava dengan Hidrolisa Asam Laktat dan UV untuk Substitusi Terigu dalam Produk Pangan. *Metana*, 11(2), 27–32.
- Sunarti, T. C., Nunome, T., Yoshio, N., & Hisamatsu, M. (2001). Study on Outer Chains

- Released from Amylopectin between Immobilized and Free Debranching Enzymes. *Journal of Applied Glycoscience*, 48(1), 1–10. <https://doi.org/10.5458/jag.48.1>
- Syamsir, E., Hariyadi, P., Fardiaz, D., Andarwulan, N., & Kusnandar, F. (2012). Pengaruh Proses Heat-Moisture Treatment (HMT) terhadap Karakteristik Fisikokimia Pati. *Jurnal Teknologi Dan Industri Pangan*, 23(1 SE-Short Communication), 100. <https://journal.ipb.ac.id/index.php/jtip/article/view/5302>
- Taggart, P. (2004). Starch as an ingredient: manufacture and applications. In *Starch in Food*. Woodhead Publishing Limited. <https://doi.org/10.1533/9781855739093.3.363>
- Tavernier, I., Wijaya, W., Van der Meeren, P., Dewettinck, K., & Patel, A. R. (2016). Food-grade particles for emulsion stabilization. *Trends in Food Science and Technology*, 50, 159–174. <https://doi.org/10.1016/j.tifs.2016.01.023>
- Tellisa Rayasari Haryono, & Bertha Rusdi. (2023). Karakterisasi Pati Termodifikasi dengan Metode Hmt (Heat Moisture Treatment). *Jurnal Riset Farmasi*, 109–112. <https://doi.org/10.29313/jrf.v3i2.3164>
- Tester, R. F., Karkalas, J., & Qi, X. (2004). Starch - Composition, fine structure and architecture. *Journal of Cereal Science*, 39(2), 151–165. <https://doi.org/10.1016/j.jcs.2003.12.001>
- Ulyarti, Mursyid, Ismanto, Rahmayani, I., Suseno, R., & Nazarudin. (2021). Modification of Cassava Starch (Manihot utilisima) Using Precipitation Method with Addition of NaCl. *Advances in Biological Sciences Research*, 16, 132–137. <https://doi.org/10.2991/absr.k.220101.018>
- Valdez-Niebla, J. A., Paredes-López, O., Vargas-López, J. M., & Hernández-López, D. (1993). Moisture sorption isotherms and other physicochemical properties of nixtamalized amaranth flour. *Food Chemistry*, 46(1), 19–23. [https://doi.org/10.1016/0308-8146\(93\)90069-R](https://doi.org/10.1016/0308-8146(93)90069-R)
- Wahyudi, Ezward, C., & Haitami, A. (2024). Pengaruh Jumlah Cabang Terhadap Pertumbuhan Dan Produksi Tanaman Ubi Kayu (Manihot esculenta Crantz). *Jurnal Agro Indragiri*, 10(1), 17–24. <https://doi.org/10.32520/jai.v10i1.3086>
- Wang, W., Zhou, H., Yang, H., Zhao, S., Liu, Y., & Liu, R. (2016). Effects of salts on the gelatinization and retrogradation properties of maize starch and waxy maize starch. *Food Chemistry*, 214, 319–327. <https://doi.org/10.1016/j.foodchem.2016.07.040>
- Wang, Z., Mhaske, P., Farahnaky, A., Kasapis, S., & Majzoobi, M. (2022). Cassava starch: Chemical modification and its impact on functional properties and digestibility, a review. *Food Hydrocolloids*, 129(107542). <https://doi.org/https://doi.org/10.1016/j.foodhyd.2022.107542>
- Waterschoot, J., Gomand, S. V, & Delcour, J. A. (2016). Impact of swelling power and granule size on pasting of blends of potato , waxy rice and maize starches. *Food Hydrocolloids*, 52, 69–77. <https://doi.org/10.1016/j.foodhyd.2015.06.012>
- Wei, B., Xu, X., Jin, Z., & Tian, Y. (2014). Surface chemical compositions and dispersity of starch nanocrystals formed by sulfuric and hydrochloric acid hydrolysis. *PLoS ONE*, 9(2), 1–7. <https://doi.org/10.1371/journal.pone.0086024>
- Widyastuti, R., Pranoto, Y., & Anggrahini, S. (2021). Fisikokimia pati millet (Pennisetum glaucum(l.) R. Br.) termodifikasi heat moisture treatment. *Journal of Food and Agricultural Product*, 1(1), 1–7.
- Wulandari, K. (2013). *Penyiapan dan karakterisasi pati nanokristalin dari sagu dan tapioka kartika wulandari*. INSTITUT PERTANIAN BOGOR BOGOR.
- Yan, X., Diao, M., Li, C., Lu, C., Zhao, P., & Zhang, T. (2022). Formation and properties of starch-palmitic acid complex nanoparticles and their influence on Pickering

emulsions. *International Journal of Biological Macromolecules*, 204, 685–691.
<https://doi.org/10.1016/J.IJBIOMAC.2022.01.170>

Zhou, H., Wang, C., Shi, L., Chang, T., Yang, H., & Cui, M. (2014). Effects of salts on physicochemical, microstructural and thermal properties of potato starch. *Food Chemistry*, 156, 137–143. <https://doi.org/10.1016/j.foodchem.2014.02.015>

Zhu, F. (2015). Composition, structure, physicochemical properties, and modifications of cassava starch. *Carbohydrate Polymers*, 122, 456–480.
<https://doi.org/10.1016/j.carbpol.2014.10.063>

Zulaidah, A. (2011). Modifikasi Ubi Kayu Secara Biologi Menggunakan Starter Bimo-CF Menjadi Tepung Termodifikasi Pengganti Gandum. *Universitas Diponegoro*, 1–173.