

DATAR PUSTAKA

- Aini, N., Wijonarko, G., & Sustriawan, B. (2016). SIFAT FISIK, KIMIA, DAN FUNGSIONAL TEPUNG JAGUNG YANG DIPROSES MELALUI FERMENTASI (Physical, Chemical, and Functional Properties of Corn Flour Processed by Fermentation). *Jurnal Agritech*, 36(02), 160. <https://doi.org/10.22146/agritech.12860>
- Ammar, I., Sebi, H., Aloui, T., Attia, H., Hadrich, B., & Felfoul, I. (2022). Optimization of a novel, gluten-free bread's formulation based on chickpea, carob and rice flours using response surface design. *Heliyon*, 8(12), e12164. <https://doi.org/10.1016/j.heliyon.2022.e12164>
- Andarwulan, N., Kusnandar, F., & Herawati, D. (2018). Pengelolaan Data Analisis Pangan. *Pang4411/Modul 1 1.3, 1.1.3* (Net-Work Science .), 1.1-1.39.
- AOAC. (2000). Official Method of the Association of Official Analytical Chemists. *Association of Official Analytical Chemists*.
- Ayustaningwarno, F., Rustanti, N., Afifah, D. N., & Anjani, G. (2020). Teknologi Pangan Teori dan Aplikasi. In *Fakultas Kedokteran Universitas Diponegoro* (Vol. 53, Issue 9).
- Baah, F. D. (2009). *Characterization of water yam*. 80.
- Barlina, R. (2016). Substitusi Pati Sagu pada Pengolahan Roti Manis. *Buletin Palma*, 14(2), 117–124. <http://ejurnal.litbang.pertanian.go.id/index.php/palma/article/view/5355>
- Beuchat, L. R. (1977). Functional and Electrophoretic Characteristics of Succinylated Peanut Flour Protein. *Journal of Agricultural and Food Chemistry*, 25(2), 258–261. <https://doi.org/10.1021/jf60210a044>
- Bourne, M. C. (2002). Texture, Viscosity, and Food. *Food Texture and Viscosity*, 1–23. <https://doi.org/10.1016/b978-0-12-119080-4.50006-0>
- Cavalcanti, R. N., Santos, D. T., & Meireles, M. A. A. (2011). Non-thermal stabilization mechanisms of anthocyanins in model and food systems-An overview. *Food Research International*, 44(2), 499–509. <https://doi.org/10.1016/j.foodres.2010.12.007>
- Chockchaisawasdee, S., Mendoza, M. C., Beecroft, C. A., Kerr, A. C., Stathopoulos, C. E., & Fiore, A. (2023). Development of a gluten free bread enriched with faba bean husk as a fibre supplement. *Lwt*, 173(August 2022), 114362. <https://doi.org/10.1016/j.lwt.2022.114362>
- Collar, C., Andreu, P., Martínez, J. C., & Armero, E. (1999). Optimization of hydrocolloid addition to improve wheat bread dough functionality: A response surface methodology study. *Food Hydrocolloids*, 13(6), 467–475. [https://doi.org/10.1016/S0268-005X\(99\)00030-2](https://doi.org/10.1016/S0268-005X(99)00030-2)
- Dwipa Adiluhung, W., Sutrisno, A., Teknologi, J., Pertanian, H., Universitas, F., Malang, B., Veteran, J., & Korespondensi, P. (2018). PENGARUH KONSENTRASI GLUKOMANNAN DAN WAKTU PROOFING TERHADAP KARAKTERISTIK TEKSTUR DAN ORGANOLEPTIK ROTI TAWAR BERAS (*Oryza sativa*) BEBAS GLUTEN Effect of Glucomannan Concentration and Proofing Time on Texture and Organoleptic Characteristics of Gluten-Fr. *Pengaruh Konsentrasi Glukomanan Dan Waktu Proofing-Adiluhung, Dkk Jurnal Pangan Dan Agroindustri*, 6(4), 26–37.
- Fang, Z., Wu, D., Yü, D., Ye, X., Liu, D., & Chen, J. (2011). Phenolic compounds in

- Chinese purple yam and changes during vacuum frying. *Food Chemistry*, 128(4), 943–948. <https://doi.org/10.1016/j.foodchem.2011.03.123>
- Gao, J., Wang, Y., Dong, Z., & Zhou, W. (2018). Structural and mechanical characteristics of bread and their impact on oral processing: a review. *International Journal of Food Science and Technology*, 53(4), 858–872. <https://doi.org/10.1111/ijfs.13671>
- Hapsari, T. R. (2014). Prospek Uwi Sebagai Pangan Fungsional Dan Bahan Diversifikasi Pangan. *Buletin Palawija*, 0(27), 26–38.
- Hartono, L. (2025). Modifikasi Pembuatan Tepung Premix Dengan Menggunakan Tepung Pisang Dan Teh Earl Grey. *INSPIRE : Journal of Culinary, Hospitality, Digital & Creative Arts and Event*, 3(1), 1–10. <https://doi.org/10.46837/inspire.v3i1.63>
- Hsu, C. C., Huang, Y. C., Yin, M. C., & Lin, S. J. (2006). Effect of yam (*Dioscorea olata* compared to *Dioscorea japonica*) on gastrointestinal function and antioxidant activity in mice. *Journal of Food Science*, 71(7), 5–8. <https://doi.org/10.1111/j.1750-3841.2006.00113.x>
- Justicia, A., Liviawaty, E., Herman Hamdani, D., Fakultas Perikanan dan Ilmu Kelautan Unpad, A., Dosen Fakultas Perikanan dan Ilmu Kelautan Unpad, S., Kunci, K., Tulang Nila Merah, T., & Tingkat Kesukaan, D. (2012). Fortifikasi tepung tulang nila merah sebagai sumber kalsium terhadap tingkat kesukaan roti tawar red tilapi' as bone flour fortification as a source of calsium of white bread's acceptance level. *Jurnal Perikanan Dan Kelautan*, 3(4), 17–27.
- Kakar, A., Fatima Miano, T., Hussain Soomro, A., Yar, A., Ara Memon, S., & Khan, B. (2022). Oil and Water Absorption Capacity of Wheat, Rice and Gram Flour Powders. *International Journal of Ecosystems and Ecology Science (IJEES)*, 12(2), 585–594. <https://doi.org/10.31407/ijeess12.232>
- Kristanti, D., & Setiaboma, W. (2022). Physicochemical and Functional Properties of Composite Flours Based on Mocaf and Tempeh Flour for Making Cookies. *IJUM Engineering Journal*, 23(2), 20–31. <https://doi.org/10.31436/iiumej.v23i2.2234>
- Kurniawan, C., Waluyo, T. B., & Perdamean Sebayang. (2011). Analisis Ukuran Partikel Menggunakan Free Software Image-J. *Seminar Nasional Fisika, Juli 2011*, 1–9. <https://www.researchgate.net/publication/215445822>
- Kurniawati, E., & Agustina, A. (2024). Tepung Premix Cookies Berbahan Dasar Mocaf dan Sagu Dengan Perlakuan Penyangraian Suhu Yang Berbeda. *JOFE : Journal of Food Engineering*, 3(1), 11–18. <https://doi.org/10.25047/jofe.v3i1.4275>
- Li, J. M., & Nie, S. P. (2016). The functional and nutritional aspects of hydrocolloids in foods. *Food Hydrocolloids*, 53, 46–61. <https://doi.org/10.1016/j.foodhyd.2015.01.035>
- Li, W., Li, G., Su, B., Tian, X., & Xu, S. (2013). Effect of sodium stearoyl lactylate on refinement of crisp bread and the microstructure of dough. *Advance Journal of Food Science and Technology*, 5(6), 682–687. <https://doi.org/10.19026/ajfst.5.3149>
- Mancebo, C. M., San Miguel, M. Á., Martínez, M. M., & Gómez, M. (2015). Optimisation of rheological properties of gluten-free doughs with HPMC, psyllium and different levels of water. *Journal of Cereal Science*, 61, 8–15. <https://doi.org/10.1016/j.jcs.2014.10.005>
- Marti, A., Marengo, M., Bonomi, F., Casiraghi, M. C., Franzetti, L., Pagani, M. A., &

- Iametti, S. (2017). Molecular features of fermented teff flour relate to its suitability for the production of enriched gluten-free bread. *Lwt*, 78, 296–302. <https://doi.org/10.1016/j.lwt.2016.12.042>
- Matos, M. E., & Rosell, C. M. (2013). Quality Indicators of Rice-Based Gluten-Free Bread-Like Products: Relationships Between Dough Rheology and Quality Characteristics. *Food and Bioprocess Technology*, 6(9), 2331–2341. <https://doi.org/10.1007/s11947-012-0903-9>
- Maulida, Z., Aini, N., Sustriawan, B., & Sumarmono, J. (2019). Formulasi Roti Bebas Gluten Berbasis Tepung Sorgum Dengan Penambahan Pati Garut Dan Gum Arab. *Jurnal Penelitian Pascapanen Pertanian*, 16(2), 90. <https://doi.org/10.21082/jpasca.v16n2.2019.90-98>
- Meiliany, I. D., Daryono, D., & Purwanti, Y. (2023). Pengendalian Mutu Produk Roti di PT. Multi Star Rukun Abadi Bandung. *Journal of Technology and Food Processing (JTFFP)*, 3(01), 35–42.
- Moisture sorption isotherms and other physicochemical properties of nixtamalized amaranth flour*. (1993). 46, 19–23.
- Mulloy, A., Lang, R., O'Reilly, M., Sigafoos, J., Lancioni, G., & Rispoli, M. (2010). Gluten-free and casein-free diets in the treatment of autism spectrum disorders: A systematic review. *Research in Autism Spectrum Disorders*, 4(3), 328–339. <https://doi.org/10.1016/j.rasd.2009.10.008>
- Muthoharoh, D. F., & Sutrisno, A. (2017). The Making of Gluten-Free Bread of Arrowroot Flour, Rice Flour, and Corn Flour (Study of Glucomannan Concentration and Proofing Time). *Jurnal Pangan Dan Agroindustri*, 5(2), 34–44.
- Nofiani, R., Ulta, S., Safitri, D., & Destiarti, L. (2021). Physicochemical Properties Of Flour And Starch Of Purple Water Yam (*Dioscorea Alata*) Tuber And The Difference On Sensori Acceptance Of The Cookies Produced. *Agrointek*, 15(2), 486–496. <https://doi.org/10.21107/agrointek.v15i2.7444>
- Ohimain, E., Inyang, I., & Osai, G. (2015). The Effects of Raffia Palm Mesocarp on Haematological Parameters of *Clarias gariepinus*, a Common Niger Delta Wetland Fish. *Annual Research & Review in Biology*, 8(1), 1–7. <https://doi.org/10.9734/arrb/2015/19065>
- Pereyra, G. A. S., Naranjo, G. B., Leiva, G. E., & Malec, L. S. (2010). Maillard reaction kinetics in milk powder: Effect of water activity at mild temperatures. *International Dairy Journal*, 20(1), 40–45. <https://doi.org/10.1016/j.idairyj.2009.07.007>
- Prasetya, M. W. A., Estiasih, T., & Nugrahini, N. I. P. (2016). Potensi Tepung Ubi Kelapa Ungu Dan Kuning (*Dioscorea alata* L.) Sebagai Bahan Pangan Mengandung Senyawa Bioaktif. *Jurnal Pangan Dan Agroindustri*, 4(2), 468–473. <http://jpa.ub.ac.id/index.php/jpa/article/view/352>
- Pudiastuti, & Aisiyah, S. (2014). Formulasi Gel Kombinasi Lendir Bekicot (*Achatina fulica* Ferr) dan Lidah Buaya (*Aloe vera*) sebagai Bahan Aktif untuk Terapi Luka Bakar. *Jurnal Farmasi Indonesia*, 11(2), 123–129.
- Ridho, I., Ulyarti, & Mursyid. (2018). Pengaruh Substitusi Terigu dengan Tepung Ubi Ungu yang Difermentasi Terhadap Sifat Fisik, Kimia, dan Sensori Roti Tawar. *Jurnal Teknologi Hasil Pertanian*, 5(10), 1–9.

- Rózyło, R., Dziki, D., Gawlik-Dziki, U., Cacak-Pietrzak, G., Miš, A., & Rudy, S. (2015). Physical properties of gluten-free bread caused by water addition. *International Agrophysics*, 29(3), 353–364. <https://doi.org/10.1515/intag-2015-0042>
- Sakthidevi, G., & Mohan, V. R. (2013). Total phenolic, flavonoid contents and in vitro antioxidant activity of *Dioscorea alata* L. Tuber. *Journal of Pharmaceutical Sciences and Research*, 5(5), 115–119.
- Santosa, B. A. S., & Widowati, S. (2005). Evaluasi Teknologi Tepung Instan Dari Jagung Brondong Dan mutunya. *Jurnal Pascapanen*, 2(2), 18–27.
- Schober, T. J., Messerschmidt, M., Bean, S. R., Park, S. H., & Arendt, E. K. (2005). Gluten-free bread from sorghum: Quality differences among hybrids. *Cereal Chemistry*, 82(4), 394–404. <https://doi.org/10.1094/CC-82-0394>
- SNI. (1995). *Roti*.
- Surono, I. D., Erny, N., & Judith, M. (2022). Kualitas Fisik Dan Sensoris Roti Tawar Bebas Gluten Bebas Kasein Berbahan Dasar Tepung Komposit Pisang Goroho (*Musa acuminata* L). *Teknologi Pertanian Fakultas Pertanian Unsrat*, 5(2), 1–12.
- Suryatna, B. S. (2015). Peningkatan Kelembutan Tekstur Roti Melalui Fortifikasi Rumput Laut *Euchema Cottoni*. *Teknobuga*, 2(2), 18–25.
- Syarbini, M. H. (2013). *A-Z Bakery*. Semarang : PT Tiga Serangkai Pustaka.
- Tonutare, T., Moor, U., & Szajdak, L. (2014). Strawberry Anthocyanin Determination By pH Differential Spectroscopic Method – How To Get True Results? *Acta Scientiarum Polonorum Hortorum Cultus*, 13(3), 35–47.
- Trinh, K. T., & Glasgow, S. (2012). On the texture profile analysis test. *Proceedings of Chemeca, September*, 23–26.
- Udensi', E. A., H.O. Oselebe" and, & Iweala', O. O. (2008). *The Investigation of Chemical Composition and Functional Properties of Water Yarn (Dioscorea a/afa): Effect of Varietal Differences*. *Pakistan Journal of Nutrition* 7 (2): 342-344.
- Wahyuningsih, K., Dwiwangsa, N. P., Cahyadi, W., Purwani A A Balai, Y., Penelitian, B., Pengembangan, D., Pertanian, P., & Pangan, J. T. (2015). Pemanfaatan Beras (*Oryza sativa* L.) Inpari 17 Menjadi Tepung sebagai Bahan Baku Roti Tawar Non Gluten. *Jurnal Pangan*, 24(3), 167–182.
- Wanasundera, J. P. D., & Ravindran, G. (1994). (*Dioscorea alata*) tubers *Foods, Plant Nutrition, Human Publishers, Kluwer Academic Science, Food Lanka, Sri*. 33–39.
- Ylimaki, G., Hawrysh, Z. J., Hardin, R. T., & Thomson, A. B. R. (1988). Application of Response Surface Methodology to the Development of Rice Flour Yeast Breads: Objective Measurements. *Journal of Food Science*, 53(6), 1800–1805. <https://doi.org/10.1111/j.1365-2621.1988.tb07846.x>
- Yuniar. (2016). *Karakteristik Umbi Uwi (Dioscorea spp) dan Kajian Potensi Inulinnya*. UPN. Surabaya.