

DAFTAR PUSTAKA

- Aboye, S., Andrus, R., Ravichandran, N., and Harman, N. 2011. Site Factors for Estimating Peak Ground Acceleration in Charleston, South Carolina, based on V_{s30} . IAEE International Symposium, University of California Santa Barbara, P. 3 - 4.
- Alzwar, M., Samodra, H., dan Tarigan, J. L. 1988. Pengantar Dasar Ilmu Gunung. Nova, Bandung.
- Arifudin, A. M. 2018. Karakteristik Situs dan Kerentanan Seismik di Kabupaten Klaten dengan Metode Horizontal to Vertical Spectral Ratio (HVSr) dari Data Mikrotremor. Tesis. Yogyakarta, Universitas Islam Indonesia.
- Arrahman, M. A., Tohari, A., and Perwita, C. A. 2023. Seismic Microzonation for Lembang Fault Hazard Area in West Bandung Regency based on Microtremor Measurement. OP Conf. Ser: Earth Environ. Sci. 1288 012018.
- Asten, M. W. 1978. Geological Control on the Three-Component Spectral of Rayleigh-Wave Microseismics. Bulletin of the Seismological Society of America, 68 (6), 1623 - 1636.
- Badan Pusat Statistik Kota Sukabumi. 2025. (<https://sukabumikota.bps.go.id/> diakses pada 25 Februari 2025).
- Badan Penanggulangan Bencana Kota Sukabumi. 2022. (<https://bpbd.sukabumikota.go.id/>) diakses pada 15 Mei 2025)
- Bakri, N, I, L., Yudistira, T., and Sopyan, Y. 2021. Vulnerability Analysis of Earthquake Hazards in Tasikmalaya City Using Horizontal to Vertical Spectral Ratio (HVSr) Method. IOP Conf. Ser: Earth Environ. Sci. 873 012085.
- BMKG. 2024. Katalog Gempabumi Signifikan dan Merusak Tahun 1821 - 2024. BMKG, Jakarta.
- Bolt, B. A. 1976. Inside the Earth: Evidence from Earthquakes. W. H. Freeman and Company.
- Campbell, K. W., and Bozorgnia, Y. 2014. NGA-West2 Ground Motion Model for the Average Horizontal Components of PGA, PGV, and 5% Damped Linear Acceleration Response Spectra. Earthquake Engineering Research Center. University of California: Berkeley. 30 (3) : 1087 - 1115.
- Chiou, B. S. J., and Youngs, R. 2014. Update of the Chiou and Youngs NGA Model for the Average Horizontal Component of Peak Ground Motion and Response Spectra. Earthquake Engineering Research Institute. California. 30 (3) : 1117 - 1153.
- Dardji, N., Villemin, T., and Rampnoux, J. P. 1994. Paleostresses and Strike-Slip Movement: the Cimandiri Fault Zone, West Java, Indonesia. Journal of Southeast Asian Earth Sciences Volume 9, Issues 1 - 2, January - February 1994, Pages 3 - 11.

- Eddy, Z., dan Gaffar. 2006. Deformasi Kerak Bumi Segmen-Segmen Sesar Cimandiri. Prosiding Seminar Geoteknologi Peluang dan Peran Ilmu Kebumihan dalam Pembangunan Berkelanjutan. Geotek LIPI.
- Effendi, A., Kusnama., dan Hermanto, B. 1998. Peta Geologi Lembar Bogor Jawa Barat. Skala 1 : 100.000. Pusat Penelitian dan Pengembangan Geologi. Bandung.
- Grandis, H. 2008. Pemodelan Inversi Geofisika. I ed. Badan Meteorologi dan Geofisika. Jakarta.
- Gutenberg, B. 1958. Caustics Produced by Waves Through the Earth's Core. *Geophysical Journal International*, 1 (3), 238 - 248.
- Hall, R. 2000. Neogene and Quaternary Geological Events of SE Asia. In *Tectonic Evolution of Southeast Asia* (pp. 91 - 106). Geological Society, London, Special Publications.
- Hamilton, W. B. 1979. *Tectonics of the Indonesian Region*. Govt Print Off, Washington, U.S.
- Handayani, L., Mulyadi, D., Dadan, D., Wardhana., dan Nur, W. H. 2009. Percepatan Pergerakan Tanah Maksimum Daerah Cekungan Bandung: Studi Kasus Gempa Sesar Lembang. *JSDG*. 19 (5) : 333 - 337.
- Haryono, A., Caesardi, M. A., Santosa, B. J., Syaifuddin, F., and Widodo, A. 2020. Estimation of Shear Wave Velocity Using Horizontal to Vertical Spectrum Ratio (HVSr) Inversion to Identify Faults in Pacitan. *IOP Conf. Ser: Earth Environ. Sci.* 506 012051.
- Herak, M. 2008. Model HVSr: a Matlab Tool to Model Horizontal-to-Vertical Spectral Ratio of Ambient Noise. *Computers and Geosciences*, 34, 1514 - 1526.
- Hidayati, S. 2010. *Pengenalan Seismologi Gunungapi*. Diklat Pelaksana Pemula Pengamat Gunungapi Baru. Bandung: Pusat Vulkanologi dan Mitigasi Bencana Geologi.
- Ibrahim, G., dan Subardjo. 2005. *Pengetahuan Seismologi*. Jakarta: Badan Meteorologi dan Geofisika.
- Ibs-von Seht, M., and Wohlenberg, J. 1999. Microtremor Measurements Used to Map Thickness of Soft Sediments. *Bulletin of the Seismological Society of America*, 89 (1), 250 - 259.
- Kanai, K. 1983. *Engineering Seismology*. University of Tokyo Press. Japan.
- Katili, J, A., and Soetadi, R. 1971. *Neotectonics and Seismic Zones of Indonesian Archipelago*.
- Katili, J, A. 1973. Geochronology of West Indonesia and its Implication on Plate Tectonics. *Tectonophysics Volume 19, Issue 3, October 1973, Pages 195 - 212*.
- Koesuma, S., Shidqi, A. Z., and Sunardi, B. 2024. Hazard Analysis of Earthquake in Pleret, Bantul Regency, Yogyakarta Special Region based on Microtremor Data. *IOP Conf. Ser: Earth Environ. Sci.* 1314 012077.

- Konno, K., dan Ohmachi, T. 1998. Karakteristik Gerakan Tanah Diperkirakan dari Rasio Spektral Antara Komponen Horizontal dan Vertikal Mikrotremor. *Bull Seismol Soc Am.* 88 228 41.
- Lowrie, W. 2007. *Fundamentals of Geophysics*. Cambridge University Press, New York.
- Luthfiyani, N., Yudistira, T., and Rexha, V. Ry. 2019. Shear Velocity (V_s) Estimation with HVSR (Horizontal to Vertical Spectrum Ratio) Curve Inversion Method of Microtremor Measurement in Bandung Basin. *IOP Conf. Ser: Earth Environ. Sci.* 318 012034.
- Martodjojo, S. 1984. *Evolusi Cekungan Bogor, Jawa Barat*. Tesis Doktor, Pasca Sarjana ITB.
- Martodjojo, S., dan Pulunggono, A. 1995. *Evolusi Cekungan Jawa Timur: Implikasi Tektonik dan Stratigrafi*. Prosiding Seminar Geologi dan Geotektonik Pulau Jawa, Yogyakarta, 23 - 24 Agustus 1995, 11 - 30.
- Martodjojo, S. 2003. *Evolusi Cekungan Bogor, Jawa Barat*. Bandung: Insititut Teknologi Bandung.
- Meidji, I. U., Rusydi, M., Asrafil., Jayadi, H., and Safitri, N. 2021. Sediment Thickness Mapping and Soil Classification Using Ellipticity Inversion of Rayleigh Wave in the Eastern Part of Mataram City, Indonesia. *J. Phys: Conf. Ser.* 1763 012049.
- Mosegaard, K., and Tarantola, A. 1995. Monte Carlo Sampling of Solutions to Inverse Problems. *Journal of Geophysical Research* 100, 12431 - 12447.
- Nakamura, Y. 1989. A Method for Dynamic Characteristics Estimation of Subsurface Using Microtremor on the Ground Surface. *Japan: Quarterly Report of Railway Technical Research Institute (RTRI)*, Vol. 30, No. 1.
- Nakamura, Y. 2000. Clear Identification of Fundamental Idea of Nakamura's Technique and Its Application. *The 12nd Word Conference on Earthquake Engineering*. Tokyo, Japan.
- Nakamura, Y. 2008. On The H/V Spectrum. *The 14th World Conference on Earthquake Engineering*, Beijing, China.
- Nogoshi, M., and Igarashi, T. 1971. On the Amplitude Characteristics of Ambient Seismic Noise (Part 2), *Journal Seismol Soc.* 24 : 26 - 40.
- Nurrahmi., Efendi, R., dan Sandra. 2015. Analisis Kecepatan Gelombang Geser V_{s30} Menggunakan Metode Refraksi Mikrotremor (ReMi) di Kelurahan Talise. *Jurnal Gravitasi.* 14 (1).
- Patimah, S. 2017. *Analisis Litologi Bawah Permukaan Berdasarkan Ground Profiles Kecepatan Gelombang Geser dengan Metode Ellipticity Curve di Kecamatan Prambanan dan Kecamatan Gantiwarno Kabupaten Klaten [skripsi]*. Yogyakarta (ID): Universitas Negeri Yogyakarta.
- Pemerintah Kota Sukabumi. 2019. (<https://portal.sukabumikota.go.id/geografis/> diakses pada 11 November 2024).

- Prabowo, U., Marjiyono., and Sismanto. 2016. Mapping the Fissure Potential Zones Based on Microtremor Measurement in Denpasar City, Bali. IOP Conf Series: Earth and Environmental Science. Vol 29.
- Pulunggono, A., dan Martodjojo, S. 1994. Perubahan Tektonik Paleogen dan Neogen merupakan Peristiwa Tektonik Terpenting di Jawa. Proceeding Geologi dan Geoteknik Pulau Jawa Sejak Akhir Mesozoik hingga Kuartar Hal 37 - 50.
- PUSGEN. 2017. Peta Sumber dan Bahaya Gempa Indonesia Tahun 2017. Bandung: Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Saputra, F. R. T., Rosid, M. S., Fachruddin, I., Ali, S., Huda, S., and Wiguna, I. P. A. P. 2022. Analysis of Soil Dynamics and Seismic Vulnerability in Kalibening District, Banjarnegara Using the HVSR Method. J. Phys: Conf. Ser. 2377 012038.
- Sarma, S. K. 2013. Engineering Seismology: With Applications to Geotechnical Engineering. Butterworth-Heinemann.
- Schuler, J. 2008. Joint Inversion of Surface Wave and Refracted P and S-waves. Master of Science Thesis, Eidgenossische Technische Hochschule Zurich, Swiss Federal Institute of Technology Zurich.
- Sefiyanti, F., Amin, S. S., Resta, I. L., Hamdi, H., Astuti, P., Fauziyah, A. A., Risky, K. F., Lefdiana, A., Pranata, A. R., dan Harahap, I. A. 2024. Identifikasi Kerentanan Tanah dan Percepatan Tanah Menggunakan Metode Mikrotremor di Kawasan Kayu Aro Barat. Journal Online of Physics, 10 (1), 88 - 93.
- SESAME. 2004. Guidelines for the Implementation of the H/V Spectral Ratio Technique on Ambient Fibration, SESAME Europe Research Project, Europe.
- Setiadji, B. M. 1997. Analysis of GPS Measurement in West Java, Indonesia. Ann. Disas. Prev. Res. Inst. Kyoto Univ, 40, B - 1, 27 - 33.
- Shearer, P. M. 2009. Introduction to Seismology, Second Edition. Cambridge University Press, Cambridge.
- SNI 1726-2019. 2019. Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Non Gedung. National Standardization Agency of Indonesia.
- Sunardi, E and Kimura, Jun-ichi. 1998. Temporal Chemical Variation in Late Cenozoic Volcanic Rock Around The Bandung Basin, West Java Indonesia. J. Min. Petr. Econ. Geol. 93: 103-128.
- Sunarjo., Gunawan, M. T., dan Pribadi, S. 2012. Gempabumi Edisi Populer. Jakarta: Badan Meteorologi Klimatologi dan Geofisika (BMKG).
- Sungkono, Warnana, D., Triwulan, dan Utama, W. 2011. Evaluation of Buildings Strength from Microtremor Analysis. Int. J. Civ. Environ. Eng. IJCEE - IJENS Vol. 11 No. 05.

- Supartoyo, E. T., Putranto, Djadja., and et al. 2005. Active Faults and Destructive Earthquake Epicenter Distribution Map of Indonesia.
- Susilowati. 2008. Penerapan Perjalanan Gelombang Seismik Gempa pada Penelaahan Struktur Bagian Dalam Bumi. Skripsi. Universitas Sumatra Utara, Medan.
- Sutrisno, W. T. 2014. Profilling Persebaran Kecepatan Gelombang Geser (V_s) Menggunakan Inversi Mikrotremor Spectrum Horizontal to Vertical Spectral Ratio (HVSr). [skripsi] Surabaya (ID): Institut Teknologi Sepuluh November.
- Tawakal, M. I., Haris, A., and Martha, A. A. 2020. Estimating Shear Wave Velocity (V_{s30}) of East Java, Indonesia, Using Ambient Noise Inversion of Horizontal to Vertical Spectral Ratio (HVSr). IOP Conf. Ser: Earth Environ. Sci. 538 012012.
- Thompson, G. R., and Turk, J. 1997. Introduction to Physical Geology, Brooks Cole, Pp.
- Trenhaile, A. S. 2007. *Geomorphology: A Canadian Perspective* (5th ed). Oxford University Press.
- Van Bemmelen, R.W. 1949. The Geology Of Indonesia Vol - IA. University Of Virginia: U.S. Government Printing Office.
- Visser, S. W. 1922. Inland and Submarine Epicentra of Sumatra and Java Earthquakes. Verhandeligen no. 9 (Complement to Ver Verhandeligen no. 7), Javasche Boekhandel En Drukkerij, Batavia, 7 - 13.
- Wair, B. R., and Dejong, J. T. 2012. Guidelines for Estimation of Shear Wave Velocity Profiles. Pacific Earthquake Engineering Research Center Headquarters. University of California.
- Wangsadinata, W. 2006. Perencanaan Bangunan Tahan Gempa Berdasarkan SNI 1726-2002. Shortcourse HAKI 2006. Jakarta.
- Wibowo, B. N. 2017. Rasio Model V_{s30} Berdasarkan Data Mikrotremor dan USGS di Kecamatan Jetis Kabupaten Bantul. Jurnal Sains Dasar. Vol 6, No 1, Hal 49 - 56.
- Young dan Freedman. 2003. Fisika Universitas Jilid I. Jakarta: Erlangga.
- Zega, B. N., Zulfakriza, Z., Rosalia, S., and Puspito, N. T. 2022. Seismic Hazard Potential in Yogyakarta Based on HVSr Curve Estimation. IOP Conf. Ser: Earth Environ. Sci. 1047 01202.